

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

U 23076.A1
.U54

U54

4286110



**United States
Department of
Agriculture**

Science and
Education
Administration

Bibliographies
and Literature
of Agriculture
Number 20

English and Foreign Publications on Hops



CURRENT SERIAL RECORDS
16 81
4286110

**United States
Department of
Agriculture**

Science and
Education
Administration

Bibliographies
and Literature
of Agriculture
Number 20

English and Foreign Publications on Hops

Compiled by

C. E. Zimmermann

Formerly plant physiologist
Irrigated Agriculture Research
and Extension Center
Prosser, Washington

CONTENTS

	Page
English language publications on hops, 1898-1979.....	1
English language subject index.....	39
Foreign language publications on hops, 1927-79.....	43
Foreign language subject index.....	76
Foreign publications cited.....	79
Availability of cited references.....	88

ENGLISH AND FOREIGN PUBLICATIONS ON HOPS

By C. E. Zimmermann¹

Hop (Humulus lupulus) is an economically important crop in the Pacific Northwest of the United States and in many areas of Europe and Asia. The plant is dioecious. The strobiles (cones) from the female plant are used by the brewing industry to enhance the flavor of beer. Hop is a unique plant because of its daylength requirements and specific cultural practices; however, its agronomic requirements, management practices, and pest problems are often similar to those affecting other crops.

Scientific investigations have been conducted on hops since the late 1800's, with work being done in many countries. The author does not suggest that these publications are the only ones available, but does feel that the following lists are comprehensive and cover all aspects of work done in the English language in the last 80 years and in foreign languages in the last 50 years.

Many of the foreign language citations are translated because of their universal importance; some have English summaries. Many, however, are available only in their original form.

The citations are listed in alphabetical order by author. The subject indexes list those citations, by number, that refer to a particular area of investigation. All foreign language publications cited are listed in a separate index. "Serial Sources for the BIOSIS Data Base," 1979 edition, was used as a resource for publication titles.

ENGLISH LANGUAGE PUBLICATIONS ON HOPS, 1898-1979

A

1. Adams, A. N. 1973. Viruses latent in hop (Humulus lupulus L.) and techniques for obtaining virus-free clones. Proc. 7th Brit. Insect. Fung. Conf., 1973.
2. _____ 1975. Elimination of viruses from hop (Humulus lupulus) by heat therapy and meristem culture. J. Hort Sci. 50(2):151-160.

¹Formerly, plant physiologist, U.S. Department of Agriculture, Science and Education Administration-Agricultural Research, Irrigated Agriculture Research and Extension Center, Prosser, Wash.

3. Adams, A. N., Neve, R. A., and Thresh, J. M. 1977. The differing health status of the hop planting material now available. East Mall. Res. Sta. Ann. Rept. 1976:179-181.
4. Alderton, Gordon, Bailey, G. F., Lewis, J. C., and Stitt, Fred. 1954. Spectrophotometric determinations of humulone complex and lupulone in hops. Anal. Chem. 26:983.
5. Amos, J., and Hoblyn, T. N. 1928. Manurial trials with hops. East Mall. Res. Sta. Ann. Rept. Suppl. II. 14/15:165-171.
6. Angell, Stanley, and Norris, Frederick Walter. 1936. Studies on hemicelluloses. V. Additional notes on the hemicelluloses of maize cobs. VI. The hemicelluloses of the flower of the hop (Humulus lupulus). Biochem. J. 30(12):2155-2165.
7. Anonymous. 1942. The components of the hop cone. Brew. Dig. 17(9):27.
8. Ashurst, P. R., and Laws, D. R. J. 1968. The chemistry of hop constituents: 30. Synthetic iso-alpha-acids. J. Inst. Brew. 73(6):535-537.
9. Askew, H. O., Hodgson, Joyce, and Ward, G. 1955. The effect of position of the vines, of fertilizers, and of season, on the mineral and nitrogen contents of hop leaves and cones. N.Z. J. Sci. Tech. Ser. B. 35(5):395-410.
10. _____ and Monk, R. J. 1951. Boron in the nutrition of the hop. Nature 167(4261):1074-1075.
11. _____ and Monk, R. J. 1953. Boron deficiency and uptake of boron in the hop plant. N.Z. J. Sci. Tech. Ser. A. 35(4):279-300.
12. _____ and Monk, R. J. 1957. Physical and chemical changes in hop cones during drying. N.Z. J. Sci. Tech. Ser. B. 38(9):943-954.
13. _____ Monk, R. J., and Hodgson, Joyce. 1954. Chemical changes in the developing hop cone. N.Z. J. Sci. Tech. Ser. B. 36(3):227-239.
14. _____ Monk, R. J., and Watson, Joyce. 1958. Molybdenum deficiency of the hop. N.Z. J. Agric. Res. 1(4):553-568.
15. _____ Monk, R. J., and Watson, Joyce. 1958. Physical and chemical changes in the developing hop cone. N.Z. J. Agric. Res. 1(5):757-777.

B

16. Bailey, C. R. 1939. Some preliminary experiments in the use of root initiating substance in hop propagation. J. S.E. Agric. Coll. 44: 47-53.
17. Barbara, D. J., Clark, M. F., Thresh, J. M., and Casper, R. 1978. Rapid detection and serotyping of Prunus necrotic ringspot virus in perennial crops by ELISA. Ann. Appl. Biol. 90(3):395-399.
18. Barwald, G., and Miglio, G. 1971. Volatile sulfur compounds in hops, hop extracts and iso-extracts. Wallerstein Lab. Commun. 34(114):149.

19. Bateson, J. B., and Laws, D. R. J. 1969. Effect of storage on hop extracts. J. Inst. Brew. 75(2):191-194.
20. Bazard, D., Flayeux, R., Moll, M., Viriot, M. L., Andre, J. D. and Niclaude, M. 1979. Improvement of the bitterness of hops: Photo-reactions of beta-acids. J. Inst. Brew. 85(1):283-287.
21. Beard, F. H. 1932. Manurial experiments with hops in pot culture. J. Pomol. and Hort. Sci. 10(2):91-105.
22. _____ 1933. Symptoms of manurial deficiencies in hops. East Mall. Res. Sta. Ann. Rept. 1932:156-159.
23. _____ 1943. A comparison of the performance of sets and cuts of hops when planted in their permanent positions. East Mall. Res. Sta. Ann. Rept. 1942:73-75.
24. _____ 1943. The problems and practice of hop growing: The culture, drying, disease and pests of the hop. J. Inst. Brew. 60:118-139.
25. _____ 1946. Observations on the incidence of mould (*Sphaerotheca humuli*) on the new seedling hops at East Malling in 1945. East Mall. Res. Sta. Ann. Rept. 1945(A29):107-114.
26. _____ 1946. Propagation trials with hops. III. A comparison of the performance of cuttings made from runners, layers, and "straps". East Mall. Res. Sta. Ann. Rept. 1945(A29):104-106.
27. _____ 1947. Propagation trials with hops. VI. The effect of spacing cuttings (straps cuts) in the nursery rows on the number and size of sets produced. East Mall. Res. Sta. Ann. Rept. 1946(A30):140-141.
28. _____ 1951. The classification of hop varieties according to their ease of picking. East Mall. Res. Sta. Ann. Rept. 1950(A34):187-189.
29. _____ 1951. Propagation trials with hops. VII. Number and size of sets produced from strap-cuts of certain varieties. East Mall. Res. Sta. Ann. Rept. 1950(A34):190-192.
30. _____ 1952. Seven clonal selections of Golding hops. East Mall. Res. Sta. Ann. Rept. 1951(A35):189-196.
31. _____ and Salmon, E. S. 1955. Detailed notes on some new varieties of hops in Wye field plots, Wye College. Wye Coll. Rept. 1954.
32. _____ and Wilson, Dorothy J. 1946. Propagation trials with hops. II. Preliminary trials in propagation by soft-wood cuttings. East Mall. Res. Sta. Ann. Rept. 1945(A29):96-103.
33. _____ and Wilson, Dorothy J. 1947. Propagation trials with hops. IV. Further trials in propagation by softwood cuttings. East Mall. Res. Sta. Ann. Rept. 1946(A30):131-135.
34. _____ and Wilson, Dorothy J. 1947. Propagation trials with hops. V. Further experiments in treating cuttings (strap cuts) with growth substances. East Mall. Res. Sta. Ann. Rept. 1946(A30):136-139.

35. Beranek, F., and Srp, A. 1976. Clone selection and mutation in hop breeding. Proc. Sci. Comm., Internat. Hop Growers Convention, Wye, England, 1976.
36. Bhandari, P. R. 1964. Identification of flavonoids in hops by thin-layer chromatography. J. Chromatogr. 16(1):130-135.
37. Bhat, B. K., Atal, C. K., Bakshi, S. K., Rishi, A. K., Handa, K. L., and Vakhlu, V. K. 1976. Relative qualities of indigenously grown and imported hops. Res. and Industry 21(4):252-253.
38. _____ Bakshi, S. K., Rishi, A. K., Kapoor, Ramesh, and Atal, C. K. 1976. Feasibility of hops cultivation in India. Res. and Industry 21(4):247-251.
39. _____ Jotshi, P. N., and Bakshi, S. K. 1978. The effect of time of dressing on the flowering behaviour and yield of hops variety Late Cluster. J. Inst. Brew. 84:288-290.
40. Bird, M. 1974. New hop varieties hold export potential. N.Z. J. Agric. 129(1):50-51.
41. Blaich, O. P. 1963. Can hops prices be stabilized? Univ. Cal. Agric. Ext. Serv., 13 p.
42. Blosser, John H., and Mumford, D. Curtis. 1944. Harvest labor efficiency on hops in Oregon. Ore. State Coll. Agric. Expt. Sta. Circ. No. 342.
43. Bloxham, V. V. 1952. The Bloxham kiln dryness indicator for obtaining uniform dryness of hops in the kiln. Mimeo. Bloxham Engineering, Inc., Berkeley, Calif.
44. Boatwright, Judith. 1976. Antimicrobial activity of hop oil emulsion. J. Inst. Brew. 82:334-335.
45. Boawn, Louis C. 1969. Phosphorous fertilization of hop. Agron. J. 61(2):211-214.
46. _____ 1965. Zinc concentration in hop leaves in relation to adequate and inadequate levels of zinc nutrition. Agron. J. 57(6):523-524.
47. Bock, K. R. 1967. Hop mosaic virus. East Mall. Res. Sta. Ann. Rept. Hop 1966:163-165.
48. _____ 1967. Strains of Prunus necrotic ringspot in hops. Ann. Appl. Biol. 59:437-446.
49. Boiko, A. L., Sakhno, T. N., and Anokhin, V. M. 1974. Effects of radiation on the productivity of hop plants infected with curly-top virus. Radiobiol. 13(4):199-202. [Translated from Russian to English.]
50. Branton, C. Ivan. 1950. A hop drier for Oregon farms. Ore. State Coll. Agric. Expt. Sta. Bull. No. 474.
51. Bressman, E. N. 1931. Developing new varieties of hops. Science 74(1912):202-203.
52. _____ and Nicholas, R. A. 1933. Germination of the oospores of Pseudoperonospora humuli. Phytopath. 23(5):485-487.

53. Brooks, S. N. 1962. Association of quality characters in flowers of male hops. Crop Sci. 2(3):192-198.
54. _____ 1962. Effectiveness of selection within Fuggle hops (Humulus lupulus L.). Crop Sci. 2(1):5-10.
55. _____ 1963. Relation of training date to pollen shedding in male hops, Humulus lupulus L. Crop Sci. 3(3):275-277.
56. _____ Evans, D. D., and Likens, S. T. 1964. Response of hops to fertilization under irrigation. Proc. 15th Ann. Fert. Conf. of Pacific Northwest, Salem, Ore. July 15-17, 1964.
57. _____ Horner, C. E., and Likens, S. T. 1961. Hop production. U.S. Dept. Agric. Agric. Inform. Bull. No. 240:1-16.
58. _____ Horner, C. E., Likens, S. T., and Zimmermann, C. E. 1972. Registration of Cascade hop. Crop Sci. 12:394.
59. _____ and Keller, K. R. 1960. Effect of time of applying fertilizer on yield of hops. Agron. J. 52:516-518.
60. _____ and Likens, S. T. 1962. Variability of morphological and chemical quality characters in flowers of male hops. Crop Sci. 2(3):189-192.
61. _____ and Puri, Y. P. 1963. Atmospheric conditions influencing pollen shedding of hops (Humulus lupulus L.). Crop Sci. 3(6):530-531.
62. Brown, B. M., Lasman, W. C., Wilmot, J., and Hodgson, N. 1948. Brewing trials with varieties of hops showing some resistance to Verticillium wilt. J. Inst. Brew. 54(2):105-106.
63. Brown, J. F., Thompson, F. C., Trolle, B., and Zattler, F. 1967. Hop variety trials. Brew. J. 103(1227):33-39.
64. Bruggermann, C. C. W. 1951. History of hop growing in Germany. Hopper 8(6):24.
65. Bullis, D. E. 1945. The true moisture content of hops. Amer. Brewer 78(12):24.
66. _____ 1956. Cone breakage - its relation to hop quality. Wallerstein Lab. Commun. 19(64):23-30.
67. _____ and Hill, D. D. 1951. Quality evaluation of the 1949 hop crop. Wallerstein Lab. Commun. 14(46):223-233.
68. _____ and Likens, S. T. 1962. Hop oil-past and present. Brew. Dig. April 1962.
69. Burgess, A. H. 1935. Deterioration of hops during storage; observations and preliminary experiments. J. Inst. Brew. 32(12):467-476.
70. _____ 1938. Hop research scheme. Hop experiments - Wye Field. J. S.E. Agric. Coll. 41:22-24.
71. _____ 1949. The nutrition of the hop crop. I. Incomp. Brewers Guild 35(419):346-352.
72. _____ 1951. Notes on the physics of hop drying. Wallerstein Lab. Commun. 14(45):111-117.

73. Burgess, A. H. 1964. Hops, botany, cultivation and utilization. Inter-Science Publishers, New York.
74. _____ and Tatchell, A. R. 1950. Progress report on studies of deterioration of hops during storage. Wye Coll. Dept. Hop Res. Ann. Rept. 1949:21-46.
75. Burgstahler, A. W., and Widiger, G. N. 1973. Synthesis of spiro ketals from Japanese hops. J. Org. Chem. 38(2):3652-3653.
76. Buttery, R. G., Teranishi, R., Mon, T. R., and Ling, L. C. 1969. Volatile hop constituents: Characterization of beta-copaene and pentadec-6-3n3-2-one. J. Sci. Food Agric. 20(12):721-722.
77. Buttery, Ron G., Black, Dale R., Kealy, Mary P., and McFadden, William H. 1964. Volatile hop esters. Nature 202(4933):701-702.
78. _____ and Ling, Louisa C. 1967. Identification of hop varieties by gas chromatographic analysis of their essential oils. Capillary gas chromatography patterns and analysis of hop oils from American grown varieties. J. Agric. Food Chem. 15(3):531-535.
79. _____ Lundin, R. E., and Ling, L. 1967. Characterization of some C₁₅ constituents of hop oil. J. Agric. Food Chem. 15(1):58-65.
80. _____ McFadden, W. H., Teranishi, R., Kealy, Mary P., and Mon, T. R. 1963. Constituents of hop oil. Nature 200(4905):435-436.
81. Buxton, J. H., and Madge, D. S. 1976. The evaluation of the European earwig (Forficula auricularia) as a predator of the damson-hop aphid (Phorodon humuli). I. Feeding experiments. Natural control of hop pests. Entomol. Exp. Appl. 19(2):109-114.
82. _____ and Madge, D. S. 1977. Pitfall-trap catches of arthropods in a hop garden. Entomol. Monthly Mag. 112:145-149.

C

83. Campbell, C. A. M. 1977. Distribution of damson-hop aphid (Phorodon humuli) migrants on hops in relation to hop variety and wind shelter. Ann. Appl. Biol. 87(3):315-325.
84. _____ 1977. A laboratory evaluation of Anthocoris nemorum and Anthocoris nemoralis (Hemiptera: Anthocoridae) as predators of Phorodon humuli (Homoptera: Aphididae) hop aphids. Entomophaga 22(3):309-314.
85. _____ 1978. Regulation of the damson-hop aphid on hops by predators. J. Hort. Sci. 53(3):235-242.
86. Carden, P. 1976. Hops - control of pests. Brit. Min. Agric. Fish. and Food, Short Term Leaflet. No. 193, 10 p.
87. Carson, J. F. 1951. The structure of humulone and lupulone as revealed by ozonization. J. Amer. Chem. Soc. 73(10):4652-4654.
88. Chapman, Chaston. 1928. The higher-boiling constituents of the essential oil of hops. J. Chem. Soc. (London) May 1928:1303-1306.

89. Chater, G. P. 1970. Hop growing in seventies. Brit. Min. Agric. Fish. and Food 77(1):467-470.
90. Chilton, H. M., and Peppard, T. L. 1978. Suitable emulsifiers for hop oil emulsions. J. Inst. Brew. 84(3):177-178.
91. Chippindale, H. G., and Thompson, F. C. 1962. Growing hops in grass. J. Brit. Grassland Soc. 17(1):59-66.
92. Christie, T. 1966. Studies on the nitrogen metabolism of species of *Verticillium* pathogenic to tobacco and hops. N.Z. J. Agric. Res. 9(4):995-997.
93. Clark, M. F., and Adams, A. N. 1977. Characteristics of the micro plate method of enzyme linked immunosorbent assay for the detection of plant viruses. J. Gen. Virol. 34(3):475-483.
94. _____ and Adams, A. N. 1977. Laboratory notes on the ELISA technique for plant viruses. East Mall. Res. Sta. Bull. 1976.
95. _____ Adams, A. N., and Thresh, J. M. 1976. The detection of plum pox and other viruses in woody plants by enzyme-linked immunosorbent assay (ELISA). Acta Hort. 67:51-57.
96. Clarke, B. J., Hildebrand, R. P., and White, A. W. 1976. The application of salt formation in the chemistry and technology of hop resins. J. Inst. Brew. 82:212-217.
97. Claus, H., van Dyck, J., and Verzele, M. 1978. Photometric constants of hop bitter acids. J. Inst. Brew. 84(4):218-220.
98. Clemo, G. R., and Harris, J. O. 1951. A contribution to the chemistry of the sesquiterpene humulene. J. Chem. Soc. (London) 1:22-25.
99. Commonwealth Bureau of Horticulture and Plantation Crops. 1973. Annotated bibliography on hops-vegetative propagation, 1937-1971. Query File 6066(s), 6 p.
100. Commonwealth Mycological Institute and Association of Applied Biologists. 1970. Arabis mosaic virus. Descriptions of Plant Viruses No. 16.
101. _____ 1975. Annotated bibliography on the use of N and N-containing fertilizers in hops, 1966-1974. Query File No. 10/75, Vols. 37-44.
102. Cone, Wyatt W. 1968. Two-spotted spider mite and hop aphid control on Cluster hops with acaricides. J. Econ. Entomol. 61(6):1685-1689.
103. _____ 1975. Crown-applied systemic acaricides for control of the two-spotted spider mite and hop aphid on hops. J. Econ. Entomol. 68(5):684-686.
104. _____ and Chaplin, Donald A. 1975. Aphid and mite control on hops. Wash. State Ext. Serv. Memo. No. 3938.
105. _____ and Maitlen, J. C. 1976. Systemic activity of Aldicarb against two-spotted spider mites on hops and Aldicarb residues in hop cones. J. Econ. Entomol. 69(4):533-534.
106. _____ McDonough, Leslie M., Maitlen, Jay C., and Burdajewicz, Stanislaw. 1971. Pheromone studies of the two-spotted spider mite. I. Evidence of a sex pheromone. J. Econ. Entomol. 64(2):355-368.

107. Cone, Wyatt W., Predki, Stanislaw, and Klostermeyer, E. C. 1971. Pheromone studies of the two-spotted spider mite. 2. Behavioral response of males to quiescent deutonymphs. J. Econ. Entomol. 64(2):379-382.
108. _____ and Pruszyński, Stepan. 1972. Pheromone studies of the two-spotted mite. 3. Response of males to different plant tissues, age, searching area, sex ratios, and solvents in bioassay trials. J. Econ. Entomol. 65(1):74-77.
109. Connett, B. E. 1969. The chemistry of hop constituents: 35. Interconversion of humulone and isohumulone. J. Inst. Brew. 75(4):364-366.
110. _____ and Elvidge, J. A. 1969. Chemistry of hop constituents. 34. Methylation of some hop resins. J. Chem. Soc. (Organ. Chem.) 2:340-344.
111. Cook, A. H., and Harris, G. 1950. The chemistry of hop constituents. 1. Humulinone, a new constituent of hops. J. Chem. Soc. (London) 1950(7):1873-1876.
112. Cooke, B. K. 1973. Procedures for analysis of surface spray deposits of captafol on coffee trees, captan on apple trees and endosulfan on hops by gas-liquid chromatography. (Residue analysis). Pestic. Sci. 4(5):683-687.
113. Cotten, J. 1975. Virus vector species of the nematodes Xiphinema and Longidorus in relation to certification schemes for fruit and hops in England. In Nematode Vectors of Plant Viruses, F. Lamberti, C. Taylor, and J. Seinhorst, eds. Plenum Press.
114. Cranham, J. E. 1974. Resistance to organophosphates in red spider mites, Tetranychus urticae, from English hop gardens. Ann. Appl. Biol. 78:99-111.
115. Crips, E. G. 1956. Boron nutrition of the hop. J. Hort. Sci. 31:25-34.
116. Crombie, L., and Crombie, W. M. L. 1975. Cannabinoid formation in Cannabis sativa (hemp) grafted inter-rationally, and with two Humulus (hops) species. Phytochem. 14(2):409-412.

D

117. Dalgliesh, C. E., Mills, A. K., and Shaw, S. J. 1967. Analyses of hop alpha-acids and derivatives by gas chromatography. Proc. Amer. Soc. Brew. Chem. 53-62.
118. Dark, S. O. 1950. A survey of the present position in hop genetics. Wye Coll. Dept. Hop Res. Ann. Rept. 1949:58-67.
119. _____ and Tatchell, A. R. 1955. A note on the relationship between the density of resin glands on hop leaves and the resin content in hop cones. Wye Coll. Dept. Hop Res. Ann. Rept. 1954:60-67.
120. Davies, E. L. 1960. Visual analysis of hop samples. Wallerstein Lab. Commun. 23(80):19-25.

121. Davies, J. 1973. Hop industry. J. Agric. Tasmania 44(3):151-156.
122. _____ 1974. The hop industry. 3. Culture, drying. J. Agric. Tasmania 45(1):1-6.
123. Davis, Edward L. 1959. Production of seedless hops by interspecific pollination. Nature 184 (Suppl. 17):1336.
124. DeJaegher, W. 1926. The fertilization of hops. J. Inst. Brew. 32:188.
125. Delanghe, L. 1969. Analysis of hop wax. J. Sci. Food Agric. 20(10): 579-580.
126. _____ Strubbe, H., and Verzele, M. 1969. On the composition of hop wax. J. Inst. Brew. 75(5):445-452.
127. DeMets, M., and Verzele, M. 1968. The aroma of hops: I. Origin and identification of hop aroma substances. J. Inst. Brew. 74(1):74-81.
128. Dent, O. W. R., Manson, A. D., and Trevains, D. 1930. The relative values of organic and inorganic fertilizers for hops in Herfordshire. Empire J. Exp. Agric. 6(22):176-178.
129. Department of Scientific and Industrial Research. 1976. Hops. 244 p. Wellington, N.Z.
130. Dieckmann, Robert H., and Palamand, S. Rao. 1974. Autoxidation of some constituents of hops. I. The monoterpene hydrocarbon, Myrcene. J. Agric. Food Chem. 22(3):498-503.
131. Dierchens, J., and Verzele, M. 1969. Oxidation products of humulone and their stereoisomerism. J. Inst. Brew. 75(5):453-456.
132. Doe, P. E., Bhat, B. K., and Menary, R. C. 1979. Preliminary studies of a low fuel, hop drying kiln for Miniachal Pradesh, India. Food Tech. in Australia. July:302-306.
133. Doran, Samuel M. 1978. Central Washington hop costs 1977. Wash. State Ext. Memo. No. 2512.
134. Drawert, F., and Beier, J. 1976. Amino acids of the precursors of the acyl side chains of hop bitter compounds. Phytochem. 15(11):1689-1694.
135. _____ and Beier, J. 1976. The biogenesis of the six-membered ring in hop bitter compounds. Phytochem. 15(11):1689-1692.
136. _____ and Beier, J. 1976. Biosynthesis of hop bitter compounds. Part 8. Monoprenylated acylphloroglucins. Phytochem. 15(11):1695-1696.
137. _____ and Beier, J. 1976. Incorporation of carbon 14 isotopemevalonate lacton into hop bitter compounds. Phytochem. 15(11):1689-1690.
138. _____ and Beier, J. 1976. Monoprenyl acylphloroglucine. The incorporation of 14c-mevalonic acid lactone into hop bitter compounds. Phytochem. 15(11):1689-1696.
139. Drawert, Friedrich, and Beier, Johannes. 1974. Incorporation of c-14 acetic acid into hop bittering compounds. Phytochem. 13:2749-2753.

140. Drewett, K. G., and Laws, D. R. J. 1970. Chemistry of hop constituents Part 36. An improved synthesis of hop beta-acids (lupulones). J. Inst. Brew. 16(2):188-190.
141. _____ and Laws, D. R. J. 1970. Humulinic acid in isomerized hop extracts. J. Inst. Brew. 76(1):48-50.

E

142. East Malling Research Station. 1968. Hop Verticillium wilt disease (V. albo-atrum). Ann. Rept. for 1967:38-39.
143. _____ 1968. Virus diseases of hops. Ann. Rept. for 1967:42-44.
144. _____ 1969. Hop Verticillium wilt disease (V. albo-atrum). Ann. Rept. for 1968:36-38.
145. _____ 1969. Virus diseases of hops. Ann. Rept. for 1968:40-41.
146. Edwardson, John R. 1952. Hops - their botany, history, production and utilization. Econ. Bot. 6(2):160-175.
147. Elkinton, C. M., and Hoobler, S. Q. 1965. Hop situation and outlook. Wash. State Coll. Expt. Sta. Circ. No. 189.

F

148. Fang, S. C., and Bullis, D. E. 1958. Study of biogenesis of humulone and lupulone in hops during ripening using isotopic carbon. Wallerstein Lab. Commun. 21(73):107-114.
149. Farrar, R. F., Neve, R. A., and Thompson, F. C. 1969. Variations in the alpha-acid content of hops with particular reference to the variety Bullion. Wye Coll. Dept. Hop Res. Ann. Rept. 1968:44-46.
150. _____ Neve, R. A., and Weston, E. W. 1955. Inheritance of resin characters in hops. Wye Coll. Dept. Hop Res. Ann. Rept. 1954:52-59.
151. Fenselau, C., Kelly, S., Salmon, M., and Billets, S. 1976. The absence of tetrahydrocannabinol from hops. Food Cosmet. Toxicol. 14(1):35-39.
152. _____ and Talalay, P. 1973. Is estrogenic activity present in hops? Food Cosmet. Toxicol. 11(4):597-603.
153. Food and Cosmetics Toxicology. 1976. Myrcenol in the leaf oils of Barosma venusta and in the oil of hops. Food Cosmet. Toxicol. 14(6):617.
154. Ford, M. C. 1952. Irrigation practices in hops. Hopper 9(4):3-4.
155. Ford, R. E., and Sather, J. D. 1947. Breeding technique with hops, Humulus lupulus. Wallerstein Lab. Commun. 10(29):17-28.

156. Forster, Adrian. 1977. Comparison of main hop varieties in Hallertau. Brew. and Distill. Internat. 28-30.
157. Franiau, R. 1974. Quantitative determination of hop bitter substances and their derivatives in hop extracts by thin layer chromatography. J. Inst. Brew. 80(1):59-67.
158. French, J. M. 1931. Notes on the colorimetric method for determination of the preservative value of hops. J. Inst. Brew. 37(8):436-439.
159. French, N., Ludlam, F. A. B., and Wardlow, L. R. 1973. Biology, damage and control of rosy rustic moth, Hydraecia micacea (Esp.), on hops. Plant Path. 22(2):58-64.
160. Fridlund, P. R. 1959. A latent virus of hops detected by cucumber inoculation. Plant Dis. Repr. 43(5):594.

G

161. Gill, R. 1979. Hop resin analysis by high-performance liquid chromatography on microparticulate silica. J. Inst. Brew. 85:15-20.
162. Grain Division, USDA Marketing Service. 1976. Inspection Handbook for Hops. Handbook No. 12, Aug. 15, 1945, 13 p.
163. Grant, H. L. 1969. Analysis of constituents of dried hops and hop extracts and of hop constituents in beer. Brew. Dig. 44(4):100-101.
164. _____ 1972. Use of sequential buffer extraction for separation and measurement of hop constituents. Proc. Ann. Meet. Amer. Soc. Brew. Chem. 82-84.
165. _____ 1975. Analysis of hop products. Proc. Amer. Soc. Brew. Chem. 33(3):112-113.
166. _____ 1975. The Grant method of preparing hop pellets for analysis. Proc. Amer. Soc. Brew. Chem. 33(3):84.
167. Grant, Herbert L. 1979. Concentrated hop pellets. J. Amer. Soc. Brew. Chem. 37(2):55-57.
168. Green, C. P. 1970. The volatile water-soluble fraction of hop oil: I. Formation by the oxidation of soft resins. J. Inst. Brew. 76(1):36-40.
169. _____ 1978. Kinetics of hop storage. J. Inst. Brew. 84(6):312-314.
170. Griffin, M. J., and Coley-Smith, J. R. 1968. The establishment of hop tissue cultures and their infection by downy mildew, Pseudoperonospora humuli (My. & Tak.) Wilson under aseptic conditions. J. Gen. Microbiol. 53(2):231-236.
171. _____ and Coley-Smith, J. R. 1971. Some effects of streptomycin on Pseudoperonospora humuli, downy mildew of hops. J. Gen. Microbiol. 69(1):117-134.

172. Griffin, M. J., and Coley-Smith, J. R. 1975. Uptake of streptomycin by sporangia of Pseudoperonospora humuli and the inhibition of uptake by divalent metal cations (hops). Trans. Brit. Mycol. Soc. 65(2):265-278.
173. Guadagni, D. G., Buttery, Ron G., and Harris, Jean. 1966. Odor intensities of hop oil components. J. Sci. Food Agric. 17:142-144.
174. Guthrie, John M., and Philip, George G. 1930. A colorimetric method for the estimation of the soft resins of hops. J. Inst. Brew. 27(9):455-459.

H

175. Haas, Gerhard J., and Fleischman, Alan I. 1957. Determination of moisture in hops. J. Agric. Food Chem. 5(10):776-779.
176. Hansen, G., Hetzel, L., and Miller, R. 1971. Analysis of hop components by ion exchange chromatography. I. Hops and hop extracts. Proc. Amer. Soc. Brew. Chem. 246-254.
177. _____ and Ramos, S. A. 1976. Utilization of hop acids as measured by ion exchange chromatography. Master Brewers Assoc. of Amer. Tech. Quart. 13(3):151-156.
178. Harlan, J. D. 1939. A trial of new varieties of hops for New York. N.Y. State Agric. Expt. Sta. Bull. No. 687.
179. Harris, G., Howard, G. A., and Pollock, J. R. A. 1952. The chemistry of hop constituents. III. The structure of humulinic and isohumulonic acids. J. Chem. Soc. (London) 1952(5):1906-1914.
180. Harris, R. V. 1954. Wilt-tolerant hops. East Mall. Res. Sta. Ann. Rept. 1953:208-209.
181. _____ 1959. Progress in research on Verticillium wilt and virus diseases of hops in 1958. East Mall. Res. Sta. Ann. Rept. 1958:165-167.
182. _____ 1961. Progress in research on Verticillium wilt and virus diseases of hops in 1960. East Mall. Res. Sta. Ann. Rept. 1960:141-144.
183. _____ 1962. Progress in research on Verticillium wilt and virus diseases of hops in 1961. East Mall. Res. Sta. Ann. Rept. 1961:139-140.
184. _____ 1963. Progress in research on Verticillium wilt and virus diseases of hops in 1962. East Mall. Res. Sta. Ann. Rept. 1962 (A46):138-140.
185. _____ 1964. Hop virus diseases and Verticillium wilt. East Mall. Res. Sta. Ann. Rept. 1963(A47)-171-173.
186. Hartley, R. D. 1968. Effect of oil content on the loss of alpha-acid from hops during storage. J. Inst. Brew. 73(6):538-542.
187. _____ 1968. Varietal differences in volatile water-soluble fractions of hops (Humulus lupulus L.). Phytochem. 7(9):1641-1644.

188. Hartley, R. D., and Fawcett, C. H. 1968. Identification of volatile, water-soluble compounds from hops. *Phytochem.* 7(8):1395-1400.
189. _____ and Neve, R. A. 1965. Relationships between constituents of cones and male flowers of the hop (Humulus lupulus). *Nature* 208 (5012):804-805.
190. _____ and Neve, R. A. 1966. The effect of gibberellic acid on development and yield of Fuggle hops. *J. Hort. Sci.* 41:53-56.
191. _____ and Neve, R. A. 1968. Chemical analysis and breeding value of male hops (Humulus lupulus L.). *J. Hort. Sci.* 43(2):153-156.
192. Hastie, A. C. 1962. Genetic recombination in the hop-wilt fungus Verticillium albo-atrum. *J. Gen. Microbiol.* 27(3):373-382.
193. Haunold, A. 1974. New help for hop crops; sterility. *Ore. Agric. Prog.* 21(20):14.
194. _____ 1975. Use of triploid males for increasing hop yield. *Crop Sci.* 15(6):833-840.
195. _____ Likens, S. T., and Nickerson, G. B. 1977. Development of zero-alpha hop genotypes. *Crop Sci.* 17(2):315-319.
196. _____ and Zimmermann, Charles E. 1974. Pollen collection, crossing, and seed germination of hop. *Crop Sci.* 14:774-776.
197. Haunold, Alfred. 1968. A trisomic hop, Humulus lupulus L. *Crop Sci.* 8: 503-506.
198. _____ 1968. Venetian turpentine as an aid in squashing and concomitant production of durable chromosome mounts. *Stain Tech.* 43(3): 153-156.
199. _____ 1970. Fertility studies and cytological analysis of the progeny of a triploid x diploid cross in hop, Humulus lupulus L. *Can. J. Genetics Cytol.* 12(3):582-588.
200. _____ 1971. Cytology, sex expression, and growth of a tetraploid x diploid cross in hop (Humulus lupulus L.). *Crop Sci.* 11:868-871.
201. _____ 1971. Polyploid breeding with hop (Humulus lupulus L.). *Tech. Quarterly* 9(1):36-40.
202. _____ 1972. Morphological and cytological characteristics of five primary trisomics in hop, Humulus lupulus L. *Proc. Amer. Soc. Agric. P.* 10.
203. _____ 1972. Self fertilization in a normally dioecious species, Humulus lupulus L. *J. Heredity* 63(5):283-286.
204. _____ 1974. Meiotic chromosome behavior and pollen fertility of a triploid hop. *Crop Sci.* 14:849-852.
205. _____ Horner, C. E., Likens, S. T., Roberts, D. D., and Zimmermann, C. E. 1976. Registration of Willamette hop. *Crop Sci.* 16(5):739.
206. _____ Likens, S. T., and Horner, C. E. 1971. Registration of Fuggle T autotetraploid hop germplasm. *Crop Sci.* 11:945.

207. Haunold, Alfred, Likens, S. T., Horner, C. E., Nickerson, Gail B., and Zimmermann, C. E. 1977. Columbia and Willamette, two new aroma-type hop varieties. *Brew. Dig.* 52(11):36-39.
208. _____ Likens, S. T., Horner, C. E., Zimmermann, C. E., and Roberts, D. D. 1976. Registration of Columbia hop. *Crop Sci.* 16(5):738.
209. _____ Likens, S. T., Nickerson, G. B., Horner, C. E., and Zimmermann, C. E. 1978. Registration of USDA 21055 hop germplasm. *Crop Sci.* 18:918-919.
210. _____ and Nickerson, Gail B. 1979. Hop yield stimulation by triploid males under field conditions. *Crop Sci.* 19(1):27-31.
211. Hautke, P. 1966. Determination of individual alpha-acids and beta-acids of hops by gas chromatography. *J. Inst. Brew.* 72(6):526-529.
212. _____ and Petricek, D. 1967. The influence of environmental conditions on the proportion of cohumulone, adhumulone and humulone in hop alpha-acids. *J. Inst. Brew.* 73(1):51-59.
213. _____ and Petricek, D. 1967. Inheritance of biochemical characteristics in hops: Report of a brief study. *Wallerstein Lab. Commun.* 30(102/103):135-139.
214. _____ and Petricek, D. 1970. Simple and rapid determination of hop variety by gas chromatography of the hop aroma vapor. *Wallerstein Lab. Commun.* 33(111):89-96.
215. _____ and Petricek, D. 1971. Influence of ripening on the formation of aroma substances in some hop varieties of a worldwide collection. *Wallerstein Lab. Commun.* 34(113):55-56.
216. Heinemann, W. W., and Dyer, I. A. 1974. Spent hops, corn silage, and alfalfa hay and alfalfa stems in beef cattle nutrition. *Wash. State Univ. Coll. Agric. Res. Bull. No.* 795.
217. Henderson, S. M. 1958. Some hop-drying studies. *Bull. Calif. Agric. Expt. Sta. No.* 762. 1-26.
218. _____ 1973. Equilibrium moisture content of hops. *J. Agric. Eng. Res.* 18(1):55-58.
219. _____ and Miller, G. E., Jr. 1971. Hop drying studies, 1971 harvest. *Dept. Agric. Eng., Univ. Calif. at Davis.*
220. _____ and Miller, G. E. 1972. Hop drying - unique problems and some solutions. *J. Agric. Eng. Res.* 17(3):281-287.
221. Henderson, S. Milton, and Miller, George E., Jr. 1974. Hop drying details and in-bale quality. *Univ. of Calif. Ext. MA-74.*
222. Hill, D. D. 1945. A milestone in hop grading. *Amer. Brew.* 78(8):22.
223. Hind, H. Lloyd. 1932. Brewing trials with new varieties of hops grown at East Malling in 1930. *J. Inst. Brew.* 28(1):13-14.
224. Hoerner, G. R. 1934. Crown gall of hops. *Phytopath.* 24(6):688-691.
225. _____ 1934. The use of calcium cyanamid in hop downy mildew control, in the solution of the "dormant hill" problem and as a fertilizer for hops. *Ore. Sta. Agric. Coll. Circ. No.* 103.

226. Hoerner, G. R. 1940. The infection capabilities of hop downy mildew. J. Agric. Res. 61(5):331-334.
227. _____ 1940. The species of the genus Pseudoperonospora and their recorded hosts. Plant. Dis. Repr. 24(9).
228. _____ 1942. A convenient scale for use in the rapid determination of comparative degrees of infection of hops by the downy mildew fungus, Pseudoperonospora humuli. Phytopath. 32(4):331-333.
229. _____ 1942. A study of spreaders for use on hops in the field control of downy mildew. Phytopath. 32(9):820-823.
230. _____ 1949. Hop diseases in the United States. Brew. Dig. 24(4):45-51.
231. _____ 1949. A review of recommendations for the control of the downy mildew of hops. Hopper. August 1949.
232. _____ 1951. Better hops for the benefit of master brewers. Amer. Brew. 84(12):57, 58, 75.
233. _____ 1953. Progress in hop production. Brew. Dig. 28(4):65-67.
234. _____ Bullis, D. E., and Hill, D. D. 1952. Summary of hop quality studies - 1950 crop. Ore. State Univ. Agric. Expt. Sta. Circ. No. 511.
235. _____ and Rabak, Frank. 1940. Production of hops. U.S. Dept. Agric. Farmers' Bull. No. 1842.
236. _____ and Smith, D. C. 1935. A new canker of hops in Oregon. Phytopath. 25(4):437-439.
237. Holmes, George K. 1912. Hop crop of the United States, 1790-1911. U.S. Dept. Agric., Bur. of Stat. Circ. No. 35.
238. Hoos, Sidney, and Bolos, J. N. 1953. Marketing of hops analyzed. Calif. Agric. 7(6):3, 14.
239. Hop Industry Advisory Committee. 1976. Brewing trials with Saxon and Northern Brewer hops 1975 crop. J. Inst. Brew. 82:200-202.
240. Hop Liaison Committee of the European Brewers Convention. 1975. International hop variety trial (II) 1968-72. J. Inst. Brew. 81(1):14-30.
241. Horner, C. E. 1963. Chemotherapeutic effects of streptomycin on establishment and progression of systemic downy mildew infection in hops. Phytopath. 53(4):472-474.
242. _____ Brooks, S. N., Haunold, A., and Likens, S. T. 1974. Registration of hop germplasm. Crop Sci. 14(2):341.
243. _____ and Likens, S. T. 1971. Hop improvement in the United States. Wallerstein Lab. Commun. 24(113):35-43.
244. _____ Likens, S. T., Zimmermann, C. E., and Haunold, Alfred. 1972. Cascade - a new continental-type hop variety for the U.S. Brew. Dig. August 1972.
245. Horner, Chester E. 1965. Verticillium wilt of hops in Oregon. Plant Dis. Repr. 49(6):538-540.

246. Horsefall, James G. 1936. Report on disease of hops in Kent, England. Mimeo. September 1936.
247. Howard, B. H. 1961. The effect of light intensity and leaf area upon rooting of soft-wood cuttings of the hop (Humulus lupulus L.). Wye Coll. Dept. Hop Res. Ann. Rept. 1960:37-47.
248. Howard, G. A. 1956. The chemistry of hop constituents. Wye Coll. Dept. Hop Res. Ann. Rept. Appendix II:81-87.
249. _____ 1970. Institute of Brewing: Analysis committee determination of hop oil. J. Inst. Brew. 76(4):381-386.
250. _____ and Pollock, J. R. A. 1952. The chemistry of hop constituents. II. Oxidation products of lupulone. J. Chem. Soc. (London) 1952(5): 1902-1906.
251. Hudson, Lawrence E. 1958. Hop evaluation and utilization. Wallerstein Lab. Commun. 21(74):183-205.
252. _____ 1959. Hop evaluation and utilization. III. The deterioration of hops in storage. Wallerstein Lab. Commun. 22(77):89-101.
253. Hughes, G. 1976. The storage stability of baled hops. Inst. Brew. (N.Z. Sect.) Proc. Conv. 14:201-215.
254. Hums, N. 1974. Chemistry of hop bitter substances. J. Inst. Brew. 80:172.
255. Hunt, O. J. 1953. Determination of sample size for evaluating resistance to downy mildew in hops. Agron. J. 45(9):406-408.

I

256. Isaac, I. 1948. Verticillium wilt of the hop. III. A study of the pathogenicity of isolates from fluctuating and from progressive outbreaks. Ann. Appl. Biol. 25(2):243-249.

J

257. Jahnsen, Wilhelm J. 1962. Complexity of hop oil. Nature 196(4853): 474-475.
258. Jary, S. G. 1935. Some observations upon the "red spider" on hop and its control, with notes on some predatory insects. Ann. Appl. Biol. 22(3):538-548.
259. _____ 1966. The influence of the development of pesticides on the production of fruit and hops. World Rev. Pest. Control 4(3):112-122.
260. Jensen, Harold J., Smithson, Harriet R., and Loring, Lindsey B. 1962. The hop cyst nematode (Heterodera humuli Filipjev, 1934) found in Oregon. Plant Dis. Repr. 46(10):702.

261. John, G. D., and Shannon, P. V. 1975. Oxidative transformations of hop constituents: Some new findings relating to the formation and breakdown of humulone. Chem. and Industry 15:651.
262. Jones, Walter. 1932. A new technique for obtaining oospores of the hop during mildew by inoculating cotyledons. Science 75(1934):108.
263. _____ 1952. Infection of basal shoots of hop plants by Rhizoctonia solani. Sci. Agric. (Ottawa) 32(2):114-115.
264. Jovanic, M. 1971. Influence of pruning depth on hop yield. Contemporary Agric. 18(10):67-71.

K

265. Kavanagh, T. 1968. The influence of herbicides on plant diseases. 1. Temperate fruit and hops. Sci. Proc. Royal Dublin Soc., Ser. B. Vol. 2. 19:179-190.
266. Keller, K. R. 1949. Uniformity trial in hops (Humulus lupulus L.) for increasing precision of field experiments. Agron. J. 41(8):389-392.
267. _____ Bullis, D. E., and Magee, R. A. 1950. The use of soft resin content for evaluating hops (Humulus lupulus L.). Agron. J. 42(10):492-494.
268. _____ and Laning, E. R., Jr. 1955. Chemical stripping and suckering of hops. Agron. J. 47(6):251-253.
269. _____ and Likens, S. T. 1955. Estimates of heritability in hops, Humulus lupulus L. Agron. J. 47(11):518-521.
270. Keller, Kenneth R. 1949. Uniformity trials on hops for increasing the precision of field experiments. Agron. J. 41(8):389-392.
271. _____ 1951. Relative efficiency of rectangular and triple rectangular lattice designs using hop uniformity trial data. Agron. J. 43(2):93-96.
272. _____ 1953. The effect of spacing and number of vines in yield of strobiles in hops. Agron. J. 45(11):552-554.
273. _____ 1953. Seed germination in hops, Humulus lupulus L. Agron. J. 45(4):146-150.
274. _____ 1954. Relative value of repeated annual fertilizer applications on a perennial crop. Agron. J. 46(12):535-537.
275. _____ and Li, Jerome C. R. 1949. The relationship between the number of vines per hill and yield in hops (Humulus lupulus L.). Agron. J. 41(120):569-573.
276. _____ and Li, Jerome C. R. 1951. Further information on the relationship between the number of vines per hill and yield in hops (Humulus lupulus L.). Agron. J. 43(5):243-245.
277. _____ and Magee, Robert A. 1952. The relationship of the total soft resin, alpha acid and beta fraction percentages with yield of strobiles in hops. Agron. J. 44(2):93-96.

278. Keller, Kenneth R., and Magee, Robert. 1954. The effect of application rates of nitrogen, phosphorus and potash on some chemical constituents in two varieties of hops. *Agron. J.* 46(8):388-391.
279. _____ Magee, Robert A., and Dow, A. Irving. 1952. An experiment in sampling hop yard soils for organic matter content and pH value. *Agron. J.* 44(10):537-540.
280. Kenber, Ralph. 1977. Hops for today and for tomorrow. *Brew. Guardian* 19-21. April 1977.
281. _____ 1978. Hop production in Europe. *Brew. Guardian* 69-70. April 1978.
282. Keyworth, W. G. 1945. Hop diseases in Great Britain. *Wallerstein Lab. Commun.* 8:99-109.
283. _____ 1947. Mosaic disease of the hop. A study of tolerant and sensitive varieties. *East Mall. Res. Sta. Ann. Rept.* 1946(A30):142-148.
284. _____ 1947. Notes on varieties of hop resistant to *Verticillium* wilt. *East Mall. Res. Sta. Ann. Rept.* 1946(A30):157-159.
285. _____ 1947. The propagation of hops by layering. *East Mall. Res. Sta. Ann. Rept.* 35:189-194.
286. _____ 1947. *Verticillium* wilt of hops. A review of research to 1946. *Brew. Trade Rev.* 61(2):100-103.
287. _____ 1948. Nettlehead disease of the hop: A note on the reaction of certain Wye seedling varieties to graft infection. *East Mall. Res. Sta. Ann. Rept.* 1947(A31):150-157.
288. _____ 1948. *Verticillium* wilt of the hops (*Humulus lupulus*). IV. Study of a fluctuating outbreak. *J. Hort. Sci.* 24(2):149-156.
289. _____ 1951. The progressive wilt of hops order. *Ann. Appl. Biol.* 38(2):537-538.
290. _____ 1951. Split leaf blotch disease of the hop, *Humulus lupulus*. *J. Hort. Sci.* 26(3):163-168.
291. _____ and Davies, D. L. G. 1946. Nettlehead disease of the hop (*Humulus lupulus*). *J. Pomol. and Hort. Sci.* 22(3/4):134-139.
292. _____ and Hewitt, E. J. 1948. *Verticillium* wilt of the hops. V. The influence of nutrition on the reaction of the hop plant to infection with *Verticillium albo-atrum*. *J. Hort. Sci.* 24(3/4):219-227.
293. _____ Hitchcock, Margaret M., and Goode, P. M. 1953. *Verticillium* wilt of the hop. VII. Further studies on wilt-resistant varieties. *East Mall. Res. Sta. Ann. Rept.* 1952:112-119.
294. _____ Hitchcock, Margaret M., and Wilson, Dorothy J. 1948. Experiments on the layering of hops. I. The establishment of a permanent layer bed. *J. Hort. Sci.* 24(3/4):200-205.
295. _____ and Paine, J. 1950. Diseases of hops. *East Mall. Res. Sta. Ann. Rept.* 1949(A33):174-179.

296. Keyworth, W. G., and Wilson, Dorothy J. 1948. Experiments in the layering of hops. II. Layering young plants. J. Hort. Sci. 24(3/4): 206-213.
297. Kieninger, H., and Forster, A. 1973. Effect of overdrying of hops on the composition and flavor of beer. Brew. Dig. (Abstr.) 49(6):62-63.
298. Klostermeyer, E. C. 1958. Hop pest control. Wash. Agric. Ext. Ser. EM No. 1905.
299. _____ and Breakey, E. P. 1949. Hop pest control in Washington. Wash. Agric. Expt. Sta. Circ. No. 73.
300. _____ and Skotland, C. B. 1959. Pesticide chemicals as a factor in hop die-out. Wash. Agric. Expt. Sta. Circ. No. 362.
301. Kolbach, P., Rehberg, R., and Wilharm, C. 1938. Influence of degree of ripeness at the time of gathering on the brewing value of hops. J. Inst. Brew. 35(44):576.
302. Kowaka, M., Kokubo, E., and Kuroiwa, Y. 1969. Determination of analogues of alpha- and beta-acids of hops by nuclear magnetic resonance spectroscopy. J. Ferment. Tech. 47(12):795-798.
303. Kruger, E., and Baron, G. 1971. Gas chromatographic determinations of moisture in hops and hop extract. Wallerstein Lab. Commun. 34(113):56.
304. _____ and Neumann, L. 1971. Relationships between sensory and analytical characteristics of hops. Wallerstein Lab. Commun. 34(115): 203-204.
305. Kubo, Shinkichi, Kagami, Yukichi, and Nonaka, Kazuari. 1975. Culture of stem tips of the hop and elimination of virus symptoms. Rept. Res. Lab. Kirin Brew. Co., Ltd. 18:55-62.
306. _____ Kitami, Hiroshi, and Sasahara, Toru. 1966. Effect of illumination of flowering of the hop. I. 45 days of illumination of developing plants by various light sources (experiments in 1959). Rept. Res. Lab. Kirin Brew. Co., Ltd. 9:19-30.
307. _____ Kitami, Hiroshi, and Sasahara, Toru. 1966. Effect of illumination on flowering of the top. II. Starting time and duration of illumination (experiments in 1960). Rept. Res. Lab. Kirin Brew. Co., Ltd. 9:31-36.
308. Kuhlman, G. W., and Fore, R. E. 1939. Cost and efficiency in producing hops in Oregon. Ore. Agric. Expt. Sta. Bull. No. 364.
309. Kulka, Dora, and Walker, T. K. 1948. A strain of Loctobacillus plantarum for use in the estimating of antiseptic power. J. Inst. Brew. 54(3):130-132.
310. Kuroiwa, Yoshiro, and Kokubo, Eiichi. 1973. Recent progress in studies on bitter flavor of beer. Brew. Dig. 48(1):52-60.
311. _____ Kokubo, Eiichi, and Hashimoto, Naoki. 1972. Advanced hop chemistry in connection with beer flavor. Proc. IV Internat. Union of Food Sci. Convention. Ferment. Tech. Today. P. 633-637.

L

312. Laws, D. R. J. 1970. Estimation of lead conductance values for hop extracts containing water soluble fractions. J. Inst. Brew. 76(4):343.
313. _____ 1974. Bitter oxidation product of humulone formed when hops are stored. J. Inst. Brew. 80:357.
314. _____ Bath, N. A., and Pickett, J. A. 1977. Preparation of hop extracts without using organic solvents. J. Inst. Brew. 83:39-40.
315. _____ and McGuinness, J. D. 1974. Analytical and brewing significance of a tricyclic oxidation product of humulone (tricyclodehydroiso-humulone). J. Inst. Brew. 80:174-180.
316. Laws, Derek R. J., Bath, Nigel A., and Pickett, John A. 1977. Production of solvent-free isomerized extracts. Amer. Soc. Brew. Chem. J. 35: 187-190.
317. Leek, F. H. 1946. The season's hops. J. Inst. Brew. 52(1):30.
318. Legg, J. T. 1953. The natural spread of Nettlehead disease of hops. East Mall. Res. Sta. Ann. Rept. 1952:123-127.
319. _____ 1955. The spread of Nettlehead disease and its association with split leaf blotch virus in certain hop varieties. East Mall. Res. Sta. Ann. Rept. 1954(A38):128-132.
320. _____ 1959. The effect of split leaf blotch and Nettlehead virus diseases on the yield of Fuggle hops. J. Hort. Sci. 34(2):122-125.
321. _____ 1959. A mild strain of hop mosaic virus. East Mall. Res. Sta. Ann. Rept. 1958:116-117.
322. _____ 1961. The influence of a latent virus on the development of Nettlehead disease in hop. East Mall. Res. Sta. Ann. Rept. 1960:106-107.
323. _____ 1964. Viruses causing Nettlehead symptoms. East Mall. Res. Sta. Ann. Rept. 1963(A47):174-176.
324. _____ and Ormerod, P. J. 1958. The nickel content of hop plants with reference to Nettlehead symptoms. East Mall. Res. Sta. Ann. Rept. 1957:129-132.
325. _____ and Ormerod, P. J. 1959. Research on hop virus diseases at East Mall. East Mall. Res. Sta. Ann. Rept. 1958(A42):157-160.
326. _____ and Ormerod, P. J. 1961. Yellow net. A virus disease of hops. East Mall. Res. Sta. Ann. Rept. 1960:105.
327. Likens, S. T. 1960. Sampling hop yards and chemical determination of hop maturity. U.S. Dept. Agric., Agric. Res. Serv. ARS 34-17, 23 p.
328. _____ 1962. Development and fate of hop oils. Ore. Agric. Expt. Sta. Tech. Paper No. 1590, 7 p.
329. _____ and Brooks, S. N. 1961. A method of estimating alpha- and beta-acids in flowers of male hops. Mod. Brew. Age. March 1961.

330. Likens, S. T., and Nickerson, G. B. 1963. Influence of compression on alpha-acid, beta-acid and essential oil in hops. Amer. Brew. January, 1963.
331. _____ and Nickerson, G. B. 1964. Detection of certain hop oil constituents in brewing products. Proc. Amer. Soc. Brew. Chem., p. 5-13.
332. _____ and Nickerson, Gail B. 1967. Identification of hop varieties by gas chromatographic analysis of their essential oils. Constancy of oil composition under various environmental influences. J. Agric. Food Chem. 15(3):525-530.
333. _____ Nickerson, G. B., and Zimmermann, C. E. 1970. An index of deterioration in hops. Proc. Ann. Meet. Amer. Soc. Brew. Chem.
334. Likens, Sam T., and Nickerson, Gail B. 1965. Identification of the varietal origin of hop extracts. Proc. Amer. Soc. Brew. Chem., p. 23-29.
335. _____ and Nickerson, Gail B. 1971. Implication of endogenous anti-oxidant activity in the lupulin glands of hops. Proc. Amer. Soc. Brew. Chem., p. 295-299.
336. _____ Nickerson, G. B., Haunold, A., and Zimmermann, C. E. 1978. Relationship between alpha acids, beta acids, and lupulin content of hops. Crop Sci. 18(3):380-386.
337. Limber, Donald P. 1952. Hop nettlehead, a virus disease not found in the United States. Plant Dis. Reprtr. 36(9):364.
338. Liyanage, A. de S., and Royle, D. J. 1976. Overwintering of Sphaerotheca humuli, the cause of hop powdery mildew. Ann. Appl. Biol. 83: 381-394.
339. Lukov, T. S. 1977. Studies of the kinetics of hop drying and development of major parameters of hop driers. Farm Mach. 14(4):39-52.
340. Lyashenko, N. I. 1977. Biochemical characteristics of several hop varieties. Appl. Biochem. Microbiol. 13(1):85-90.

M

341. Mackenzie, D., Salmon, E. S., Ware, W. M., and Williams, R. 1929. The mosaic disease of the hop. Ann. Appl. Biol. 16(3):359-381.
342. Madge, D. S., and Buxton, J. H. 1976. The evaluation of the European earwig (Forficula auricularia) as a predator of the damson-hop aphid (Phorodon humuli). II. Choice of prey (biological control). Entomol. Exp. Appl. 19(3):221-226.
343. Maeda, E. 1977. Scanning electron microscope studies on lupulin glands in Humulus lupulus L. (hop plant). Jap. J. Crop Sci. 46(2):249-253.
344. Maes, L., Anteunis, M., and Verzele, M. 1970. Spiro-isohumulones. J. Inst. Brew. 76(3):250-253.
345. Maggenti, A. R. 1962. Hot water treatment of hop rhizomes for nematode control. Calif. Agric. October 1962.

346. Magie, R. O. 1942. The epidemiology and control of downy mildew on hops. N.Y. State Agric. Expt. Sta. Tech. Bull. No. 267.
347. _____ 1944. Disease and insect control on hops. N.Y. State Agric. Expt. Sta. Tech. Bull. No. 708.
348. _____ and Munding, F. G. 1946. The hop-vine borer and its control in New York hopyards. Farm Res. (N.Y.) 12(2):11-12.
349. Maier, Charles R. 1960. Streptomycin absorption, translocation, and retention in hops. Phytopath. 50(5):351-356.
350. Massee, A. M. 1937. The pests of fruits and hops. 249 p. Crosby Lockwood and Son, Ltd., London.
351. Mayberry, T. W., and Dickason, E. A. 1966. Genetic resistance to two-spotted spider mites and aphids in hops. Dept. of Entomol., Ore. State Univ. Mimeo.
352. McCollam, M. E. 1944. Fertilizing hops for more profit. Better Crops with Plant Food Magazine. Reprint distributed by American Potash Institute, Inc. Reprint C-9, 5 p.
353. _____ 1944. Leaf analysis - a guide to better crops. Better Crops with Plant Food Magazine. Reprint distributed by American Potash Institute, Inc. Reprint QQ-12-44, 7 p.
354. McNamara, D. G., Ormerod, P. J., Pitcher, R. S., and Thresh, J. M. 1973. Fallowing and fumigation experiments on the control of Nettlehead and related virus diseases of hop. Proc. 7th Brit. Insect. and Fungicide Conf. 1973.
355. _____ and Pitcher, R. S. 1974. The control of arabis mosaic virus in hops by soil fumigation and fallowing. Agro-Ecosystems 1:123-129.
356. Meduna, V. von. 1971. Storage stability of concentrated hops. Wallerstein Lab. Commun. 34(114):149.
357. Merritt, Eugene. 1907. Hops in principal countries: Their supply, foreign trade and consumption with statistics of beer brewing. U.S. Dept. Agric. Bur. Stat. Bull. No. 50.
358. Michener, H. David, Snell, Neva, and Jansen, Eugene F. 1948. Antifungal activity of hop resin constituents and a new method for isolation of lupulin. Arch. Biochem. 19(2):199-208.
359. Middleton, J. E. 1963. Irrigation needs of hops. Wash. Agric. Expt. Sta. Circ. No. 417.
360. Miller, D. J., and Graham, R. D. 1970. Durability of Douglas fir poles treated with preservatives by diffusion. Forest Prod. J. 20(6):43-44.
361. Mirakhur, R. K., Khar, S. J., and Dhar, A. K. 1976. A new species of Septoria lupulina on hops in Kashmir. Curr. Sci. 45(1):37.
362. Mohan, R., and Data, J. R. S. 1977. Hops growing and hops preparation in brewing industry in India. In Cultivation and Utilization of Medicinal and Aromatic Plants, C. K. Atal and B. M. Kapur, eds., p. 360-369.

363. Moll, M., Flayeux, R., and Noel, J. P. 1973. Analytical difficulties encountered in the determination of bitter substances. J. Inst. Brew. 79:67.
364. Molyneux, R. J. 1973. High-pressure liquid chromatography in separation and detection of bitter compounds (hops). J. Agric. Food Chem. 21(4): 531-535.
365. _____ and Eggling, S. B. 1969. Oxidative transformation of hop bittering substances. Brew. Dig. 44(7):60-64, 66.
366. _____ and Eggling, S. B. 1971. Recent developments in hop chemistry. Wallerstein Lab. Commun. 34(114):148.
367. _____ and Wong, Yen-i. 1975. Nuclear magnetic resonance spectroscopic determination of alpha- and beta-acid homolog composition in hops. J. Agric. Food Chem. 23(6):1201-1204.
368. Monroe, C. G., and Hill, D. D. 1939. Methods for determining the percentage of seeds, strigs, stems and leaves in commercial hops. J. Amer. Soc. Agron. 31(8):1-6.
369. Morgan, K., and Rees, T. C. 1968. Determination of hop alpha-acids by semi-automatic conductometric titration. J. Inst. Brew. 74(4):383-386.
370. Mori, Yoshitada. 1969. Studies on downy mildew of hop plant. VIII. Some observations on the distribution of mycelia of the causal fungus in the tissues of strap cuttings. Bull. Brew. Sci. 15:5-11.
371. _____ 1975. On some promising high resin-content hop selections bred by crossing. Bull. Brew. Sci. 7-13.
372. _____ Ishida, Masoyoshi, Hakoda, Etsuo, and Umeda, Katsuhiko. 1969. On a new excellent commercial variety of hop selected in Japan. Bull. Brew. Sci. 15:13-19.
373. Morrison, H. E., and Price, F. E. 1941. The hop red spider and dusting equipment for its control. Ore. State Agric. Coll. Circ. No. 237.
374. Moutschen-Dahmen, J., Moutschen-Dahmen, M., and Degraeve, N. 1971. Sex chromatin in Humulus japonicus. Nucleus (Calcutta) 14(2):103-105.
375. Mussche, R. 1974. Quantitative determination of bitter substances in beer, by thin layer chromatography. J. Inst. Brew. 80(6):577-579.
376. _____ 1975. Quantitative determination of bitter substances in hops by thin layer chromatography. J. Inst. Brew. 81(1):12-13.

N

377. Nash, A. S., and Mullaney, P. D. 1960. Commercial application of gibberellic acid to hops. Nature 185(4705):25.
378. Naya, Y., and Kotake, M. 1971. The constituents of hops. VI. Studies of the volatile composition of Humulus lupulus L. during ripening. Chem. Soc. Jap. Bull. 44(11):3116-3120.

379. Naya, Y., and Kotake, M. 1972. The constituents of hops (Humulus lupulus L.). VII. The rapid analysis of volatile components. Chem. Soc. Jap. Bull. 45(9):2887-2891.
380. Nelson, C. E. Early, R. E., and Mortensen, M. A. 1966. Effects of plant spacing, fertility and irrigation on yields and quality of Yakima Cluster hops. Wash. Agric. Expt. Sta. Bull. No. 676.
381. _____ Early, R. E., and Mortensen, M. A. 1970. Effects of nitrogen fertility level and time of training on Bullion and Cluster type hops. Wash. Agric. Expt. Sta. Bull. No. 725.
382. Neve, R. A. 1956. The place of polyploidy in hop breeding methods. Wye Coll. Dept. Hop Res. Ann. Rept. 1955:124-129.
383. _____ 1958. Inheritance of resin characters in hops: II. Triploid seedlings of Fuggle. Wye Coll. Dept. Hop Res. Ann. Rept. 1957:43-49.
384. _____ 1958. Sex chromosomes in the hop, Humulus lupulus. Nature 181:1084-1085.
385. _____ 1961. Sex determination in the hop and new breeding techniques. Ann. Human Genet. 25(2):175. (Abstract).
386. _____ 1962. The triploid hop variety - WFT 2. Brew. J. 98:52.
387. _____ 1976. Hops: Humulus lupulus (Moraceae). In Evolution of Crop Plants, N. W. Simmonds, ed., p. 208-211.
388. _____ 1977. Integrated control of hop aphids. Arch. Res. Rev. 3(3): 66-68.
389. _____ 1978. Hop breeding and growing. Brew. Guardian 67-68.
390. Newton, William, and Yarwood, C. 1930. Substances toxic to the downy mildew of the hop. J. Inst. Brew. 36(2):67-68.
391. Nickerson, G. B., and Likens, S. T. 1971. Gas-liquid chromatographic determinations of cofractions of alpha-acids and beta-acids in male and female hops by direct pyrolysis of lupulin. Proc. Amer. Soc. Brew. Chem. 288-294.
392. Nickerson, Gail B., and Likens, S. T. 1978. Stepwise elution of hop resin constituents from QAE sephadex A-25 ion-exchange resin. Amer. Soc. Brew. Chem. J. 36(1):23-27.
393. Nicol, Hugh. 1946. Spent hop as manure. J. Incorp. Brew. Guild 32(382): 267.
394. Novak, J. B., and Janzova, J. 1976. Identification of alfalfa mosaic virus and tomato bushy stunt virus in hop (Humulus lupulus L.) and grape-vine (Vitis vinifera subsp. sativa (DC/Hegi)) plants in Czechoslovakia. Biol. Plant. 18(2):152-154.

395. Ogawa, Joseph M., and McGain, Arthur H. 1960. Streptomycin absorption in diseased and healthy hop tissue and its effect on the hop downy mildew organism and mildew development. *Phytopath.* 50(4):278-280.
396. Ogg, A. G., and Zimmermann, C. E. 1976. Effects of paraquat and dinoseb in hops. *Weed Sci.* 24:493-495.
397. Oregon Agricultural Experiment Station. 1974. New help for hop crops: sterility. (Genetics). *Ore. Agric. Prog.* 21(2):14.
398. Otter, G. E., and Taylor, L. 1977. The development of a bonded weak anion-exchange packing suitable for the high-performance liquid chromatography of hop resins. *J. Chromatogr.* 133(1):97-106.
399. _____ and Taylor, L. 1978. The high performance liquid chromatography of hop resins. *J. Inst. Brew.* 84(3):160-164.

P

400. Paine, J. 1951. The treatment of hop seed to improve germination. *East Mall. Res. Sta. Ann. Rept.* 1950(A34):139-140.
401. Paine, T. 1953. Insect vector studies with mosaic and other virus diseases of the hop. *East Mall. Res. Sta. Ann. Rept.* 1952:120-122.
402. Pangborn, R. M., Lewis, M. J., and Tanno, L. S. 1977. Sensory quantification of bitterness and flavour of beer during storage. *J. Inst. Brew.* 83:244-250.
403. Pares, R. D., and Greenwood, A. D. 1977. Ultrastructure of the host parasite relationships of Pseudoperonospora humuli on hops. *Aust. J. Bot.* 25(6):585-598.
404. Pearce, Helen R. 1976. *The Hop Industry in Australia.* Melbourne Univ. Press, Carlton, Victoria, 3053.
405. Pearce, S. C., and Beard, F. H. 1946. A study of variation in preservation value of hops. *J. Inst. Brew.* 52(5):250.
406. Peat, W. E., and Thomas, G. G. 1975. The photosynthetic activity of the developing hop cone. *Ann. Appl. Biol.* 76(1974):319-324.
407. Peppard, T. L., and Sharpe, F. R. 1977. 2, 3, 4-Trithiapentane in the essential oil for Humulus lupulus. *Phytochem.* 16(12):2020-2021.
408. Perryman, Clifton, and Zuroske, C. H. 1965. Central Washington hop costs, 1964. *Wash. State Univ. Ext. Memo.* No. 2512.
409. Pfenninger, H. B., Hug, H., Ault, R. G., and Kenber, R. M. J. 1978. Effects of products from seedless and seeded hops on beer quality. *J. Inst. Brew.* 84:276-277.
410. Pickett, J. A., Peppard, T. L., and Sharpe, F. R. 1976. Effect of sulphuring on hop oil composition. *J. Inst. Brew.* 28:288-289.

411. Pickett, J. A., and Sharpe, F. R. 1976. Effect of reduction in hop oil content on rate of deterioration of alpha-acid in hops. J. Inst. Brew. 82:333.
412. _____ Sharpe, F. R., and Peppard, T. L. 1976. Stability of essential oil of hops. J. Inst. Brew. 82:330-333.
413. _____ Sharpe, F. R., and Peppard, T. L. 1977. Aerial oxidation of humulene. Chem. and Industry No. 1:30-31.
414. _____ Coates, Jean, and Sharpe, Richard F. 1975. Distortion of essential oil composition during isolation by stem distillation. Chem. and Industry No. 5, p. 571-572.
415. Pitcher, R. S. 1975. Chemical and cultural control of Nettlehead and related virus diseases of hop transmitted by the nematode Xiphinema diversicaudatum. NATO Adv. Study Inst. Ser. - Ser. A Life Sci. 2:447-448.
416. _____ 1975. Nettlehead and related diseases associated with the hop strain of arabis mosaic virus and its vector Xiphinema diversicaudatum. In Nematode Vectors of Plant Viruses, F. Lamberti, C. Taylor, and J. Seinhorst, eds. Plenum Press.
417. _____ and McNamara, D. G. 1973. The control of Xiphinema diversicaudatum the vector of arabis mosaic virus in hops. Ann. Appl. Biol. 75:439-479.
418. Probasco, E. G., and Skotland, C. B. 1974. Purification of hop mosaic virus. Proc. Amer. Phytopath. Soc., p. 114.
419. _____ and Skotland, C. B. 1975. The isolation of a 3rd rod-shaped virus from hops. Proc. Amer. Phytopath. Soc., p. 117. [Abstract]
420. _____ and Skotland, C. B. 1976. The isolation of a line-pattern and ringspot producing rod-shaped virus. Proc. Amer. Phytopath. Soc. Vol. 3-B:319.
421. _____ and Skotland, C. B. 1976. A technique for the differential isolation of hop mosaic virus and hop latent virus. Can. J. Microbiol. 22:1160-1162.
422. _____ and Skotland, C. B. 1978. Host range, general properties, purification, and electron microscopy of hop latent virus. Phytopath. (Etiology) 68:277-281.
423. Pruszyński, Stefan, and Cone, W. W. 1972. Relationships between Phytoseiulus persimilis and other enemies of the two spotted spider mite on hops. Environ. Entomol. 1(4):431-433.
424. _____ and Cone, W. W. 1973. Biological observations of Typhlodromus occidentalis (Acaria: Phytoseiidae) on hops. Entomol. Soc. Amer. Ann. 66(1):47-51.

R

425. Rabak, Frank. 1938. A simple and accurate method of evaluating hops. Communications (official publication of the Master Brewers Association of America) 2d quarter.
426. _____ 1940. Relation of time of picking to quality of hop. J. Inst. Brew. 46(2):25-62.
427. _____ 1945. Effect of boiling time on the extraction of resins from hops. Wallerstein Lab. Commun. 8(25).
428. _____ 1946. Seeds, leaves, and stems as factors influencing the quality and brewing value of hops. Brew. Dig. 21(2):43.
429. Regan, J. P., and Elvidge, J. A. 1969. Chemistry of hop constituents. 33. Reactions of beta acids. J. Inst. Brew. 75(1):10-14.
430. Regev, S., and Cone, W. W. 1975. Chemical differences in hop varieties vs. susceptibility to the two-spotted spider mite. Environ. Entomol. 4(5):697-700.
431. _____ and Cone, W. W. 1976. Analyses of Pharate female two-spotted spider mites for Nerolidol and Geraniol: Evaluation of sex attraction of males. Environ. Entomol. 5(1):133-138.
432. _____ and Cone, Wyatt W. 1975. Evidence of farnesol as a male sex attractant of the two-spotted spider mite, Tetranychus urticae (Acarian: Tetranychidae). Environ. Entomol. 4(2):307-311.
433. Rehberger, A. J., and Bradee, L. H. 1975. Hop oxidative transformations and control of beer bitterness. J. Inst. Brew 81:420-421.
434. Remy, T., and Waterstridt, F. 1902. The properties of hops during the various stages of harvesting. Letters on Brewing 1:64.
435. Richardson, B. D. 1959. Hop propagation. Tasman. J. Agric. 30(2):98-103.
436. Richardson, L. T., and MacLachlan, D. S. 1951. The control of downy mildew of hops in eastern Ontario. Sci. Agric. (Ottawa) 31(8):345-348.
437. Rigby, F. L. 1972. A theory on the hop flavor of beer. Proc. Amer. Soc. Brew. Chem., p. 46.
438. _____ and Bethune, J. L. 1955. Separation of the aromatic constituents of hops. Proc. Amer. Soc. Brew. Chem., p. 174-182.
439. Ripper, W. E. 1951. Insect control and the new systemic insecticide for hops. J. Inst. Brew. 57(2):119-122.
440. Roberts, J. B., and Stevens, R. 1962. Effect of GA on the growth of hops. J. Inst. Brew. 68:247-250.
441. Roberts, S., and Nelson, C. E. 1961. Hop nutrient uptake and the relationship between quality and nutrient content of hop cones. Wash. Agric. Expt. Sta. Bull. No. 630.
442. Roborgh, R. H. J. 1963. Stem elongation in the hop (Humulus lupulus var. Cal. Late Cluster). Nature 198(4875):102-103.

443. Roborgh, R. H. J. 1964. Classification and botanical description of imported varieties of hops (Humulus lupulus) in Nelson, New Zealand. N.Z. J. Bot. 2(1):10-18.
444. _____ 1966. Yield of the hop bine (Humulus lupulus var. Late Cluster) in relation to rate of elongation and morphology of the shoot. Proc. 9th Conven. Inst. Brew., Auckland, N.Z. 1966.
445. _____ 1968. Improvement of the yield of the hop plant (Humulus lupulus) by means of shoot selections. N.Z. J. Agric. Res. 11(1): 215-218.
446. _____ 1969. The production of seedless varieties of hop with colchicine. N.Z. J. Agric. Res. 12(1):256-259.
447. Romanko, R. R. 1962. Hop downy mildew reaction in selected progeny of a susceptible variety. Phytopath. 52(8):749. (Abstract).
448. _____ 1964. Control of hop downy mildew by chemical desiccants. Phytopath. 54(12):1439-1442.
449. _____ Likens, S. T., and Shephard, Janice C. 1968. Talisman, a new American Clusters-type hop variety. Idaho Agric. Expt. Sta. Bull. No. 496.
450. _____ Ogawa, J. M., Skotland, C. B., Horner, C. E., and Brooks, S. N. 1964. Hop downy mildew. Symposium at Ann. Conv., Hop Growers of Amer., Boise, Idaho.
451. _____ Shephard, J. C., Likens, S. T., and Nickerson, G. B. 1976. Registration of Pocket Talisman hop varieties. Crop Sci. 16(2):310.
452. _____ and Skotland, C. B. 1964. The status of virus and viroid diseases of the Cluster hop in Idaho and Washington. Plant Dis. Repr. 48(4):311-315.
453. Rosemaund Experimental Husbandry Farm. 1974. Weed control. Hop Review.
454. Royle, D. J. 1968. Hop black root rot (Phytophthora citricola Sawada) in England. Plant Path. 17:34-40.
455. _____ 1970. Infection periods in relation to the natural development of hop downy mildew Pseudoperonospora humuli. Ann. Appl. Biol. 66(2): 281-291.
456. _____ 1973. Quantitative relationships between infection by the hop downy mildew pathogen, Pseudoperonospora humuli, and weather and inoculum factors. Ann. Appl. Biol. 73(1):19-30.
457. _____ 1976. Breeding for resistance to hop diseases. Proc. Sci. Comm. Internat. Hop Growers Conven. Wye, England.
458. _____ and Griffin, M. J. 1973. Side-effects of downy mildew fungicides on the incidence of hop powdery mildew (Sphaerotheca humuli). Plant Pathol. 22(3):129-133.
459. _____ and Liyanage, G. W. 1976. Infection of planting material by the hop canker organism, Fusarium sambucinum. Wye Coll. Dept. Hop Res. Ann. Rept. 1975:39-46.

460. Royle, D. J., and Thomas, G. G. 1971. Influence of stomatal openings on infection of hop leaves by Pseudoperonospora humuli. Physiol. Plant Path. 1(3):329-343.
461. _____ and Thomas, G. G. 1971. Observations with scanning electron microscope on early stages of hop leaf infection by Pseudoperonospora humuli. Physiol. Plant Path. 1(3):345-349.
462. _____ and Thomas, G. G. 1972. Analysis of relationships between weather factors and concentrations of airborne sporangia of Pseudoperonospora humuli. (Downy mildew, hops). Brit. Mycol. Soc. Trans. 58(1):79-89.

S

463. Sakai, M. 1976. Studies on grey mold of hop. Botrytis cinerea. 1. Occurrence of grey mold and rainfall in flowering period. Bull. Brew. Sci. 22:1-7.
464. Salac, V., and Hapalowa, M. 1951. Analyses of specific hop constituents during ripening. J. Inst. Brew. 57(5):377.
465. Salmon, E. S. 1934. Eighteenth report on the trial of new varieties of hops. East Mall. Res. Sta. Ann. Rept. 16 p.
466. _____ 1935. Nineteenth report on the trial of new varieties of hops. East Mall. Res. Sta. Ann. Rept. 15 p.
467. _____ 1939. English-grown Americans. J. S.E. Agric. Coll. No. 44.
468. _____ 1945. Twenty-eighth report on the trial of new varieties of hops, 1943. J. Inst. Brew. 51(5):224.
469. _____ 1946. Twenty-ninth report on the trial of new varieties of hops, 1945. J. Inst. Brew. 52(6):294.
470. _____ 1948. Thirtieth report on the trial of new varieties of hops. J. Inst. Brew. 54:7-16.
471. _____ 1951. Thirty-third report on the trial of new varieties of hops, 1949. J. Inst. Brew 57(1):14-20.
472. _____ and Amos, Arthur. 1908. On the value of the male hop. S.E. Agric. Coll. Publication. 26 p.
473. _____ and Ware, W. M. 1926. The "downy mildew" or "spike disease" of the hop in 1925. J. Min. Agric. (Great Britain) 33(2):149-161.
474. _____ and Ware, W. M. 1930. The chlorotic disease of the hop. Ann. Appl. Biol. 17(2):241-247.
475. _____ and Ware, W. M. 1930. The downy mildew of the hop in 1929. J. Inst. Brew. 36(2):63-67.
476. _____ and Ware, W. M. 1932. The chlorotic disease of the hop. II. Ann. Appl. Biol. 19(1):6-15.
477. _____ and Ware, W. M. 1932. The chlorotic disease of the hop. III. Ann. Appl. Biol. 19(4):518-528.

478. Salmon, E. S., and Ware, W. M. 1932. The small hop disease. J. S.E. Agric. Coll. 32:22-27.
479. _____ and Ware, W. M. 1934. The downy mildew of the hop in 1933. J. S.E. Agric. Coll. 34:107-113.
480. _____ and Ware, W. M. 1935. The chlorotic disease of the hop. IV. Transmission by seed. Ann. Appl. Biol. 22(4):728-730.
481. Schmalreck, Arno F., Teuber, M., Reininger, W., and Hartl, A. 1975. Structural features determining the antibiotic potencies of natural and synthetic hop bitter resins, their precursors, and derivatives. Can. J. Microbiol. 21:205-212.
482. Schwartz, Bernard W., and Grant, Herbert L. 1974. Hop powder pellets. Brew. Dig. 49(10):46-50.
483. Seeley, R. C., and Wain, R. L. 1955. IX. Investigations with pollen extracts and synthetic growth substances on the hop plant. Ann. Appl. Biol. 43:355-365.
484. Selvaraj, J. C. 1974. Liberation of endo-polygalacturonase from the conidia of Verticillium dahliae Kleb. (Hop isolate). Indian Phytopath. 26(4):744-746.
485. _____ 1975. Growth response of the isolates of verticillium to nitrogen nutrition (wilt, strawberries, hops). Indian Phytopath. 27(3):434-437.
486. _____ 1975. Repression of the production of Verticillium (dahliae) polygalacturonase and cullulase by glucose (hops). Indian Phytopath. 27(4):663-665.
487. Sewell, G. W. F., and Wilson, J. F. 1958. Weed hosts of the progressive hop strain of Verticillium albo-atrum Reinke and Berth. East Mall Res. Sta. Ann. Rept. 1957(A41):126-128.
488. _____ and Wilson, J. F. 1961. Machine picking in relation to progressive Verticillium wilt of the hop. I. A study of the infectivity of machine-picked hop waste. East Mall. Res. Sta. Ann. Rept. 1960:100-104.
489. _____ and Wilson, J. F. 1964. Field studies on hop verticillium wilt (V. albo-atrum). East Mall. Res. Sta. Ann. Rept. 1963(A47):181-182.
490. _____ and Wilson, J. F. 1964. Occurrence and dispersal of Verticillium conidia in xylem sap of the hop (Humulus lupulus L.). Nature 204(4961):901.
491. _____ and Wilson, J. F. 1964. Verticillium wilt of the hop: A summary of information and recommendation for control. East Mall. Res. Sta. Ann. Rept. 1963(A47):193-198.
492. _____ and Wilson, J. F. 1966. Verticillium wilt of the hop: Fluctuating outbreaks in wilt-resistant varieties. Ann. Appl. Biol. 58(2):251-258.
493. _____ and Wilson, J. F. 1967. Observations on Verticillium wilt in wilt-tolerant hop varieties. East Mall. Res. Sta. Ann. Rept. 1966 (A50):215-217.

494. Sewell, G. W. F., and Wilson, J. F. 1967. Verticillium wilt of the hop: The effect of soil management on soil infectivity and the survival of V. albo-atrum. East Mall. Res. Sta. Ann. Rept. 1966(A50):218-221.
495. _____ and Wilson, J. F. 1969. Verticillium wilt of the hop: Disease control by reduced nitrogen fertilizer applications. East Mall. Res. Sta. Ann. Rept. 1968:175-177.
496. _____ and Wilson, J. F. 1974. Herbicides and hop wilt. (Verticillium albo-atrum, alternative hosts). East Mall. Res. Sta. Ann. Rept. 1973: 201-202.
497. _____ and Wilson, J. F. 1974. Hop wilt, soil temperature and nitrogen. East Mall. Res. Sta. Ann. Rept. 1973:203-208.
498. _____ and Wilson, J. F. 1974. The influence of normal tillage and non-cultivation on Verticillium wilt of the hop. Ann. Biol. 76:37-47.
499. _____ and Wilson, J. F. 1975. Virulent races of hop verticillium. East Mall. Res. Sta. Ann. Rept. 1974:115.
500. _____ Wilson, J. F., and Martin, D. G. 1962. Machine picking in relation to progressive Verticillium wilt of the hop. II. The effect of composting on the infectivity of machine-picked hop waste. East Mall. Res. Sta. Ann. Rept. 1961:102-106.
501. Shannon, P. V. 1976. Studies on naturally occurring hop constituents. Pentacol. 14:29-43.
502. _____ Lloyd, R. O. V., and Cahill, D. M. 1969. Direct analysis of individual analogues of alpha-acids, beta-acids and 4-desoxy-humulones in hops using gas liquid chromatography and nuclear magnetic resonance spectroscopy. J. Inst. Brew. 75(4):376-382.
503. Sharpe, F. R., and Peppard, T. L. 1977. Formation of sesquiterpene episilphides under mild conditions and their occurrence in the essential oil of hops. Chem. and Industry No. 15:664-665.
504. Shea, M. W. 1970. Continental hop wirework. Brit. Min. Agric. Fish. and Food 77(3):130-133.
505. Shimwell, J. L. 1937. On the relation between the staining properties of bacteria and their reaction towards hop antiseptic. III. The influence of the hydrogen ion concentration. J. Inst. Brew. 24(4):191-195.
506. Siebert, K. J. 1976. High performance liquid chromatography of hop compounds in brewing. J. Amer. Soc. Brew. Chem. 34(2):79-90.
507. Singh, Arya P., and Saini, S. S. 1978. Important techniques for hops cultivation. Food Farming Agric. 9(12):374-377.
508. Skinner, R. N., Hilderbrand, R. P., and Clarke, B. J. 1977. The effect of storage temperature on the stability of the alpha-acids content of baled hops. J. Inst. Brew. 83:290-294.
509. _____ Kavanagh, T. E., Hildebrand, R. P., and Clarke, B. J. 1974. Hop maturation and resin formation: Field trials. J. Sci. of Food and Agric. 25:1121-1133.

510. Skinner, Raymond N., Kavanagh, Terence E., Hughes, Graham A., Hildebrand, Robert P., and Clarke, Brian J. 1975. Hop maturation and resin formation. Effects of extended harvestings on subsequent hop crops. J. Sci. of Food and Agric. 26:1037-1046.
511. Skotland, C. B. 1958. Etiology of virus-like diseases of hops and their control. Wash. State Univ. Project No. 1379.
512. _____ 1961. Infection of hop crowns and roots by Pseudoperonospora humuli and its relation to crown and root rot and overwintering of the pathogen. Phytopath. 51(4):241-244.
513. _____ 1973. Improvement of Cluster hops. Tech. Quarterly 19(3): 119-122.
514. _____ and Romanko, R. R. 1964. Life history of the hop downy mildew fungus. Wash. Agric. Expt. Sta. Circ. No. 433.
515. Small, Ernest. 1978. A numerical and nomenclatural analysis of morphogeographic taxa of Humulus. Systematic Bot. 3(1):37-76.
516. Smith, D. C. 1938. Varietal improvement in hops. 1937 Yearbook of Agric., p. 1215-1241.
517. _____ 1939. Influence of moisture and low temperature on the germination of hop seeds. J. Agric. Res. 58(5):369-381.
518. Coley-Smith, J. R. 1975. Testing hop varieties for resistance to downy mildew (Pseudoperonospora humuli). Plant Path. 14(4):161-164.
519. Smith, L. P. 1970. The effect of temperature on the quality of hops. Wye Coll. Dept. Hop Res. Ann. Rept. 1969:47-60.
520. _____ 1973. Effect of temperature on quality of hops (flowering, harvesting date). In Plant Response to Climatic Factors, Proc. of Uppsala Symp., 1973, p. 99-106.
521. _____ 1974. The influence of temperature and sunshine on the alpha-acid content of hops. Agric. Meteorol. 12(3):375-382.
522. Sonoda, R. M., and Ogawa, J. M. 1972. Ecological factors limiting epidemics of hop downy mildew in arid climates. (Pseudoperonospora humuli). Hilgardia 41(15):457-473.
523. Speight, W. L. 1951. Hop growing in South Africa. Hopper 10(7):9-10.
524. Stadnik, J. 1928. The quality of hops. J. Inst. Brew. 34:43.
525. Stern, T. N. 1951. Attempting to grow hops in northeastern Mexico. Tex. J. Sci. 3(4):559-567.
526. Stevens, R. 1967. The chemistry of hop constituents. Chem. Rev. 67(1): 19-71.
527. Stockberger, W. W. 1928. Growing and curing hops. U.S. Dept. Agric. Farmers' Bull. No. 304.
528. Strechs, R. 1946. Tannins, soluble nitrogen and pectins of the hop. J. Inst. Brew. 52(2):92.

529. Talboys, P. W. 1957. The possible significance of toxic metabolites of Verticillium albo-atrum in the development of hop wilt symptoms. Brit. Mycol. Soc. 49(3):415-427.
530. _____ 1961. Time-temperature requirements for killing Verticillium albo-atrum in hop bine. Plant Path. 10(4):162-163.
531. _____ 1964. Progress with tolerant varieties. East Mall. Res. Sta. Ann. Rept. 1963(A47):177-180.
532. _____ 1975. Simulation of the hop Verticillium wilt syndrome by application of ethrel. Ann. Appl. Biol. 81(1):126.
533. _____ and Wilson, J. F. 1954. A method for determining the pathogenicity of strains of Verticillium albo-atrum isolated from the hop. East Mall. Res. Sta. Ann. Rept. 1953(A37):158-161.
534. _____ and Wilson, J. F. 1956. A study of wilt-tolerance in the hop by means of intervarietal graft complexes. East Mall. Res. Sta. Ann. Rept. 1955(A39):126-130.
535. Teuber, M., and Schmalreck, A. F. 1973. Membrane leakage in Bacillus subtilis 168 induced by the hop constituents lupulone, humulone, isohumulone and humulinic acid. Arch. Mikrobiol. 94(2):159-171.
536. Thomas, G. G., and Goldwin, G. K. 1976. Late application of hormone mixtures to increase the yield of seedless hops. J. Hort. Sci. 51: 515-523.
537. _____ and Neve, R. A. 1976. Studies on the effect of pollination on the yield and resin content of hops (Humulus lupulus L.). J. Inst. Brew. 82:41-45.
538. _____ and Schwabe, W. W. 1969. Factors controlling flowering in the hop (Humulus lupulus L.). Ann. Bot. (London) 33(132):781-793.
539. _____ and Schwabe, W. W. 1970. Apical morphology in the hop (Humulus lupulus) during flower initiation. Ann. Bot. (London) 34(137):849-859.
540. Thomas, P. H. 1950. Tasmanian hop industry. Hopper 7(9):7-11.
541. Thompson, F. C. 1957. The effect of spacing and height of wirework on the pattern of growth, yield and resin production of hops. J. Inst. Brew. 63(5):399-407.
542. _____ 1960. A long-term manurial experiment with hops. The effect of heavy manuring on soil fertility and on the yield, leaf mineral content and resin content of the variety Fuggle. J. Hort. Sci. 35(3): 185-201.
543. _____ 1970. Hop growing. Brit. Min. Agric. Fish. and Food 77(4): 157-160.
544. _____ 1975. International hop variety trial (II) 1968-72. J. Inst. Brew. 81(1):14-30.
545. _____ and Neve, R. A. 1972. The influence of various factors on the cost of production of hop alpha-acid. J. Inst. Brew. 78:156-161.

546. Thresh, J. M., Adams, A. N., Barbara, D. J., and Clark, M. F. 1977. The detection of three viruses of hop (Humulus lupulus) by enzyme-linked immunosorbent assay (ELISA). Ann. Appl. Biol. 87(1):57-65.
547. _____ and Ormerod, P. J. 1974. The health status of stocks of the new hop variety Wye Target. East Mall. Res. Sta. Ann. Rept. 1973: 205-206.
548. _____ and Ormerod, P. J. 1974. Problems caused by wild and regenerating hop plants (control). Proc. Brit. Weed Control Conf. 12th 1: 323-331.
549. _____ and Ormerod, P. J. 1974. Prunus necrotic ringspot virus in hop. East Mall. Res. Sta. Ann. Rept. 1973:207-208.
550. _____ Pitcher, R. S., McNamara, D. G., and Ormerod, P. J. 1972. Spread and control of Nettlehead and related diseases of hop. (Xiphinema diversicaudatum, mosaic virus, transmission). East Mall. Res. Sta. Ann. Rept. 1971:155-162.
551. Thrupp, T. C. 1927. The transmission of "mosaic disease" in hops by means of grafting. Ann. Appl. Biol. 14(2):175-180.
552. _____ 1928. A plugging substance in the vessels of hops. Ann. Bot. 42(168):1072-1078.
553. Tressel, R., Friese, L., Fendesack, F., and Koeppler, H. 1978. Gas chromatographic-mass spectrometric investigations of hop aroma constituents in beer. J. Agric. Food Chem. 26(6):1422-1426.
554. _____ Friese, L., Fendesack, F., and Keoppler, H. 1978. Studies of the volatile composition of hops during storage. J. Agric. Food Chem. 26(6):1426-1430.

U

555. Uehara, Hiroshi, and Kokubo, Eiichi. 1975. Stability of humulones during storage of hops. Rept. Res. Lab. Kirin Brew. Co. 18:43-54.
556. United Kingdom Ministry of Agriculture. 1976. Wirework systems for hop growing. Fisheries and Food Short Term Leaflet No. 58, revised, 17 p.

V

557. Valdez, R. B. 1975-76. Ecology of Xiphinema diversicaudatum, Longidorus caespiticola and Longidorus leptcephalus in soil planted to hops. Philippine Agric. 59(7/8):216-236.
558. _____ McNamara, D. G., Ormerod, P. J., Pitcher, R. S., and Thresh, J. M. 1974. The transmission of the hop strain of arabis mosaic virus by Xiphinema diversicaudatum. Ann. Appl. Biol. 76:113-122.
559. Van Boven, M., and Verzele, M. 1968. 4-Acetyl humulinic acids. J. Inst. Brew. 74(1):81-83.

560. Vanek, G., Ulrychova, M., Blattny, C., Jokes, M., and Novak, M. 1976. Rickettsia-like structures in hop plants with crinkle disease and therapeutic effect of antibiotics. *Phytopath. Z.* 87(3):224-230.
561. Vanhoey, M., Vanderwalle, M., and Verzele, M. 1970. Oxidation productions of isohumulones. *J. Inst. Brew.* 76(4):372-378.
562. Versluys, J. P. 1969. Choice of male and female parents of seedling populations of hops in relation to alpha-acid content and the time of ripening of the female progeny. *J. Inst. Brew.* 75(1):25-32.
563. Verzele, M. 1956. Hop analysis. *Wallerstein Lab. Commun.* 19(67):323-343.
564. _____ and Govaeat, L. 1952. Humulinone: Its alleged occurrence in hops. *J. Chem. Soc. (London)* 1952(8):3313-3315.
565. _____ Jansen, H. E., and Ferdinandus, A. 1970. Organoleptic trials with hop bitter substances. *J. Inst. Brew* 76(1):25-28.
566. _____ and Van Dyck, J. 1971. Analytical evaluation of alpha-acids in hop extracts, and in hops. *J. Inst. Brew.* 77(6):529-538.
567. Vessey, J. C., and Pegg, G. F. 1973. Autolysis and chitinase production in cultures of Verticillium albo-atrum. (Tomatoes, hops). *Brit. Mycol. Soc. Trans.* 60(1):133-143.
568. Vine, Sallie J., and Jones, O. P. 1969. The culture of shoot tips of hops (Humulus lupulus L.) to eliminate viruses. *J. Hort. Sci.* 44(3):281-284.
569. Virden, J. 1972. Brewing trials of seeded and seedless hops from 1969 crop. *J. Inst. Brew.* 78(5):399-403.
570. Volgin, V. I., and Akimov, I. A. 1975. Annotated bibliography on the use of N nitrogen and N-containing fertilizers in hops. *Query File, Commonw. Bur. Hort. and Plant. Crops.* Jan. 1975, 6 p.

W

571. Wagner, F. 1928. Seed formation in hops. *J. Inst. Brew.* 25:131.
572. Wagner, Tone. 1974. Autochthonous hop in Yugoslavia and its usability for breeding new varieties in comparison with the hop varieties grown at present; final research report. *Zalec Institute of Hop Research*, 302 p.
573. _____ 1976. Wild hops as sources of breeding material and maintaining gene pools. *Proc. Sci. Comm., Internat. Hop Growers Convention*, Wye, England, 1976.
574. Wain, J., Baker, D. C., and Laws, D. R. J. 1977. Deterioration of pelleted hop powders during long term storage. *J. Inst. Brew.* 83:235-240.
575. _____ Bath, N. A., and Laws, D. R. J. 1977. Effects of storage on hops and hop pellets. *Proc. Europ. Brew. Conv., Amsterdam*, 1977, p. 167-177.

576. Walker, J. R. L. 1967. Phyto-chemical studies on New Zealand hops. I. Comparison of essential oils by gas liquid chromatography. N.Z. J. Sci. 10(2):476-480.
577. _____ 1978. Phyto-chemical studies on New Zealand hops. II. Phenolic constituents (tannins). N.Z. J. Sci. 11(1):63-71.
578. Walker, T. K., and Parker A. 1937. Report on the preservative principles of hops. 18. The theoretical basis of the log phase method for the evaluation of the bacteriostatic power and procedure in using phenol as a standard of value. J. Inst. Brew. 34(1):17-30.
579. Walker, Thomas Kennedy, and Hastings, J. J. H. 1931. Report on the preservative principles of hops. 11. Some preliminary observations of the effects produced by certain constituents of hop resin during the boiling of hopped wort. 12. A method for the quantitative comparison of very small degrees of antiseptic activity and of very small differences between more pronounced degrees of activity. J. Inst. Brew. 37(10):509-533.
580. _____ and Hastings, J. J. H. 1933. Observations on the development of the antiseptic constituents of hops during ripening. Report on the preservative principles of hops, part 14. J. Inst. Brew. 39:15-27.
581. _____ Hastings, J. J. H., and Vero, E. 1935. Report on the preservative principles of hops. 16. A study of the action of antiseptics in the logarithmic phase of the growth of B. bulgaricus and the selection of a standard of antiseptic value for use in the log-phase method for the determination and comparison of antiseptic powers. J. Inst. Brew. 32(3):92-102.
582. Wallen, Stanley, E., and Marshall, Henry F., Jr. 1979. Protein quality evaluation of spent hops. J. Agric. Food Chem. 27(3):635-636.
583. Wanie, Andrew. 1963. Nutritional problems of hops. Mimeo. Public address given in Sacramento, Calif., in 1963.
584. Watanabe, N., Yokota, T., and Takahashi, N. 1978. Cix-zeatin riboside: Its occurrence as free nucleoside in cones of the hop plant. Agric. and Biol. Chem. 42(12):2415-2416.
585. _____ Yokota, T., and Takahashi, N. 1978. Identification of N⁶-(3-methyl-but-2-3nyl) adenosine, zeatin, zeatin riboside, gibberellin A₁₉ and abscisic acid in shoots of the hop plant. Plant Cell. Physiol. 19(7):1263-1270.
586. _____ Yokota, T., and Takahashi, N. 1978. Identification of zeatin and zeatin riboside in cones of the hop plant and their possible role in growth. Plant Cell. Physiol. 19(4):617-625.
587. Watson, G. A. 1960. The effect of soil pH and manganese toxicity upon the growth and mineral composition of the hop plant. J. Hort. Sci. 35(2):136-145.
588. Webb, H. M., Gafoor, A., and Heale, J. B. 1972. Protein and enzyme patterns in strains of *Verticillium* (hops). Brit. Mycol. Soc. Trans. 59(3):393-402.

589. Weber, Kathryn A., Jangaard, Norman O., and Foster, Robert T. 1979. Effects of postharvest handling on quality and storage stability of Cascade hops. Amer. Soc. Brew. Chem. J. 37(2):58-60.
590. Weighton, D. M., Kerry, J. C., McCarthy, J. F., and Price, G. N. 1973. Amitraz - a novel acaricide with selective insecticidal properties. Proc. 7th Brit. Insect. and Fungicide Conf., 1973.
591. Weston, E. W. 1960. Changes in sex in the hop caused by plant growth substances. Nature 188(4744):81-82.
592. Whitear, A. L. 1977. Iso-(alpha)-acids content of isomerized hop extracts. J. Inst. Brew. 83(2):85-87.
593. _____ 1978. Hop products. The Brewer (October):385-388.
594. Willcox, O. W. 1950. Solving a problem of yield vs. density of stand of hop vines. Agron. J. 42(6):410-412.
595. Williams, D. O., and Todd, J. 1951. Humulone content and preservative value of hops. J. Inst. Brew. 57(6):450-451.
596. Williams, I. H. 1961. Treatment of hops (Humulus lupulus L.) with GA. Nature 191(4786):360-362.
597. Williams, Larry G. and Romanko, R. R. 1973. University of Idaho hop humidification studies. Mimeo.
598. _____ and Romanko, Richard R. 1975. Drying and humidification of hops. Univ. Idaho. Bull. No. 543.
599. Wilson, D. G. 1975. Plant remains from the Graveney boat and the early history of Humulus lupulus L. in western Europe. New Phytol. 75(3): 627-648.
600. Wilson, Dorothy J. 1950. Observations of the development and anatomy of hop layers. East Mall. Res. Sta. Ann. Rept. 1949(A33):76-79.
601. Wilson, J. F. 1957. Whitbread's Golding variety hop. A note on wilt tolerance in the field and the establishment of a Verticillium-free planting stock. East Mall. Res. Sta. Ann. Rept. 1956:128-130.
602. _____ Wilson, J. F. 1959. Density, Defender and Janus; three new wilt-tolerant hops. East Mall. Res. Sta. Ann. Rept. 1958:110-115.
603. _____ 1959. Notes on three new wilt-tolerant hops. East Mall. Res. Sta. Ann. Rept. 1958:161-162.
604. _____ 1964. Composting and hygiene. East Mall. Res. Sta. Ann. Rept. 1963(A47):183.
605. _____ 1971. Verticillium wilt of hops (V. albo-atrum). East Mall. Res. Sta. Ann. Rept. 1970:113-114.
606. _____ Neve, R. A., and Farrar, R. F. 1967. Progress and Alliance; two new wilt-tolerant hops. East Mall. Res. Sta. Ann. Rept. 1966(A50): 155-162.
607. Wright, Robert G., and Connery, Frank E. 1951. Studies of hop quality. Proc. Amer. Soc. Brew. Chem., p. 87-101.

608. Wye College. 1966. Trial of the control of weeds in established hop gardens, using simazine and paraquat. 1965 Dept. of Hop Res. Ann. Rept.
609. _____ 1977. Wye hormone mixture, now for stone fruits and hops (setting unpollinated flowers). Hort. Ind., p. 226, 228.

Y

610. Yarwood, C. E. 1942. Fungicide treatment of string supports for control of hop downy mildew. Phytopath. 32(9):830.
611. _____ 1950. Downy mildew control. Cal. Agric. 4(7):10, 16.
612. _____ 1950. Spraying upper vs. lower leaf surface in control of hop downy mildew. Phytopath. 40(10):971.
613. _____ 1951. Hop cankers. Plant Dis. Repr. 35(8):361-363.
614. _____ 1977. Moving particles of vacuoles of erysiphacaea. Mycol. 69(4):826-828.
615. Yarwood, Cecil E. 1937. Sulphur and rosin as downy mildew fungicides. Phytopath. 27(9):931-941.
616. Yoshitada, Mori. 1969. Studies on downy mildew of hop plant. VIII. Some observations on the distribution of mycelia of the causal fungus in the tissue of strap cuttings. Bull. Brew. Sci. 15:5-11.

Z

617. Zimmermann, C. E. 1967. Treating hop string with copper naththenate. Ore. Agric. Expt. Sta. Mimeo.
618. _____ Brooks, S. N., and Likens, S. T. 1964. Gibberellin A3-induced growth responses of Fuggle hops (Humulus lupulus L.). Crop Sci. 4:310-313.
619. _____ Likens, S. T., Haunold, A., Horner, C. E., and Roberts, D. D. 1975. Registration of Comet hop. Crop Sci. 15:98.
620. Zohdy, G. I. 1972. Genetical studies of resistance to thiometon in two hops garden populations of the two-spotted spider mite Tetranychus urticae (Koch). Acta Phytopathol. 7(4):439-444.

ENGLISH LANGUAGE SUBJECT INDEX

Aroma - 127, 173, 207, 214, 215, 438, 553.

Atmospheric and climatic conditions - 61, 456, 462, 463, 519, 520, 521, 522.

Bacteriology - 309, 505, 578, 579, 580, 581.

Beer - 62, 163, 223, 239, 297, 301, 311, 315, 331, 357, 362, 375, 402, 409, 433, 437, 506, 553.

Biochemistry - 6, 148, 151, 152, 213, 309, 325, 340.

Botany - 73, 146, 374, 387, 443, 515, 552, 571.

 germination - 196, 273, 400, 517.

 translocation - 349.

Breeding - 30, 31, 35, 51, 54, 58, 123, 155, 191, 193, 194, 195, 196, 197, 199, 200, 201, 202, 203, 206, 209, 242, 244, 370, 382, 383, 384, 385, 386, 457, 548, 562, 572, 573.

Chemistry - 4, 8, 13, 15, 18, 60, 65, 69, 75, 76, 77, 95, 98, 111, 116, 120, 125, 126, 130, 158, 163, 164, 165, 166, 167, 175, 179, 187, 188, 191, 218, 248, 250, 278, 303, 304, 311, 312, 327, 333, 343, 344, 353, 366, 367, 378, 379, 405, 413, 429, 430, 432, 438, 501, 526, 528, 554, 561, 563, 564, 577, 580, 581, 584, 585, 586, 592, 614.

 alpha-acid - 117, 149, 186, 195, 211, 212, 277, 302, 329, 330, 336, 367, 369, 391, 411, 502, 508, 521, 545, 562, 566.

 beta-acid - 140, 211, 277, 302, 329, 330, 336, 367, 391, 429, 502.

 bitter substances - 20, 97, 134, 135, 136, 137, 138, 139, 157, 254, 310, 363, 364, 365, 375, 376, 402, 433, 565.

 essential oils - 44, 68, 78, 79, 80, 88, 90, 153, 169, 173, 186, 249, 257, 328, 330, 331, 332, 407, 410, 411, 412, 414, 503, 576.

 humulone - 4, 87, 109, 131, 148, 212, 261, 313, 315, 535, 555, 595.

 lupulone - 4, 87, 140, 148, 250, 535.

 resins - 96, 110, 119, 150, 161, 168, 174, 267, 277, 358, 371, 383, 392, 398, 399, 427, 481, 509, 510, 537, 541, 542, 579.

Chromatography - 36, 78, 117, 157, 161, 176, 177, 211, 214, 303, 332, 364, 375, 376, 391, 398, 399, 502, 506, 553, 576.

Cones - 7, 9, 12, 13, 15, 65, 105, 119, 191, 406, 441, 584, 586.

Diseases - 3, 24, 25, 93, 224, 230, 236, 246, 263, 265, 282, 289, 290, 295, 320, 347, 361, 454, 457, 458, 459, 463, 478, 613.

chlorosis - 474, 476, 477.

downy mildew - 52, 170, 171, 172, 225, 226, 227, 228, 229, 231, 241, 255, 262, 338, 346, 370, 390, 395, 403, 436, 447, 448, 450, 455, 456, 460, 461, 462, 473, 475, 479, 512, 514, 518, 522, 610, 611, 612, 615, 616.

mosaic - 47, 101, 283, 321, 341, 355, 394, 401, 416, 417, 418, 421, 550, 551, 558.

nettlehead - 287, 291, 318, 319, 320, 322, 323, 324, 337, 354, 415, 416, 550.

prunus - 17, 48, 419, 549.

verticillium wilt - 62, 92, 142, 144, 180, 181, 182, 183, 184, 185, 192, 245, 256, 284, 286, 288, 292, 293, 484, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 529, 530, 531, 532, 533, 534, 567, 588, 601, 602, 603, 605, 606.

virus, other - 1, 2, 49, 94, 95, 143, 145, 160, 181, 182, 183, 184, 185, 305, 319, 322, 323, 325, 326, 354, 394, 401, 415, 418, 419, 420, 421, 452, 511, 546, 568.

Drying - 12, 24, 43, 50, 65, 72, 122, 132, 218, 219, 220, 221, 297, 339, 597, 598.

Economics - 40, 41, 42, 57, 89, 133, 147, 162, 238, 308, 352, 408, 545.

Entomology - 24, 81, 82, 86, 97, 112, 114, 159, 258, 259, 298, 299, 300, 347, 348, 350, 373, 401, 423, 439, 590.

aphid - 81, 83, 84, 85, 102, 103, 104, 342, 351, 385.

hop borer - 348.

nematode - 113, 260, 345, 415, 416, 417, 550, 557, 558.

two-spotted spider mite - 102, 103, 104, 105, 106, 107, 108, 351, 423, 430, 431, 432, 620.

Experimental design - 70, 266, 271, 274.

Extracts - 141, 157, 163, 176, 303, 314, 316, 334, 566, 592.

storage - 19.

Fertility - 5, 9, 21, 30, 56, 59, 71, 124, 128, 225, 274, 279, 292, 352, 380, 393, 441, 542, 583.

boron - 10, 11, 115.

manganese - 587.

molybdenum - 14

nitrogen - 100, 278, 381, 485, 495, 497, 528, 570.

phosphorus - 45, 277.

zinc - 46.

Foreign production - 38, 64, 89, 121, 122, 129, 132, 156, 280, 281, 357, 362, 372, 404, 443, 523, 525, 540, 543, 544, 576, 577.

Genetics - 118, 123, 150, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 206, 210, 213, 269, 374, 383, 397, 620.

History - 64, 146, 237, 435, 599.

Male - 53, 55, 60, 189, 191, 194, 210, 329, 391, 472.

Management practices - 24, 43, 73, 91, 122, 162, 229, 266, 268, 272, 275, 276, 301, 355, 360, 380, 381, 389, 393, 426, 434, 453, 487, 488, 494, 500, 504, 507, 510, 520, 527, 541, 556, 589, 610, 617.

herbicides - 265, 396, 453, 496, 608.

irrigation - 56, 154, 359, 381.

pruning - 264.

Morphology - 60, 202, 444, 538, 539.

Photoperiodism - 306, 307.

Physiology - 442, 446, 536, 585, 586, 609.

gibberellic acid - 190, 377, 440, 596, 618.

growth regulators - 16, 483, 536, 591.

Production - 57, 146, 233, 235, 237, 243, 259, 317.

Propagation - 16, 23, 26, 27, 29, 32, 33, 34, 99, 116, 247, 268, 285, 294, 296, 435, 445, 534, 551, 604, 616.

Quality - 53, 65, 67, 221, 222, 232, 234, 353, 368, 380, 405, 409, 425, 426, 428, 441, 519, 520, 524, 582, 589, 607.

Statistics - 357, 515.

Storage - 69, 74, 169, 186, 252, 253, 313, 333, 356, 402, 508, 554, 555, 574, 575, 589.

Utilization - 73, 146, 167, 216, 251, 252, 368, 393, 482, 593.

Varietal - 21, 28, 40, 51, 54, 58, 62, 63, 78, 83, 149, 156, 178, 187, 205, 206, 207, 208, 209, 214, 215, 223, 239, 240, 244, 278, 284, 332, 334, 340, 372, 443, 444, 447, 449, 451, 465, 466, 468, 469, 470, 471, 492, 493, 516, 518, 544, 547, 572, 601, 602, 603, 606, 619.

seeded - 409, 569.

seedless - 123, 409, 446, 536, 569.

Yield - 39, 59, 190, 194, 210, 264, 272, 275, 276, 277, 317, 380, 444, 445, 536, 537, 541, 542, 594.

FOREIGN LANGUAGE PUBLICATIONS ON HOPS, 1927-79

A

1. Acimovic, Milivoje, and Mijavec, Andrej. 1973. Establishing the resistance degree of some foreign and domestic hop varieties to Pseudo-peronospora humuli. 3rd Yugoslav Symp. on Hops, Novi Sad, April 10-11.
2. Akesenova, Z. N., and Shumuilovich, D. S. 1976. Extraction of alpha-acids from hops. Fermentn. Spirt. Prom. 5:38-39.
3. _____ and Suvorova, Z. V. 1976. Continuous process for production of hop extract. Kharchova Prom. 3:32-33.
4. _____ Suvorova, Z. V., Shmuilovich, D. S., Tarasova, L. D., and Mishchenko, L. T. 1976. Stability of a hop extract during storage. Fermentn. Spirt. Prom. 7:16-19.
5. Albrechtova, L., Chod, J., Kriz, J., and Fenc1, J. 1979. Detection of apple mosaic and tobacco necrosis viruses in hop. Phytopathol. Z. 94(1):45-55.
6. Aleksandrov, N. A. 1976. Characteristics of root formation and rooting in hop cuttings. Trudy Resp. N. I. Khmelvod. St. Chuvash. ASSR: Refer. Zh. (1977) 6.55.844: 6:86-91.
7. _____ 1976. The effect of external factors on the rooting of hop cuttings. Trudy Resp. N. I. Khmelvod. St. Chuvash. ASSR: Refer. Zh. (1977) 6.55.843: 6:75-78.
8. _____ and Grigor'ev, V. A. 1977. The effect of the date of pruning the main rootstocks on hop yield and planting material quality. Trudy Resp. N. I. Khmelvod. St. Chuvash. ASSR: Refer. Zh. (1977) 6.55.839: 6:58-62.
9. Alibalic, S., and Murko, D. 1979. Changes in the content of Cu (from hops treated with Cu-containing fungicides) during the brewing process. Radovi Poljoprivrednog Fak. Univ. Sarajevo 27(3):105-108.
10. Al'shevskii, N. G., Koval'skii, B. L., and Korcheva, L. K. 1975. Effects of trace elements on hop yields. Nauk. Pr. Ukr. Sil's'Kohospod. Akad. 171:144-148.
11. _____ Verzhbitskii, V. K., and Korcheva, L. K. 1975. Relation of physiological-biochemical indexes, yield and quality of hops to soil liming and the provision of magnesium and boron to plants. Nauk. Pr. Ukr. Sil's'Kohospod. Akad. 171:136-143.
12. Ampe, G. 1976. Foliar feeding of hops. Mededeling Provinciaal Onderzoek en Voorlichtingscentrum Voor Land-en Tuinbouw. Rumbekebeitem. No. 167. 6 p.
13. _____ 1977. Training hops, the number of shoots per string and the number of strings per plant. Mededeling Provinciaal Onderzoek en Voorlichtingscentrum Voor Land-en Tuinbouw. Beitem-Roseselare. No. 182. 8 p.
14. _____ Verloo, M., and Calus, A. 1976. Foliar fertilization of hop (Humulus lupulus L.): Influence on plant nutrient status and on

yield quantity and quality. Comptes-Rendus 4E Colloque International sur le Controle de l'Alimentation des Plantes Cultivees. Ghent, September 1976. Vol. II, A. Cottenie (ed).

15. Anderegg, P. 1976. Chemical contents of hops. Schweiz. Brau-Rundsch. 87(1/2):4-8.
16. _____ Schur, F., and Pfenninger, H. 1977. Determination of hop bittering substances by column chromatography. Schweiz. Brau-Rundsch. 88:301-305.
17. Andersen, K. 1941. The European hop or corn borer, P. nubilalis. Investigations about biology, ecology and methods of control in hop yards. I. Prakt. Blatter Pflanzenbau Pflanzenach. 19(11/12):272-283.
18. _____ 1942. The European hop or corn borer, P. nubilalis. Investigations about biology, ecology and methods of control in hop yards. II. Prakt. Blatter Pflanzenbau Pflanzenach. 20(1):1-17.
19. Andert, A., Fric, V., and Makovec, K. 1978. Adaptations of chamber driers which increase their throughput and the quality of dried hops. Zemed. Tech. 24(1):27-44.
20. Anokhin, V. M., Boiko, A. L., and Sakhno, T. M. 1975. Effect of gamma rays on the peroxidase and polyphenoloxidase activity in hop plants infected by leaf roll virus. Mikrobiol. Z. 37(1):80-83.
21. Antipovic, D. 1977. Fifty years of hop breeding in Czechoslovakia (1927-1977). Chmelarstvi 50:2, 3, 4, 21, 22, 35, 59.
22. Aseeva, I. V., Kuchaeva, A. G., Palitsin, N. P., and Strukov, V. 1959. Soviet gibberellin: Methods of obtaining it and testing its activity. Vestn. Moskov. Univ. Ser. Biol. Pochvov. Geol., Geogr. 3:37-44.

B

23. Baetsle, G. 1976. How to increase the hopping yield. Petit J. Brass. 84(3513):294-299.
24. Baillaud, L., Courtot, Y., Marsaud, P., Monnier, Y., Perney, J. P., and Tavant, H. 1962. Some experiments relating to the induction of twining behavior with gibberellic acid. Eigenschaften und Wirkungen der Gibberelline, R. Knapp, (ed).
25. Barbat, Il, Suciu, T., Salontai, A., and Muntean, L. 1976. The photosynthesis and respiration in relation to the yield of five productive hop varieties. Bul. Inst. Agron. Cluj-Napoca. 30:37-40.
26. Barth, John, und Sohn. 1976. Hops 1975/76. Varieties, production, marketing statistics. Nurnburg. 20 p.
27. Bartoszcze, M., Janowska, I., and Jurzysta, A. 1968. Anti-viral properties of plant extract activity of hop (cones, strobiles and lupulin). Bull. Vet. Inst. Pulawy 12(1-4):69-75.
28. Baumeister, H. 1973. Sprinkling systems for hop culture. Hopfenrundscha 24(19):394.
29. Beranek, F. 1966. Breeding of hops with artificial induction of polyploids. Chmelarstvi 38(1):12-13.

30. Beranek, F. 1975. A contribution to investigations into the heredity of hop bitter substance content. *Chmelarstvi* 48(3):39-42.
31. ——— 1977. Methods of crossing in hops breeding. *Chmelarstvi* 50(11):163-164.
32. ——— 1978. The combining ability of male hop plants with respect to the content of bitter substances in the progeny. *Rostl. Vyroba* 24(3):227-237.
33. Berbec, S. 1975. Preliminary investigations of the influence of some leguminous crops used as green manure on the yield of hops. *Ann. Univ. Mariae Curie-Sklodowska Sect. E. Agric.* 20:39-44.
34. ——— and Szewszuk, C. 1978. Hop stems and leaves as a source of protein. *Przegl. Hodowlany* 14:23-24.
35. ——— and Wisniewski, J. 1975. Comparison of hop yields obtained with 2 kinds of supporting structure crotch inclined and oblique. *Ann. Univ. Mariae Curie-Sklodowska Sect. E. Agric.* 30:45-54.
36. Biot, J. M., and Verzele, M. 1977. Volatile air oxidation products of hop bitter acids. *Bull. Soc. Chim. Belg.* 86(1):41-46.
37. Blachowa, M. 1978. Methods for analyzing the bitter substances in hops. *Przem. Ferment. Rolny* 22(2):3-5.
38. Blattny, C., Antipovic, D., and Osvald, V. 1950. Preliminary studies of the wild hops. *Sb. Cesk. Akad. Zemed.* 23(3/4):215-224.
39. ——— and Osvald, V. 1950. A review of the virus diseases of hops. *Sb. Cesk. Akad. Zemed.* 22(3/5):600-611.
40. ——— and Osvald, V. 1951. Some relationships involved in the development of the hop plant. *Sb. Cesk. Akad. Zemed.* 24(1/5):236-248.
41. ——— Osvald, V., and Andovovic, D. 1950. The importance of descriptions of the development of hop cones to the hop breeder. *Sb. Cesk. Akad. Zemed.* 24:101-108.
42. ——— Robek, A., and Sary, B. 1941. The lobe-splitting disease of hops - a new virus disease transmitted from *Urtica dioica*. *Ochr. Rostl.* 17:67-69.
43. ——— Robek, A., Sary, B., and Zyzkov, N. 1940. The possibility of detecting the hop Nettlehead virus in seedlings. *Ochr. Rostl.* 16:54-58.
44. ——— and Ulrychova, M. 1977. Hop leafcurl disease. *Chmelarstvi* 50(6):92, 94.
45. Blattny, Ctibor, and Osvald, Vladmir. 1954. Transmission of hop viruses by seed. *Preslia* 26:1-26.
46. Bobes, I., Pall, O., and Florea, N. 1976. Biological and control researches of principal hop plant mycosis in Romania. *Bul. Inst. Agron. Cluj-Napoca* 30:51-55.
47. Bode, O. 1977. Investigations on virus diseases of hops, on the production of virus free material and on the reinfection of virus free plantations. (Abstract) *Mitt. Biol. Bundesanst. Land Forstwirtschaft.*

178:262.

48. Boeltzig, Klaus. 1952. Research on the tuberculostatic action of some bitter acids of hops. *Brauwissenschaft* 1952(1):217-221.
49. Boiko, A. L. 1966. Study of the agent of infectious chloromosaic disease of hops by means of electron and luminescence microscopy. *Mikrobiol. Zh. (KYYIV)* 28(5):35-39.
50. _____ 1967. Effect of virus chloromosaic disease on the quality of hop catkins. *Mikrobiol. Zh. (KYYIV)* 29(1):27-30.
51. _____ 1967. Most widespread viral diseases of hops. *Mikrobiol. Zh. (KYYIV)* 29(3):272-276.
52. _____ Mamedova, S. A., and Karlysheva, I. V. 1975. Change of the amount of antibiotic substances of hop strobiles affected by virus infection. In *Fitontsidy: Eksperimental'nye Issledovaniia. A. Teorii, (ed.)* p. 310-311.
53. _____ Sakhno, T. N., and Anokhin, V. M. 1973. Action of radiation on the development and yield of hops infected with curly top virus. *Radiobiologiya* 13(4):637-639.
54. _____ Siyedin, O. O., Karlysheva, I. V., and Votselko, S. K. 1974. Study of morphology and sedimentation properties of hop leafroll virus. *Dopov. Akad. Nauk Ukr. RSR Ser. B. Heol. Heofiz. Khim. Biol.* 36(9):850-853.
55. Bondarenko, V. M. K. 1961. The problem of the content of bitter substances in hop strobiles. *Trudy Zhitomirsk. N. I. Sel. Stansii Khmelovodstva* 6:101-109.
56. _____ and Parshikov, V. N. 1957. The influence of manganese on physiological processes and productivity of hops. *Dopov. Akad. Nauk URSR* 1957(2):196-199.
57. _____ and Parshikov, V. N. 1959. The effect of foliar applications of nitrogen and the ash elements on the productivity of hop plants and the biochemical constituents of their strobiles. *Trudy Zhitomirsk. N. I. Sel. Stansii Khmelovodstva* 6:175-187.
58. Bonnet, Jean, and Coppens, Robert. 1960. Absorption of nutritative elements by hops. *Bull. Inst. Agron. Stn. Rech. Gembloux* 28(3):227-258.
59. Borde, K., and Dolzmann, H. 1975. Problems of harvesting, drying, and packing hops. *Proc. Tech. Commission, Warsaw.*
60. _____ Dolzmann, H., Preetz, K. H., and Wieser, P. 1976. Stringing material and methods and self-training of hops in the German Democratic Republic. *Hopfenrundschaу* 27(23/24):414-417.
61. _____ and John, F. 1975. Non-cutting and minimum cultivation in hop growing in the German Democratic Republic. *Proc. Tech. Commission, Warsaw.*
62. Boultzin, Klaus. 1951. The tuberculostatic effects of some bitter acids from hops. *Brauwissenschaft* 1951(9):131-132.

63. Brantsevych, L. H. 1968. Effect of methylmercaptophos on the number of Clostridium pasteurianum cells in the rhizosphere of hop (Humulus lupulus). Visn. Kyyivs. Univ. Ser. Biol. 10:129-132.
64. Brack, J., and Fencel, J. 1973. Demonstration of virus particles in hop during vegetative rest. Sb. UVTI Ochr. Rostl. 9(1):67-68.
65. _____ Jermolijev, E., Kriz, J., and Chod, J. 1966. The occurrence of elongated virus particles in hops. Sb. UVTI Ochr. Rostl. 2(3):165-172.
66. Burdajewicz, S., and Cone, W. W. 1972. Dependence on leaf density of hop plants to the spread and growth of populations of the two-spotted spider mite. Rocz. Nauk Roln 2(2):43-49.
67. Bures, V. 1974. Effect of time and method of fertilizing on the yield and quality of hops. Rostl. Vyroba 20(7):735-744.
68. _____ 1974. The importance of nitrogen for hops and its effects. Chmelarstvi 47(8):139.
69. _____ 1974. The importance of potassium for hops and excess and deficiency symptoms. Chmelarstvi 47(9):158-160.
70. _____ 1975. The importance of magnesium for hops and excess and deficiency symptoms. Chmelarstvi 48(2):23-24.
71. _____ 1975. A key for determining nutrient deficiency in hops. Chmelarstvi 48(3):38-39.
72. _____ 1975. Variation in leaf nutrient levels in hop caused by low soil available phosphorus. Rostl. Vyroba 21(1):27-36.
73. _____ 1976. The application of a mathematical model of hop fertilization to devise a fertilization plan. Chmelarstvi 49(9):134-135.
74. _____ 1978. The effects of precipitation on the occurrence of premature withering of hop cones and on the soil nutrient regime. Rostl. Vyroba 24(3):251-259.
75. _____ 1978. Manuring of hop in spring. Chmelarstvi 51(3):46-47.
76. _____ 1978. Physiology of hop nutrition. Chmelarstvi 51(9):140-141.
77. _____ 1978. The relation between the potassium and magnesium contents of the soil and cation concentration in hop leaves. Rostl. Vyroba 24(10):1047-1052.
78. _____ and Skladal, V. 1974. Effect of nutrition on the occurrence and development of wither cone of hops. Rostl. Vyroba 20(7):727-734.

C

79. Cairaschi, E. A. 1954. Chlorotic mosaic, a new virus disease of hops in Alsace. Compt. Rend. Acad. Agr. Fr. 40(2):177-179.
80. Capek, P. 1974. Commercial trials with self-trained hops. Chmelarstvi 47(4):58-59.
81. Caujolle, F., Chanh, Phan Huu, Duch-Kan, P., and Bravo Diaz, L. 1969. A study of the spasmolytic action of hops (H. lupulus Cannabinacees).

Agressologie 10(5):405-410.

82. Cech, M., Pozdena, J., and Blattny, C. 1957. Mechanical transmission of infectious sterility of hops. *Folia Biol. (Prague)*. 2(5):314-318.
83. Cepicka, J. 1978. Modern use of hop resins. *Kvasny Prum.* 24(10):221-223.
84. Chladek, Z. 1977. Experience in using helicopters in hop gardens. *Chmelarstvi* 50(12):182.
85. Chod, J., Jokes, M., and Novak, M. 1979. The electron microscopic proof of tobacco necrosis virus in hop plant. *Biol. Plant. (Prague)*. 21(2):152-153.
86. _____ Polak, J., Novak, M., and Kriz, J. 1974. Mycoplasma-like particles associated with necrotic crinkle mosaic disease of hop. *Phytopathol. Z.* 80:54-59.
87. Chour, V. 1972. Project in hop irrigation. *Chmelarstvi* 45(5):77-80.
88. Ciniburk, V., and Rosa, Z. 1977. Evaluation of the alternative to hop pruning. *Chmelarstvi* 50(2):23-25.
89. _____ and Srp, A. 1976. The possibilities of retarding the spring growth of hops in connection with labour requirements for training and increasing yields per hectare. *Rostl. Vyroba* 22(3):295-301.
90. Clos, Enrique, and Germann, Carlos E. 1965. Bibliography on hops (*Humulus lupulus*). *Rev. Fac. Agron.* 41(1):15-42.
91. Cone, W. W. 1972. Control of *Tetranychus urticae* Koch on hops with experimental acaricides. *Rocz. Nauk Roln. Pol. Agric. Annu. Ser. E. Ochr. Rosl.* 2(2):51-56.
92. _____ and Burdajewicz, S. 1972. Evaluation of the new acaricides in the control of the two-spotted spider mite. *Rocz. Nauk Roln.* 2(2):51-56.
93. Coufal, V. 1965. Day and night growth of hops in relation to the temperature of environment. *Chmelarstvi* 38(12):190-191.
94. Czekalski, A., Micinski, B., Kocialkowski, Z., and Tucheoka, Z. 1969. Effect of nutritional substances in soil on occurrence of leafroll of hop plants. II. Microelements. *Poznan. Tow. Przy. Nauk Wyzd. Nauk Roln. Les. Pr.* 27:113-125.

D

95. Danko, V. 1973. Results in hop growing in Slovakia during 1972 (yields, returns). *Chmelarstvi* 5:74-75.
96. Datsyuk, V. P. 1976. Obtaining early maturing hop plants by experimental mutagenesis. *S-KH. Biol.* 11(6):935-936.
97. de Clerck, J. 1962. Conservation and economy of hops. *Bull. Assoc. Anc. Etud. Brass. Univ. Louv.* 58(2):57-65.
98. DeRojas, Enrique. 1965. Hops (*Humulus lupulus*). Basis for its acclimation in Columbia. *Agron. Trop. (Columbia)*. 21(7):385-391.

99. Diez, T. 1972. Effect of soil conditions on yield of hop. Bayer. Landwir. Jahrb. 49(7):796-805.
100. Dobersek-Urbanc, A. 1974. Effect of the number of vines per hill on yield, weight of plants and mean diameter of vines in hops. Zb. Bioteh. Fak. Univ. Ljublj, Kmetijstvo 22:45-56.
101. _____ 1974. Relationships between the number of vines, the diameter of vines and yield of hops (Humulus lupulus). Zb. Bioteh. Fak. Univ. Ljublj, Kmetijstvo 22:35-44.
102. Doerell, E. G. 1927. Fertilizing hops with particular reference to nitrogen, especially the action of urea, on quality. Fortschr. Landw. 2(1):10-15.
103. Doroshenko, V. E. 1979. The effectiveness of herbicides in hops. Khmelevodstvo: Refer. Zh. 11.55.830: 1:24-27.
104. Doubravsky, J. 1973. Testing efficiency of new fertilizers in hop fields. Chmelarstvi 4:56-58.
105. Dunajska, L. 1975. Ultrastructure of leaf cells of some cultivated plants infected with plant viruses. Biul. Inst. Ochr. Rosl. 59:261-267.

E

106. Enders, C., Kuchinke, E., and Zoher, A. 1950. Contributions to the problem of the bitter taste in hop bitter acids. Brauwissenschaft 1950(12):225-226.
107. Erdmann, Walter, F. 1951. Lupulone and humulone, their antibacterial effectiveness and use with tuberculosis infection. Pharmazie 6(1): 442-451.
108. Eshov, I. S., and Guretskaya, V. F. 1976. Production of alpha and beta-acids from hops in crystalline form. Fermentn. Spirt. Prom-ST. 7:15-16.
109. _____ and Guretskaya, V. F. 1977. Effect of tocopherols on the stability of alpha-acids during storage of hops. Fermentn. Spirt. Prom-ST. 4:17-18.

F

110. Fenc1, I. 1976. Further knowledge on virus diseases of hops. Chmelarstvi 49(2):24-25.
111. _____ and Zatec, V. 1970. Identification of virus diseases in hops. Chmelarstvi 10:154-156.
112. Fertman, G. I., Lukina, D. I., and Reitman, I. G. 1977. Search of optimal regime of hop dehydration. Iz. Vyssh. Uchenbn. Zaved. Pishc. Tekhnol. 5:109-111.
113. Fink, Herrman, and Wager, Kurt. 1950. The physiological effects of hop ingredients. Brauwelt 17:320-322.
114. Fischer, R. 1957. Ripeness for picking, a prerequisite of quality -

points to look out for in judging the right moment to pick hops. Hopfenrundschau 8(16):251-252.

115. Flaccomio, Emanuele. 1961. A healthful plant of great importance: Hops, the essence of beer, and textile plant. Riv. Ital. Essenze Profumi Piante Offic. Olii Veg. Saponi 43(7):298-299.
116. Forster, A. 1975. Examination of EBC methods of analysis for whole hops. Brauwissenschaft 28:261-265.
117. _____. 1977. Hallertau aroma hops. Comparison of the hop varieties 'Hersbruck Spaet' and 'Hallertau Mit Telfrueh' as aroma hops from the Hallertau growing region. Brauwelt 117(10):291-294.
118. _____. 1977. Sampling of hops. Brauwissenschaft 20(11):333-337.
119. _____. Schur, F., and Pfenninger, H. 1977. Examination of the Verzele method for conductometric determination of alpha-acids in hop extracts. Schweiz. Brau. Rundsch. 88(9):239-245.
120. Fric, V., Loukota, M., and Makovec, K. 1974. The effect of extreme methods of treatment and drying on hop quality. Rostl. Vyroba 20(7):757-764.
121. _____. and Makovec, K. 1976. The effect of different temperature regimes and the flow rate of drying air on quality of hops. Rostl. Vyroba Cesk. Akad. Zemed. Ustav. Vedeckotech. Inf. 22(3):303-312.
122. _____. and Makovec, K. 1976. The effect of hops dried at a high temperature on the quality of beer. Rostl. Vyroba Cesk. Akad. Zemed. Ustav. Vedeckotech. Inf. 22(3):313-317.
123. _____. and Makovec, K. 1976. Some knowledge on drying hops with high temperature. Chmelarstvi 49(6/7):94-95.
124. _____. and Makovec, K. 1976. This year's experiences with the operation of hop driers and chambers with controlled climate. Chmelarstvi 49(11):166-167.
125. _____. and Makovec, K. 1977. Air conditioning of dried hops in working conditions. Chmelarstvi 50(6):85-87.
126. _____. Makovec, K., Pochman, J., and Podmele, L. 1978. The rate of hop cone damage during harvest and post-harvest treatment; air conditioning, pressing, drying. Rostl. Vyroba Cesk. Akad. Zemed. Ustav. Vedeckotech. Inf. 24(3):327-334.
127. Friese, L., Fendersack, F., and Tressl, R. 1979. Investigation of the aroma substances of hops, their behavior during storing and fermentation and their contribution to the aroma of beer. Monatsschr. Brau. 32(5):255-259.
128. Froier, Kare. 1951. Breeding and the matter of quality of barley and hops. Sven. Bryggeritidskr. 66(3):81-92.

G

129. Gachon, C. 1973. The enemies of the hop. Inventory and methods of control. Phytoma 25(252):19-25.

130. Gagacev, V., Ilojovski, I., and Ilievski, M. 1978. Morphological, phenological, productive and technological characteristics of some hop cultivars grown in the Pelagonija region, Macedonia. Proc. 4th Yugoslav Hop Symp., 1977. 244 p.
131. Ganzlin, G. 1975. Hop extract analysis - simplification of extraction method. Brauwissenschaft 28:205-213.
132. _____ 1975. Improved method for estimating the soft resin content of hops. Brauwissenschaft 28(11):344-346.
133. _____ 1978. Improved method for the specific determination of hop bitter substances. Ion-exchange column chromatography for practical routine analysis. Brauwissenschaft 31(5):128-139.
134. _____ and Soder, J. M. 1978. Instantaneous moisture determination of hops. Brauwissenschaft 21:307-310.
135. Garbuzova, D. A. 1957. Prospective forms of vegetative hybrids of hops. Agrobiologiya 1957(2):70-74.
136. _____ 1960. The effect of meteorological conditions on the accumulation of bitter substances and the morphology of the cones in some hop varieties. Bot. Zh. 45(4):551-555.
137. _____ 1963. Inheritance of sex in annual hybrid hop seedlings. Agrobiologiya 2:464-466.
138. _____ 1968. Preparation of the initial material for hop selections by means of seed treatment with chemical mutagens. Tsitol. Genet. 2(4):345-350.
139. _____ and Sharonina, A. P. 1960. Differences in hop stocks during vegetative reproduction. Agrobiologiya 3:366-370.
140. Georlette, R. 1948. Morphological characters of the Belgian hop varieties (Humulus lupulus L.) cultivated at the Esschene Station. Ann. Gembloux 54(1):15-23.
141. Gesner, M. 1970. New facts obtained regarding the artificial induction of polyploidy. Chmelarstvi 43(2):30-31.
142. _____ 1976. Resistance of red spider mite on hops to insecticides. Chmelarstvi 49(11):174-175.
143. _____ and Kriz, J. 1977. The resistance spectrum of hop aphid to insecticides. Chmelarstvi 50(4):55, 57.
144. Gippert, R., Schmidt, H. E., and Schmelzer, K. 1974. Some results obtained from meristem-tip cultures of hops. Virus infections. Arch. Pflanzenschutz 10(1):7-13.
145. Giurov, M. 1971. Problems of vegetative and generative propagation of hops. Rast. Nauki 8(9):149-156.
146. Glazewska, Zdzislawa. 1968. Thermoherapy in the control of the hop leafroll virus. Pamiet. Pulawski 35:281-287.
147. _____ 1969. Testing of hop varieties and hybrids as to their resistance to hop downy mildew Pseudoperonospora humuli (Miy. et Takah.)

Wils. Pamiet. Pulawski 36:233-238.

148. Grencik, M. 1970. Leaving out pruning in 2-year old hops should be taken for granted by breeders. Chmelarstvi 12:184.
149. Gruendler, C., Bergmann, W., Schmidt, U., and Dolzmann, H. 1978. Studies into the zinc, copper and phosphorus status of intact and formerly leaf curl-infested hop plantations in the German Democratic Republic. Arch. Gartenbau 26(3):133-139.
150. Gudavicius, S. 1971. Influence of some microelements on yield and quality of hop cones. In Botanicheskie Sady Pribaltiki, p. 441-444.

H

151. Hagenauer, F. 1961. Gibberellin and hops. Brauwelt 12:209-210.
152. Haid, F., and Noelle, H. H. 1976. Response of quality indexes of hops to leaf-feeding measures. Landwirtsch. Forsch. Sonderh. 33(2):344-348.
153. Han, You Hsin, and Murayama, Daiki. 1970. Studies on soybean mosaic virus. I. Separation of virus strains by differential hosts. J. Fac. Agron. Hokkaido Univ. 56(3):303-310.
154. _____ and Murayama, Daiki. 1970. Studies on soybean mosaic virus. II. Purification and some properties of the virus. J. Fac. Agron. Hokkaido Univ. 56(3):311-321.
155. Hanker, I., Taimr, L., and Kudelova, A. 1976. Influence of the insecticides lannate (methomyl) and cytolane on the transport of ^{32}P in hop seedlings. Sb. UVTI Ochr. Rostl. 12(3):233-237.
156. Hautke, P. 1965. The effect of the pollination of hops on the quality of strobiles. Chmelarstvi 38(7):102-103.
157. _____ 1973. Correlations between chemical composition of hop cones, genetic basis, environment and yield. Brauwissenschaft 26(6):193-198.
158. _____ 1975. Effect of various factors on the results of conductometric analyses of hops. Brauwissenschaft 28:265-271.
159. _____ 1976. Effect of storage temperature on the properties of hop oils. Brauwissenschaft 29(10):311-319.
160. _____ 1978. New methods of hop processing and their production technology and practical use. Chmelarstvi 51(2):28-29.
161. _____ 1978. Optimal harvesting date in relation to hop cone quality. Chmelarstvi 51(7):100-101.
162. _____ 1979. Effect of climatic conditions on the yield and alpha acid content of hops of the 1974-1978 harvests. Brauwissenschaft 32(10):288-294.
163. _____ Makovec, K., Drexler, O., and Fric, V. 1972. Effect of sulphurization on quality of hop and beer. Rostl. Vyroba 18(10):1087-1095.
164. _____ Makovec, K., Drexler, O., and Fric, V. 1972. A study of sulphurization processes in hop cones. Rostl. Vyroba March, 1972.

165. Hautke, P., and Nedopil, F. 1977. Using dry hop leaves as fodder on farms. *Chmelarstvi* 50(6):90-91.
166. _____ and Petricek, D. 1970. Influence of hop resins on fermentation of wort and head formation. *Monatsschr. Brau.* 23(12):341-345.
167. _____ and Petricek, D. 1973. Relationship between chemical composition of the hop cone, genetic basis, environment, and yield. *Brauwissenschaft* 26(6):193-198.
168. Hautke, Premysl. 1977. Problems of analytical evaluation of hop quality. *Chmelarstvi* 50(7):98-99.
169. Heintz, L. 1931. Titrimetric determination of the soft resins, hard resins, and free fatty acids in hops. *Wochenschr. Brau.* 48(35):369-373.
170. Hirling, W. 1978. Nematodes and virus diseases of hop. *Z. Pflanzenkr. Pflanzenschutz* 85(8/9):532-557.
171. Hoed, F. 1948. Report of the activity of the Group for Study and Research for the Improvement of Belgian Hops. *Ann. Gembloux* 54(3):113-193.
172. Hoerner, G. R., and Jones, Walter. 1933. Crown treatments for hop downy mildew control. *Phytopathol. Z.* 6(6):619-626.
173. Hohlmann, J., and Zwack, F. 1976. Application of fall fertilizers to hops. *Hopfenrundschau* 27(19):351-353.
174. Holubinski, I. N. 1945. Meiotic abnormalities induced by atmospheric electricity. *Compt. Rend. (Doklady) Akad. Sci. URSS* 46:247-249.
175. Homedes Ranquini, Juan. 1930. An interpretation of certain structures of Humulus lupulus in the light of plant endocrinology. *Bol. R. Soc. Esp. Hist. Nat. (Secc. Biol.)* 30(5):255-260.
176. Hopfen und hopfenextrakten. 1970. Methods of analysis of hop extracts (chromatography). *Brauwissenschaft* 23(3):101-108.
177. Hornung, Ursula. 1975. Effect of the host plant on the parasite shown for Humulus lupulus L. and Phorodon humuli Schrank. *Angew. Bot.* 49:45-53.
178. _____ and Witsch, H. V. 1974. Investigations on the host-parasite relationship between Humulus lupulus L. and Phorodon humuli Schrank: II. Effects of the cytokinin contents in hop leaves (stages of leaf age) on the development of populations of the aphid. *Biol. Zentralbl.* 93(6):655-674.
179. Hosek, J. 1976. Saving on energy and increasing of drying quality in the gas-operated hop drier. *Mech. Zemed.* 26(11/12):506-511.
180. _____ and Andert, D. 1975. Use of lighting gas in chamber hop-drying kilns. *Zemed. Tech.* 21(11):691-703.
181. Hrbek, V. 1970. Hop pruning with rotary mower? *Chmelarstvi* 12:185-186.
182. Hrdy, I. 1970. Hop louse control and resistance (Phorodon humuli). *Chmelarstvi* 12:181-183.

183. Hrdy, I. 1979. Resistance to hop aphid (P. humuli) to some organophosphorus insecticides in 1969 vegetation period and preliminary report on cross-resistance to carbamates. *Agrochemia* (Bratisl.) 10(8/9): 223-228.
184. Hrdy, Ivan, Zeleny, Jiri, Hrda, Jitka, and Bouckova-Konickova, Jana. 1970. Stability of resistance to thiometon, multiple-resistance and population density of the hop aphid, Phorodon humuli (Schrank), during 1967-68 (Homoptera, Aphididae). *Acta Entomol. Bohemoslav.* 67(3): 143-174.
185. Hrebec, Z., and Nesvadba, V. 1976. The new hop cultivar Zlatan. *Chmelarstvi* 49(12):187.
186. Hubacek, J., and Lachman, J. 1976. Changes of phenolic substances in the course of storage of hops. *Rostl. Vyroba Cesk. Akad. Zemed. Ustav Vedeckotech. Inf.* 22(3):319-327.
187. Hums, N. 1973. Chemistry of hop bitter substances. *Brauwelt* 113(4): 38-41.
188. Husak, V. 1979. Research workers report on harvesting technology. *Chmelarstvi* 52(6):88-89.
189. Husar, M. 1968. Biological potential of Slovenian Golding and Northern Brewer hop varieties (crop yield, plant composition). *Savremena Poljoprivreda* 16(2):140-144.

I

190. Ivanic, J., and Sedlak, E. 1975. The effect of different fertilizer nutrient ratios on hop growth and yield in the Piest'anytopol'cany region. *Pol'Nohospodarstvo* 21(1):3-11.

J

191. Jerumanis, J. 1977. Identification of hop varieties from their polyphenol composition. *Petit J. Brass.* 85(3521):42-46.

K

192. Kahler, M. 1960. Hop resins. *Kvasny Prum.* 6:50-53.
193. Karabanov, Yu. V. 1959. The effects of boron and manganese on the contents of the ash elements in young hop plants. *Trudy Zhitomirsk. N. I. Sel. Stansii Khmelovodstva* 6:257-270.
194. _____. 1961. Certain problems on morphogenesis in hop (Humulus lupulus). *V. Sb. Morfogenez Rast. Moskva, Mosk. Univ.* 2:145-148.
195. Katalan-Gateva, S., and Konstantinove-Milkova, M. 1977. Two species of parasitic nematodes on hops (Humulus lupulus) in Bulgaria. Part I. *God. Sofii. Univ. Biol. Fak.* 68(1):49-56.
196. _____ and Milkova, M. 1979. Parasitic nematodes on 2 varieties of hop (Humulus lupulus). *Khelmintologiya* 7:47-53.

197. Kenber, R. M. J. 1978. Hop breeding and production in Europe. *Brygmesteren Scand. Brew. Rev.* 35(6):151-160.
198. Kettner, L. 1974. 100 years of German hops culture organization. *Hopfenrundschau* 25(11):211-294.
199. Kettner, Lorenz. 1974. Sources and list of literature to the history of hop culture and agriculture of Hallertau in the 19th and 20th centuries. *Wolnzach: Verb. Dt. Hopfenpflanzer, E. V.* 83 p.
200. Khain, Yu. M. 1976. The use of thin layer chromatography for analyzing hop bitter substances. *Trudy Resp. N. I. Khmelevod. St. Chuvash. ASSR Refer. Zh.* (1977) 6.55.847: 6:100-103.
201. Kieninger, H., and Forster, A. 1973. Effect of overdrying of hops on the composition and flavor of beer. *Brauwissenschaft* 26:214-217.
202. Kiril'chuk, P. P., Ponomarenko, V. N., Zakordonets, V. A., and Stadnichenko, A. M. 1978. Hygienic problems connected with the use of methyl mercaptophos in hop growing. *Gig. Sanit.* 10:103-104.
203. Kisgeci, J. 1974. The order of water supply of hop in different conditions of irrigation and mineral nutrition. *Bilt. Hmelj Sirak* 2(21/22):1-111.
204. _____ 1977. The role of different leaves in hop yield and quality production. *Savremena Poljoprivreda* 25(3/4):41-49.
205. _____ 1978. Hop growing in Japan. *Bilt. Hmelj Sirak* 10(31):3-49.
206. _____ and Jovanic, M. 1979. Reduced cultivation in the system of hop culture acreage. *Bilt. Hmelj Sirak* 10(32):5-12.
207. _____ and Mijavec, A. 1975. Weed flora and vegetation in the hop fields of Vojvodina. *Jugosl. Savetovanje Borbi Protiv Korova KNIGA.* p. 85-95.
208. _____ and Vicic, N. 1978. Water balance and bioclimatic coefficients in hop growing. *Proc. 4th Yugoslav Hop Symp., 1977.* 244 p.
209. _____ and Vucic, N. 1978. Water requirements of hop and various irrigation systems. *Bilt. Hmelj Sirak* 19(32/33):13-19.
210. Kishita, A., Kono, T., and Yoshino, A. 1969. An aspect on relationship between "stachigare" disease of hop and soil conditions. *Hokkaido Nat. Agr. Exp. Sta. Res. Bull.* 94:22-37.
211. Klaudel, J., and Golezijnski, M. 1969. Modernization of harvest, kilndrying and storage of hops. *Postepy Nauk Roln.* 16(2):127-136.
212. _____ Myslicka, Z., and Frydecka, Z. 1971. Durability in storage of hop varieties and populations cultivated in Poland. *Inst. Uprawy Nawozenia Gleboznawstwa (Pamiet Pulawski)* 40:89-99.
213. Klaudel, Janusz. 1964. Modernized systems of hop training in the light of investigations. *Pamiet. Pulawski* 13:235-254.
214. _____ and Myslicka, Zofia. 1961. A comparison trial of hop quality and the commercial value of its production based on the means of sorting and dates of harvest. *Rocz. Nauk Roln. Ser. A. Rosl.* 84(2): 317-346.

215. Klaudel, Janusz, Myslicka, Zofia, and Kotwicz-kac, Helena. 1964. Effect of the hop picking upon the quality of cones and the loss of weight due to drying. *Pamięt Pulawski* 13:215-233.
216. Kleber, W., and Hums, N. 1972. Column chromatographic separation and specific determination of alpha and beta-acids in hop extracts. *Brauwissenschaft* 25(8):225-229.
217. _____ and Hums, N. 1972. A method for isolation of alpha-acids from hop extracts. *Brauwelt* 112(2):374-375.
218. _____ Kessler, H., and Hums, N. 1973. Alpha-acids in hops of harvest 1972. *Brauwelt* 13(2):238-240.
219. Klicza, L., and Palosz, T. 1971. Comparison of efficiency of some fluid organic phosphates, applied while watering plants, against hop red spider (*Tetranychus urticae* Koch). *Poznan. Inst. Ochr. Rosl. Biul.* 48:75-85.
220. Koch, Walter, and Heim, Gerda. 1953. Hormone in hop and beer. *Brauwissenschaft* 1953(8):132-133.
221. Kochetova, N. I., Kuvarin, V. V., and Zhebrak, E. A. 1978. Studies of the mechanism of hop cone infection by *Pseudoperonospora humuli*, pathogen of downy mildew, with the aid of scanning electron microscopy. *Vestn. S-KH. Nauki (Moscow)* 9:120-123.
222. Kohlmann, H. 1978. Soil tillage technique in hops on new paths. *Ber. Landwirtsch.* 56(2/3):511-514.
223. Kohlmann, Hans. 1977. Brewing value of hops in relationship to variety, location and climate. *Hopfenrundschau* 28:328-331.
224. Kohlmann, J., and Heindl, M. 1976. Lower machine costs and labour saving by using wide spacing in hop growing. *Hopfenrundschau* 27(22):394-397.
225. _____ and Heindl, M. 1978. Weather conditions of this year put increased demands on the spraying technique. *Botrytis controls hops. Hopfenrundschau* 29(14):272, 274.
226. _____ Rossbauer, G., and Zwack, F. 1977. Influence of various leaf feeding compounds on yield and quality of hops. *Hopfenrundschau* 29:63-66.
227. Kolbach, P. 1951. The effect of grinding on utilization of hops. *Brauerei* 5(20):112.
228. Koleshko, O. 1973. Effect of organic phosphorus insecticides on soil microflora in rhizosphere of hops and on yield of raw hops. *Khim. Sel'sk. Khoz.* 11(11):39-40.
229. _____ and Andreev, A. S. 1978. Effects of insecticides on the microflora of hop rhizosphere and the yield of plants. *Bot. (Issled)* Beloruss Otd Vses. O-VO 20:117-122.
230. Kopecky, J., Srp, A., and Sachl, J. 1976. Winding ability of the vine of some Czechoslovak and foreign hop varieties. *Rostl. Vyroba Cesk. Akad. Zemed. Ustav Vedockotech. Inf.* 22(3):243-251.

231. Korcheva, L. Kh. 1979. Changes in N substances and soluble carbohydrates in hop leaves under different ratios of nutrient levels. Nauch. Trudy Ukr. S-KH. Akad. Refer. Zh. 11.55.530: 226:84-89.
232. Kovkova-Kratochvilova, Anna, Vavrachova, Alena, and Novakova, Dagmar. 1951. Microbiological evaluation of hop quality. Schweiz. Brau-Rundsch. 62(2):19-22.
233. Kralj, D. 1978. The inclusion of A varieties in breeding new genotypes of hop. Proc. 4th Yugoslav Hop Symp., 1977. 244 p.
234. _____ and Susnik, F. 1967. The determination of polyploidy in the hop, Humulus lupulus L. Biol. Vestn. 15:67-71.
235. Kralj, Dragica. 1973. Diploid and tetraploid crossing of hop, Humulus lupulus L. Zb. Bioteh. Fak. Univ. Ljublj., Kmetijstvo 21:155-174.
236. Krauss, G. 1969. Hops and hop preparations. Fermentatio 65(5):191-208.
237. _____ 1978. Correlations among the characteristics of fresh hops. Monatsschr. Brau. 31(10):396-398.
238. Kremkow, C. 1971. Hop extract analysis. Brauwissenschaft 24(1):10-13.
239. Kriz, J. 1959. Transfer of leaf-roll disease and contagious lack of fertility of hops to the progeny via seeds. Sb. CSAZV Rostl. Vyroba C-7:951-970.
240. _____ 1975. Resistance of hop aphid to insecticides. Hopfenbau 8:3-8.
241. _____ 1976. Experience gained with herbicides in hop growing. Chmelarstvi 49(5):75-76.
242. _____ and Genser, M. 1977. Occurrence and spread of resistant hop aphid populations in Czechoslovakia. Chmelarstvi 50(3):42-45.
243. _____ and Schmidt, H. E. 1975. Resistance of hop aphid. Virus-free healthy plants. Der Hopfenbau 34 p.
244. Krizh, Zh. 1970. Possibilities for application of herbicides in hop cultivation. In Primenenie Gerbitsidov v Sel'skom Khoziaistve R. p. 39-45.
245. Krueger, E., and Baron, G. 1975. Determination of the hop oil content in hops and hop preparations. Monatsschr. Brau. Analytical Abstracts 28(5):118-120.
246. Kubicek, Jan, and Vancura, Miroslav. 1977. Some considerations of an objective hop evaluation with regard to its brewing value. Chmelarstvi 50:99-100.
247. Kudrna, K. 1979. Hop irrigation in the light of new scientific knowledge. Chmelarstvi 52(4):52-54.
248. Kunzecova, A. P. 1941. A new disease of hops. Sovetskaia Botanika (Lenigrad) 1941(3):108-112.

L

249. Lacok, A. 1978. Effect of shoot age on hop yield and quality. Proc. 4th Yugoslav Hop Symp., 1977. 244 p.

250. Lammens, H., and Verzele, M. 1968. The aroma of hops: III. The occurrence of diterpenes in hop oil. Bull. Soc. Chim. Belg. 77(9/10): 497-503.
251. Lautner, V., and Nedopil, F. 1976. Dynamics of beta-carotene losses in dried hop vines and lucerne during storage. Zivocisna Vyroba 21(1): 43-49.
252. Lazukov, M. I., Andreev, V. S., and Zazukova, E. N. 1975. Comparative study of methods of treating hop seedlings with colchicine. Doklady TSKHA (Timiryazevskaya S-KH. Akad.) 211:68-73.
253. Leins, P., and Orth, C. 1979. Organogenesis in male flowers of Humulus lupulus Cannabaceae. Bot. Jahrb. Syst. Pflanzengesch. Pflanzengeogr. 100(3):372-378.
254. Lesik, B. V., and Shabranskii, A. S. 1978. Effects of forms of nitrogen fertilizers on physiological-biological process, yield and quality of hops. Fiziol. Biokhim. Kul't. Rast. 19(4):434-438.
255. Leski, R., and Jesiotr, L. 1973. The evaluation of the chemo-sterilant Metepa in the control of the two-spotted spider mite (Tetranychus urticae, Acarina: Tetranychidae). Ekol. Pol. 21(19):271-289.
256. Leskovar, L. 1977. Hop growing in Argentina. Hopfenrundschau 28(22): 424-425.
257. Libatskii, E. P. 1969. Heritability of stem color and other features of hop (Humulus lupulus), hybrids and the correlation between color and economically important features. Genetika 5(1):32-42.
258. _____. 1971. Correlation of properties of hop hybrids. Vestn. S-KH. Nauki (Moscow) 12:76-79.
259. _____. 1973. Evaluating individual combinations and varieties of hops as initial parental forms in crosses and the results of breeding. Trudy Resp. N. I. Khmelvod. St. Rsfsr: Refer. Zh. (1974) 4.55.194: 4:23-29.
260. Lim, U. K. 1975. Basic studies on the cultivation and expansion of hop (Humulus lupulus L.) in Korea. Korean J. Bot. 18(2):59-86.
261. _____. 1977. Studies of the effects of gibberellin treatment on hop yields. Korean J. Bot. 20(1):59-61.
262. _____ and Cho, W. 1976. A study on the effect of various N, P, and K fertilization levels on hop yield. Korean J. Bot. 19(2):37-40.
263. Lim, Ung-Kyu. 1975. Comparative studies on the growth and differentiation in three different varieties of hops. Korean J. Bot. 18(1):11-17.
264. Linke, Wilhelm. 1953. Plant protection in hop culture. Brauwissenschaft 1953(9):153-155.
265. Luders, W. 1979. Primary results of experiments with the LI-COR apparatus for measuring the leaf surface growth stages of hops. Nachrichtenbl. Dtsch. Pflanzenschutzbd. 31(2):28-30.
266. Lukina, D. I. 1976. Studies on the relationship between bitter substances and alpha-acid content in commercial hops. Trudy Res. N. I.

Khmelevod. St. Chuvash. ASSR: Refer. Zh. (1977) 6.55.846: 6:108-114.

267. Lukina, D. I., Fertman, G. I., and Reitman, I. G. 1979. Changes in hops components during drying by stages. Iz. Vyssh. Uchebn. Zaved. Pishc. Tekhnol. 2:82-85.
268. Lyashenko, N. I. 1974. Formation of some components of bitter substances in hop. Fiziol. Biokhim. Kul't. Rast. 6(6):632-637.
269. _____ 1975. Quantitative determination of hop alpha- and beta-acids. Fiziol. Biokhim. Kul't. Rast. 7(5):544-547.
270. _____ 1976. Alteration of bitter substances in the flowers and cones of hops. Fiziol. Biokhim. Kul't. Rast. 8(3):307-312.
271. _____ 1977. Biochemical characteristics of some hop varieties. Prikl. Biokhim. Mikrobiol. 13(1):118-123.
272. _____ 1977. Phenolic compounds in different organs of hops. Fiziol. Biokhim. Kul't. Rast. 9(3):316-321.
273. _____ 1978. Quantitative determination of the bitter substances in hops. Fiziol. Biokhim. Kul't. Rast. 10(1):100-104.
274. _____ 1978. The study of bitter substance content in hop lupulin and their effective use. Prikl. Biokhim. Mikrobiol. 14(1):144-149.
275. _____ 1979. Biochemical changes in hop cones during formation and ripening. Prikl. Biokhim. Mikrobiol. 15(4):499-503.

M

276. Macek, J., Cenelj, J., and Dorer, M. 1977. Contamination of soil in hop fields and of hop cobs with residues of the pesticides copper lindate, dichlordiphenyltrichlorethane and of organic phosphoric esters in Slovenia. Zb. Bioteh. Fak. Univ. Ljublj., Kmetijstvo 28:61-72.
277. Macovei, A. 1976. The occurrence of mechanically transmissible viruses on hop (Humulus lupulus L.) in the Socialist Republic of Rumania. Arch. Phytopathol. Pflanzenschutz 12(2):75-86.
278. _____ 1977. Identification and determination of the main characteristics of hop viruses in Romania. I. Experimental data on the presence of hop mosaic and line pattern viruses Mozaicului in Benzi. II. Experimental data on the presence of hop mosaic virus and line pattern virus. An. Inst. Cer. Prot. Plant. 12:47-52.
279. _____ and Titu, H. 1976. Electron-microscopical aspects of hop mosaic virus cell location. Rev. Rouma. Biol. Ser. Biol. Veg. 21(2): 71-73.
280. Maier, J. 1966. Composition of hop oil in relation to variety, quality and commercial products of hops. Brauwissenschaft 19(11):425-434.
281. _____ 1969. Chemical recognition of hop variety: Identification of the varieties Brewers Gold and Star. Brauwissenschaft 22:231-237.
282. _____ 1977. Experiments to determine hop varieties based on chemical characteristics of natural hops, hop extracts and in mixtures.

Hopfenrundschau 28:140-144.

283. Maier, J. 1978. Chemical determination of hop varieties. Hopfenrundschau 29:358-363.
284. _____ 1978. Investigations about the storage stability of new hop varieties in comparison to established varieties. Hopfenrundschau 29:370-372.
285. _____ and Narziss, L. 1979. The hop variety Perle. I. A new hybrid from the Hans Pfuelf Institute for Hop Research at Huell. Brauwelt 119(36):1260-1263.
286. Maierhofer, E. 1974. Hop culture in Grosse Muhl River area (Germany). Agrar. Rundsch. 2/3:17-18.
287. Majewski, Kazimierz. 1959. Influence of mineral fertilization on yield and quality of hop. Roczn. Nauk Roln. Ser. A. 80(2):367-390.
288. _____ 1969. Preliminary experiments on the fertilizing value of undersown rye in hop cultivation. Pamiet. Pulawski 36:223-232.
289. Makovec, K. 1978. Effect of temperature and speed of the drying air current on hop cone quality. Chmelarstvi 51:7,8,108-110,124-125.
290. _____ and Fric, V. 1976. The effect of hops dried at high temperature on beer quality. Rostl. Vyroba 22(3):303-317.
291. _____ and Fric, V. 1978. Previous experiences from the operation of reconstructed drying units. Chmelarstvi 49(6/7):95-96.
292. _____ Fric, V., Loukota, M., and Listansky, J. 1978. Influence of temperature and speed of drying air currents on the quality of hop heads. Chmelarstvi 51(8):124-125.
293. _____ List'ansky, J., and Fric, V. 1979. Effect of hops dried at different temperatures on beer quality. Chmelarstvi 52(8):118-119.
294. Mamedova, S. A. 1974. Virus diseases of hops and weeds. Zash. Rast. 1:53.
295. _____ and Boiko, A. L. 1974. Some serological properties of hop interveinal mosaic virus. Mikrobiol. Zh. (Kiev) 36(1):54-56.
296. _____ Boiko, A. L., and Vasil'ev, A. D. 1974. Scanning electron microscopy study of lupulin grains of virus-infected hop. Biol. Nauki 17(8):130-132.
297. _____ Mikheeva, I. I., and Boiko, A. L. 1976. Isolation and examination of nucleic acid in hop interveinal mosaic virus. Mikrobiol. Zh. 38(5):597-600.
298. Mandl, I. 1949. Hop bitter principle and hop oil. Brauwissenschaft 8:121-124.
299. Mandy, G., and Kovacs, S. 1962. After-effect of photoperiodic treatment of hop plants. Acta Biol. Acad. Sci. Hung. 12(Suppl.) 4:23. Abstract.
300. Marocke, R., Correge, G., and Trendel, R. 1979. Varietal difference in the response of hops to magnesium deficiency. Compt. Rend. Hebd. Seances Acad. Sci. 298(2):97-100.

301. Marocke, R., Trendel, R., and Correge, G. 1978. Cultivar Hallertau. Magnesium deficiency and fertilization in the hop cultivar Hallertau. Compt. Rend. Seances Acad. Agr. Fr. 64(18):1460-1471.
302. Martin, B., and John, F. 1970. Studies on influence of irrigation on yield and quality of hops. Z. Landeskult. 11(3):201-213.
303. Maruta, Hiroshi. 1975. Studies on matter production in hop plants. 2. Seasonal changes in contents of carbohydrate and minerals. Proc. Crop Sci. Soc. Jpn. 44(1):29-34.
304. _____ 1975. Studies on matter production in hop plants. 1. Seasonal changes in matter economy. Proc. Crop Sci. Soc. Jpn. 44(1):22-28.
305. Masior, S., and Szczepanik, J. 1964. Value of hop concentrates prepared with methylene chloride. Schweiz. Brau-Rundsch. 75:21-24.
306. Mayuk, V. H. 1977. The effect of irradiation on hops. Trudy Resp. N. I. Khmelevod. St. Chuvash. ASSR: Refer. Zh. (1977) 6.55.840: 1976. 6:22-28.
307. Maton, A., and Vantilborgh, L. 1965. Continuous drying of hops by means of a conveyor drier. Land-Tuinbouw Jaarboek 20:347-373.
308. _____ and van de Vyver, J. 1974. The effect of drying temperature on the chemical and organoleptic properties of hops with special consideration to hop oil composition. Brauwissenschaft 27(7):187-194.
309. Mecinski, Bartlomiej, Glogowski, Kazimierz, and Czaplicki, Edward. 1964. Attempts to diagnose some degenerative diseases of hops by means of the diphenylamine test. Pr. Nauk. Inst. Ochr. Rosl. 6(2):179-188.
310. Meda, E. 1977. Scanning electron microscope studies on lupulin glands in Humulus lupulus L. Jpn. J. Crop Sci. 46(2):249-253.
311. Melin, D. 1971. Remarks on the inversion in the direction of growth of Humulus lupulus (stalks obtained by treatment with 2-4, D). Compt. Rend. Hebd. Seances Acad. Sci. Ser. D. 272(4):542-544.
312. _____ and Brulport, C. 1967. Reaction of Humulus lupulus L. to an application of 2,4-dichlorophenoxyacetic: 1. Morphological modifications of growth variations. Ann. Sci. Univ. Besancon Bot. 3(4): 53-62.
313. _____ and Brulport, C. 1967. Reactions of Humulus lupulus L. to an application of 2,4-dichlorophenoxyacetic: Anatomical modifications. Ann. Sci. Univ. Besancon Bot. 3(4):63-74.
314. Micinski, B. 1971. Hop virus diseases. Zesz. Probl. Postepow Nauki Roln. 115:179-184.
315. _____ Czekalski, A., and Kocialdowski, Z. 1966. Preliminary investigations on contents of nutrients in healthy and leafroll infected hop yards. Rocz. Nauk Roln. 91(A3):617-640.
316. _____ and Mszkiewicz, M. 1971. Results of studies of effectiveness of some insecticides in control of hop aphid, Phorodon humuli Schr. Poznan. Inst. Ochr. Rosl. Biul. 48:303-310.
317. _____ and Ruszkiewicz, M. 1971. Effectiveness of some organic phos-

- phorus insecticides in control of hop aphid. Poznan. Inst. Ochr. Rosl. Biul. 48:311-314.
318. Micinski, B. and Ruszkiewicz, M. 1975. The biology of the hop aphid Phorodon humuli Schr. Pr. Nauk. Inst. Ochr. Rosl. 16(1):79-101.
 319. Mijavec, A. 1978. Effect of different training angles on morphological characters, yield and quality of some hop cultivars. 4th Yugoslav Hop Symp., 1977. 244 p.
 320. _____ and Kisgeci, J. 1978. Regularities of grafting hops for high content of alpha-acid. Bilt. Hmelj Sirak 10(32):47-50.
 321. _____ and Spevak, P. 1975. Comparative investigations on the essential oils of the hop cultivar Backa and of Vojvodina hybrids. Bilt. Hmelj Sirak 7(24):23-30.
 322. _____ and Spevak, Pavel. 1973. Morphological, phenological and economic and technological characteristics of new hop varieties in Vojvodina. 3rd Yugoslav Symp. on Hops, Novi Sad, Apr. 10-11.
 323. Milczak, M., and Szot, B. 1976. An attempt of using an electro-magnetic micro-breaker for evaluation of individual plants of hop with regard to their utility for mechanical harvesting. Rocz. Nauk Roln. 72(2): 81-87.
 324. Mladentseva, M. S. 1960. An embryological study of hop (Humulus sp.). Dokl. Mosk. S-KH. Akad. Im. K. A. Timiryazeva 59:171-177.
 325. Moreau, Fernand. 1926. The formation of volatile oils. Bull. Soc. Bot. Fr. 72(9/10):985-987.
 326. Mori, N., Homma, Y., and Sonobe, T. 1979. Quantitative analysis of alpha soft resin in hops Lupulus strobilus and its drug preparations by gas liquid chromatography. Jpn. J. Pharmacogn. 33(1):51-57.
 327. Mori, Yoshitada. 1967. Studies on downy mildew of hop plant: 6. Wound infection by Pseudoperonospora humuli to hop rootstock. Ann. Phyto-Pathol. Soc. Jpn. 33(1):1-4.
 328. Moskovets', S., and Boiko, A. L. 1966. On the nature of chlorosis of hops in the Ukraine. Mikrobiol. Zh. Akad. Nauk 28(2):41-46.
 329. _____ and Boiko, A. L. 1970. Obtaining of antiserum to leaf-roll virus of hop. Mikrobiol. Zh. (KYYIV) 32(5):589-592.
 330. _____ Boiko, A. L., Mamedova, S. A., Isayenko, K. V., and Sakhno, T. M. 1971. Intravenous mosaic virus of Humulus lupulus. Dopov. Akad. Nauk Ukr. RSR Ser. B. Heol. Heofiz. Khim. Biol. 33(11):1038-1041.
 331. Mostek, J., and Cepicka, J. 1975. Hop extract from hops of different parts of the world and the effect they have on the physio-chemical and sensory properties of beer. Sb. Vys. Sk. Chem-Technol. Pr. Potraviny 43:9-29.
 332. _____ Cepicka, J., Novotna, V., and Rychetska, E. 1974. Separation of hard hop resins by chromatographic methods. Sb. Vys. Sk. Chem-Technol. Pr. Potraviny 41:33-58.
 333. Moteji, T. 1976. Induction and redifferentiated plantlets from leaf

calluses in hop. Proc. Crop Sci. Soc. Jpn. 45(1):175-176.

334. Moutschen, J., Degraeve, N., and Moutschen-Dahmen, M. 1973. Contribution to the study of sex determination in dioecious plants (karyotypic and meiotic peculiarities of Humulus lupulus and Humulus japonicus). Cellule 69(3):310-339.
335. Muller, H., and Karl, E. 1976. Investigations on the effects of some antibiotics on the development, fertility, and body size of hop aphids (Phorodon humuli) on hop plants (Humulus lupulus L.) stand. Arch. Phytopathol. Pflanzenschutz 12(4):275-283.
336. Muroga, Toshimasa. 1951. Process of flower bud differentiation in the hop plant. Sci. Bull. Fac. Agric. Kyushu Univ. 13(1/4):20-25.
337. Mussche, R. 1977. Hop components, qualities, and evolution of hops for beer; an overview. Cerevisia 2(2):52-63.

N

338. Narziss, L., and Bellmer, H. G. 1975. Polyphenol content and polymerization index of hops and hop products. Brauwissenschaft 28:285-292.
339. _____ and Forster, A. 1971. Estimation of aroma components in hops and hop products by gas chromatography. II. Effect of hop drying on composition of aroma components. Brauwissenschaft 24(5):145-151.
340. _____ and Forster, A. 1972. Gas chromatographic investigations on aroma components in hops and hop products. 4. Effect of hop extraction on composition of aroma components. Brauwissenschaft 25(5):128-135.
341. _____ and Forster, A. 1972. Gas chromatographic investigations on estimation of aroma components in hops and hop products. 5. Effect of hop drying on composition of aroma components (1971 harvest). Brauwissenschaft 25(8):239-244.
342. _____ Reicheneder, E., and Brummer, F. X. 1975. Studies on the variation of certain fractions of hop bitter substances during storage and beer production. Brauwelt 115:1205-1210.
343. _____ Reicheneder, E., and Forster, A. 1970. Estimation of aroma components in hops and hop products by gas chromatography. I. Investigations of estimation of total oil by gas chromatography and by head-space method. Brauwissenschaft 23(8):289-298.
344. _____ Reicheneder, E., and Phuoc Ngo, D. 1979. Trials with a new hop product: Hop pellets with bentonite. Brauwelt 119(38):1366,1368-1370.
345. _____ Reicheneder, E., Phuoc Ngo, D., and Maier, J. 1979. The hop variety Perle. 2. Brewing trials. Brauwelt 119(37):1306-1308.
346. _____ Reicheneder, E., and Stippler, K. 1970. Effect of highly aged hops on the quality of worts and beers. Brauwelt 110(5/6):54-59.
347. Nechiporchuk, I. D. 1976. The first Ukrainian-bred hop variety, Klon 18. Nauk. Pr. L'viv Sil's'kogospod.: Refer. Zh. (1976) 8.55.706: 1975. 63:99-101.

348. Nechiporchuk, I. D., and Poshpur, A. A. 1960. Utilization of the heterogeneity of hop tissue in commercial hop fields. *Agrobiologiya* 5: 761-763.
349. Nedopil, F., Lautner, V., and Flam, F. 1976. The effect of feeding hop leaves to cows on processing quality of milk. *Zivocisna Vyroba* 21(10): 747-754.
350. Nemetz, N. 1978. Hop drying kiln. German Fed. Rep. Patent Appl. No. 2 641 277.
351. Nosal', I. M. 1961. The study of orthogenesis in hops (Humulus lupulus). *Morfogenez Rastenir. Mosk. Univ: Moskva* 2:142-144.
352. Nyborg, P. 1949. A little about hops. *Brygmesteren* 7(1):30-33.

0

353. Obata, Yataro, and Hortitsu, Hiroyuki. 1959. Studies on the sunlight flavour of beer. 6. Correlation of the occurrence of the sunlight flavour of beer to humulone, lupulone and related compounds. *Bull. Agric. Chem. Soc. Jpn.* 23(3):186-194.
354. Ondrejko, Andrej. 1968. Results of the experiments with the assortment of hop carried out in the research workplace Hurbanovo Sesiles. *Pol'nohospodarstvo* 14(9):686-689.

P

355. Panchenko, P. M. 1976. Effect of hop plant age on the productivity of the vegetative progeny. *Doklady TSKHA Timiriazevsk. S-KH. Akad.* 216: 63-67.
356. _____ 1978. Growing hop plants from etiolated sprouts obtained from nodes of annual underground stems. *Visnyk Sil's'kogospod. Nauky* 8:34-35.
357. _____ and Verzhbitskii, V. I. 1979. Qualitative indices of cuttings from plants with different productivity. *Khemlevodstvo: Refer. Zh.* 10.55.640: 1:10-12.
358. Pantucek, J. 1973. Action against enemy of hops (weed control). *Chmelarstvi* 4:51-52.
359. Parshikov, V. M. 1956. A study of the influence of various techniques of root fertilization on hop leaves growth intensity and water content. *Nauch. Zap. Kievsk Univ.* 15(11):107-114.
360. _____ 1957. The effect of boron on the development and productivity of hops. *Dopov. Akad. Nauk URSR* 1957(6):602-604.
361. Pasak, V., and Slama, V. 1975. Evapotranspiration of hop stand. *Sb. UVTI Melior.* 11(1):35-45.
362. Paul, Oldrich. 1979. Czechoslovakian hop production viewed within the framework of the five-year plan. *Czech. Hop J., Chmelarstvi* 1:1-2.
363. Pazdyrkova, B. 1974. The effect of spring retardation of development of the formation of hop plants. *Rostl. Vyroba* 20(7):709-718.

364. Perju, T., Muset, D., and Ghizdavu, I. 1974. Pests of hop plants and their integrated control. Probl. Prot. Plant. 2(4):407-420.
365. Petrlik, Z., and Stys, Z. 1978. Basic findings in the biology and ecology of Peronospora humuli hop disease. Chmelarstvi 51(5):74-75.
366. _____ and Stys, Z. 1979. The fungicide curzate for protecting hops from mildew. Chmelarstvi 52(8):122-123.
367. _____ and Stys, Z. 1979. Plant protection in irrigated hop gardens. Chmelarstvi 52(4):58.
368. Petrlik, Zdenek, and Stys, Zdenek. 1961. A new method for the laboratory cultivation of downy mildew. Ceska Mykol. 15(1):28-30.
369. Pfenninger, H., Schur, F., and Losch, M. 1969. Analysis of hop extracts. Brauwelt 109(66/67):1260-1263.
370. Pichl, I., and Rybacek, V. 1974. Growth analysis of the aerial organs of five year old hop plants in relation to changes in the content of certain microelements. Rostl. Vyroba 20(7):681-688.
371. Podojil, M., and Sevcik, V. 1960. Quantitative estimation of gibberellic acid by paper chromatography. Folia Microbiol. 5(3):192-197.
372. Pokzhevnitshaia, A. S. 1975. Utilization of green cuttings for the propagation of hops. Dokl. TSKHA Timiryazevskaya S-KH. Akad. 211:61-67.
373. _____ 1976. Peculiarities of root formation in softwood hop cuttings. Dokl. TSKHA Timiryazevskaya S-KH. Akad. 216:68-72.
374. Popgeorgiev, G. 1972. Influence of number and mode of setting up hop vines on size and quality of hop yield. Rast. Nauki 9(9):109-118.
375. _____ 1974. The effects of the planting density and number of vines per plant on hop yields and quality. Rast. Nauki 11(10):75-83.
376. Populer-Dehoy, Micheline. 1964. Anatomy of hop and identification of varieties. Bull. Inst. Agron. Sta. Rech. Gembloux 20(3/4):354-386.
377. Prochaiev, V. P. 1978. Effectiveness of the application of increased levels of inorganic fertilizers in hop crops of Poleskii variety. Sil's'kohospod. Nauky 10:108.
378. Prusa, V., Prikl, J., and Bohmova, J. 1965. Nutritional effects on the hop curl disease and comparison of the chemical composition of diseased and healthy hop plants. Biol. Plant. Acad. Sci. Bohemoslov 7(6):425-436.
379. Puspok, J. 1971. Large scale technical experiments using hops and hop products from Northern Brewer (Hallertau 1970). Versuchsanst. Garungsgewerbe Mitt. 25(11):190-198.
380. _____ and Szilvinyi, A. 1962. Detection of gibberellic acid treatment of brewing malt. Mitt. Versuchsstn Garungsgewerbe Wein 16:139-140.

R

381. Rademacher, B., Weil, B., and Nuber, K. 1958. Investigations on disease

- symptoms of hop (H. lupulus) in Tettninger hop growing area. Z. Pflanzenkr. 65(5):272-279.
382. Radulescu, Georgeta. 1967. The control of hop mildew (Pseudoperonospora humuli). Probl. Agric. 12:57-64.
 383. Reitman, I. H. 1978. Improvement of the process of hop cone conditioning by moisture content. Visnyk Sil's'kohospod. Nauk. (9):40-44.
 384. Rieder, W., and Schwertmann, U. 1972. Copper accumulation in soils used for hop growing in Bavaria. Landwirtsch. Forsch. 25(2):170-177.
 385. Riemann, J. 1973. Determination of moisture content by Toppan moisture meter (barley, malt, hops). Brauwissenschaft 26(6):189-192.
 386. Rintelen, J. 1974. Verticillium wilt of the hop. Z. Pflanzenkr. Pflanzenschutz 21(5):304-315.
 387. Rio Lozano, V. A., Del Gallego, Andrew, and Suarez-Suarez, A. 1974. Contribution to the study of Humulus lupulus in the Province of Leon using leaf analysis. An. Edafol. Agribiol. 33(7/8):545-564.
 388. Rohne, K., and Rische, H. 1952. Results of research on bacteriostatic substances of hops. Brauwissenschaft 1952(1):221-224.
 389. Rosa, Z. 1977. A helicopter for hop protection. Chmelarstvi 50(12):182.
 390. Rossbauer, G. 1978. Techniques of hop harvesting. Landtechnik 33(10):439-441.
 391. _____ and Christl, J. 1978. Effect of different uncovering and pruning dates on hop yield and quality. Hopfenrundschau 29(6):106-107.
 392. _____ and Zwack, F. 1978. Sensible hop fertilization and good planning. Hopfenrundschau 29:190-198.
 393. Rybacek, V. 1966. The effect of the intensity of light on the aging of leaves and cones of hops. Czech. Min. Vedeckotech. Inf. Rostl. Vyroba 39(12):1289-1302.
 394. _____ 1974. The effect of the date of pruning the mother plants on the properties of strap-cuttings and one year old hop stands. Rostl. Vyroba 20(7):671-679.
 395. _____ 1975. The influence of biological age on some growth and reproduction characteristics in three-year-old hop plants (Humulus lupulus L.). Rostl. Vyroba 21(8):907-919.
 396. _____ 1975. Some changes in nitrogen metabolism and of biological age of hop planting stock. Rostl. Vyroba 21(4):451-458.
 397. _____ 1978. Some biological changes in the root system of hop plants during ontogenesis. Rostl. Vyroba 24(3):239-249.
 398. _____ and Cinglova, O. 1978. Effect of fertility on the growth, reproductive and age characteristics of rooted hop cuttings. Rostl. Vyroba 24(3):361-372.
 399. _____ and Hradecka, D. 1978. Determination of the optimal age of hop plants for planting stock production. Rostl. Vyroba 24(3):273-284.

400. Rybacek, V., Pichl, I., and Vrahec, J. 1976. The content of main elements in hop plants. Rostl. Vyroba 22(3):227-235.
401. _____ Snobl, J., Pazdirkiva-Buresova, B., and Vacek, M. 1972. Influence of pruning date and planting material on quality of hop cones from maternal hop year. Prague Vys. Sk. Zemed. Fak. Agron. Sb. Rada Rostl. Vyroba 2:143-159.
402. _____ Vrabec, J., Cinglova, O., and Jaurisova, H. 1976. The effect of spring cut on the growth and reproduction characteristics of hop. Rostl. Vyroba 22(3):253-261.

S

403. Sachl, J. 1976. Experiences with hop irrigation in 1976. Chmelarstvi 45(5):75-77.
404. _____ 1979. Irrigation regime for hops. Chmelarstvi 52(4):56-57.
405. _____ and Kopecky, J. 1972. Use of irrigation in increasing hop yields. Chmelarstvi 45(5):75-77.
406. _____ and Kopecky, J. 1974. The effect of the date of training on hop yields and development. Chmelarstvi 47(4):53-55.
407. _____ and Kopecky, J. 1976. Training date determines the yield and shape of hop plants. Chmelarstvi 49(3):34-35.
408. _____ and Kopecky, J. 1978. Stand arrangement of the semi-early Zatec red hop and the possibility of growing it on a lower framework. Rostl. Vyroba 24(3):297-307.
409. _____ Kopecky, J., and Slansky, J. 1966. Operations of sprinkling systems of hops. Chmelarstvi 38(2):20-21.
410. _____ Kopecky, J., and Srp, A. 1976. Studies on the rotating movement of hop bines and its practical utilization. Rostl. Vyroba 22(3):237-242.
411. Sakhno, T. M., Boiko, A. L., and Mikheeva, I. I. 1977. Change in the infective properties of hop viruses and their RNS's under the action of gamma rays. Mikrobiol. Zh. 39(2):202-205.
412. Salontai, A., and Muntean, L. 1977. Experimental results of herbicide application in hops. Bul. Inst. Agron. Cluj-Napoca 31:19-23.
413. _____ Muntean, L., Felecan, V., and Zborovsky, I. 1976. Contributions to the study of the biology of varieties of hops grown in Romania. Bull. Acad. Sci. Agr. For. 6:29-35.
414. Sandra, P. 1976. Contribution of hops to the flavour and aroma of beer. Cerevisia 1(1):37-44.
415. Sasaki, M., and Shitata, E. 1978. Studies on hop disease. 1. Host range. Ann. Phytopathol. Soc. Jpn. 44(4):465-477.
416. Sauer, Z., and Baron, G. 1973. An automatic analyzer for estimation of conductometric value of hops and hop preparations. Brauwissenschaft 26(3):65-69.

417. Schild, E., and Reidl, W. 1951. Analysis of hop bitter substances. Brauwissenschaft 1951(11):177-180.
418. Schildbach, R. 1977. Consequences of the new EEC hop market regulations. Monatsschr. Brau. 30(11):470-471.
419. Schiller, Pavel. 1962. Possibility of the formation of salts of cations important in the breeding with specific substances present in hops. Sb. Vys. Sk. Chem-Technol. Pr. Potraviný 6(10):355-360.
420. Schletzer, B. 1977. Driving speed as a failure factor in the application of insecticides for hop aphid (Phorodon humuli) control on hops. Gesunde Pflanzen. 29(6):121-124.
421. Schmid, G. 1969. The relation between soil properties and hop wilt (Verticillium albo-atrum, Reinke et Berth). Pflanzenkr. (Pflanzenpathol.) 76(2):79-83.
422. Schmid, J., and Ganzlin, G. 1977. Storage trials arranged by the Hops Industry Advisory Committee of the European Brewers Convention. Brauwelt 117(29):974-978.
423. Schmidt, H. E. 1969. Investigations on viruses of hop (Humulus lupulus L.). 4. On the question of identity and relationship between hop and nettle viruses. Phytopathol. Z. 64(2):129-142.
424. _____. 1970. The application of gibberellic acid in breaking the autumnal bud dormancy to improve virus indexing in hop cuttings. Phytopathol. Z. 68(3):280-283.
425. _____. 1974. Investigations on the therapy of virus infected hop (Humulus lupulus L.) by heat treatment of cuttings and shoot tips. Zentralb. Bakteriöl. 129(S):259-270.
426. _____. Borde, K., Lehner, H., and Guhne, E. 1975. Application of virological research results for further intensification of hop production. Hopfenbau 3:20-34.
427. _____. Gippert, P., and Lehner, H. 1975. The technology of producing virus-free planting material from infected hop varieties. Hopfenbau 3:9-19.
428. _____. and Karl, E. 1968. Investigations on flecking of Japanese hop [Humulus scandens (Lour) Merr]. Phytopathol. Z. 62:272-278.
429. _____. Karl, E., and Schmidt, H. B. 1966. Transmission of a rod-shaped hop virus by Aphis fabae Scop. Naturwissenschaften 53(20):537.
430. _____. Schmelzer, K., and Gippert, R. 1973. Further practically significant results of hop virus research in the German Democratic Republic. Arch. Pflanzenschutz 9(4):223-231.
431. _____. Wrazidlo, W., Bergmann, W., and Schmelzer, K. 1972. Proof of zinc deficiency as cause of hop crinkle disease. Biol. Zentralbl. 91(6):729-742.
432. Schur, F. 1976. Effect of hops on technology and beer quality. Schweiz. Brau-Rundsch. 87(1-2):19-29.
433. _____. and Pfenninger, H. 1971. A new method for specific determina-

- tion of individual hop resins. Brauwissenschaft 24(5):151-156.
434. Schur, F., and Pfenninger, H. 1974. Comparative large scale brewing tests with extracts from hops from different origins. Brauerei Rund-schrift 85:6-15.
 435. _____ and Pfenninger, H. 1976. Aging and brewing experiments with hops and extracts of different resin composition. Schweiz. Brau.-Rundsch. 87(9):183-202.
 436. Shaskov, A. 1977. Evaluation of the quality of hop according to new standards. Khranit. Prom-ST. 26(6):9-10.
 437. Shulyar, V. M., and Reitman, I. G. 1975. Effect of various doses of nitrogen fertilizers on the quality of hop cones during storage. Nauk. Pr. Ukr. Sil's'kohospod. Akad. 171:121-125.
 438. Silbereisen, K. 1950. Hand grading of hops. Brauerei 20:80, 22:88.
 439. _____ 1951. Utilization coefficient and economy in using hop products. Die Brauerei 5(28):1, 170.
 440. _____ 1952. Hop utilization and hop saving. Brauwissenschaft 1952 (10):183.
 441. _____ 1967. Changes in the alpha-acids and hard resins during the storage of hops. Monatsschr. Brau. 20(10):371.
 442. _____ Krueger, E., and Baron, G. 1970. Gas chromatographic examina-tion of behavior of some hop oil components during brewing process. Monatsschr. Brau. 23(4):93-104.
 443. Siuta, J., and Terelak, H. 1969. Development of root system of hop in relation to soil properties. Pol. J. Soil Sci. 2(2):163-170.
 444. Skarbilovich, T. S. 1975. Nematodes of Humulus lupulus. Byull. Vses. Inst. Gel'mintologii Im. K. I. Skryabina 15:94-97.
 445. Skladal, V. 1974. The ease of picking Czechoslovak hops and certain hop types grown throughout the world. Rostl. Vyroba 20(7):745-756.
 446. _____ and Kafka, K. 1975. Studies of the photosynthesis in hop plants with infra-red analyzer under field conditions. Rostl. Vyroba Cesk. Akad. Zemed. Ustav Vedockotech. Inf. 21(4):373-378.
 447. Slavik, L. 1978. Management of an irrigation system of hops by the graphico-analytical method. Chmelarstvi 51(6):83-85.
 448. Snobl, J. 1974. The effect of planting cuttings and sets on hop yield. Rostl. Vyroba 29(7):689-697.
 449. _____ 1976. The effect of planting cuttings and bedded sets on the structure of two- and four-year-old hop stands. Chmelarstvi 49(8): 119-120.
 450. _____ 1978. Influence of nitrogen and phosphorus foliar application on the yield and quality of hop cones. Rostl. Vyroba 24(3):309-317.
 451. Solarska, E. 1975. Results of recent studies on polyploid hops. Postepy Nauk Roln. 22(5):29-32.
 452. _____ 1977. Infectious wilting of hop caused by Verticillium albo-

atrum, Verticillium dahliae, Phytophthora citricola and Fusarium species. Ochr. Rosl. 21(5):18-19.

453. Sovljanski, R., Kisgeci, Jan, Milin, D., and Zivanovic, B. 1978. Pesticides in hop culture and residues in hop cones and beer. Bilt. Hmelj Sirak 10:37.
454. Spevak, P. 1975. Change of the content of bitter substances during the ripening of Backa hops in 1974. Bilt. Hmelj Sirak 7(24):17-21.
455. _____ 1977. Effect of new hop cultivars with increased contents of bitter substances on quality of beer. Jugosl. Simp. Hmeljarstvo (RJSHDQ) 4:219-228.
456. _____ 1977. Spectrophotometric determination of alpha and beta-acid in hops and evaluation of the index of deterioration. Jugosl. Simp. Hmeljarstvo (RJSHDQ) 4:193-203.
457. Srp, A., and Vesely, F. 1974. Foliar nutrition of hops. Rostl. Vyroba 20(7):719-726.
458. _____ and Vesely, F. 1976. Results of trials on foliar nutrition of hops. Chmelarstvi 49(9):140-141.
459. _____ and Vesely, F. 1978. Foliar fertilization for supplementing basal dressing in hops. Rostl. Vyroba 24(3):319-326.
460. Stachyra, T. 1959. Degenerative diseases of hops in Poland. Prace Nauk. Inst. Ochr. Rosl. 1(3):95-113.
461. _____ 1961. Seeking for the test-plants on degenerative diseases of hop. Biul. Inst. Ochr. Rosl. 12:233-236.
462. Stachyra, Tadeusz. 1965. Diseases (fungus, physiological, degenerative) and pests (Phorodon humuli, Tetranychus althaeae, Pyrausta nubilalis, Psylliodes attenuata) of hop in Poland influencing the harvest and quality of hop catkins. Pr. Nauk. Inst. Ochr. Rosl. 7(2):97-159.
463. Stoicescu, A., and Musca, L. 1967. Behavior of hop components during the drying and preserving processes. Indus. Aliment. 18(1):21-24.
464. Stojasavljevic, T., Kovac, J., Vajagic, N., and Vucurevic, N. 1976. Preparation of whole-plant hops for feed and chemical composition of the feed obtained. Radovi Poljoprivrednog Fak. Univ. Sarajevo 24(27):479-486.
465. _____ Kovac, J., Vajagic, S., and Vucurevic, N. 1977. Chemical characteristics, preservation methods, and nutritive value of above-ground parts of hop plants. Jugosl. Simp. Hmeljarstvo (RJSHDQ) 4:205-218.
466. Stranc, J. 1975. The effect of density of growth and light in hop gardens on premature cone withering. Chmelarstvi 48(8):123-125.
467. _____ 1976. The effect of soil and its management on the occurrence of premature hop withering. Chmelarstvi 49(3):35-38.
468. _____ 1978. Results of experiments on autumn cultivation of hop gardens. Development of aerial organs and productivity of hop plants. Rostl. Vyroba 24(3):285-296.
469. _____ Charvat, V., and Svoboda, J. 1977. Experimental results from

mulching hop gardens with straw. Chmelarstvi 50(8):120-122.

470. Stranc, J., and Hykl, J. 1976. Test results of a draw ring hop plucking device. Chmelarstvi 49(8):121-122.
471. _____ Spurny, E., and Filip, B. 1976. Results of observations on hop withering under commercial conditions. Chmelarstvi 49(6):102-104.
472. Suci, T., Barbat, I., Salontai, A., Imreh, R., and Muntean, L. 1977. Absorption and accumulation of phosphorus-32 in various organs of hop plants. Bul. Inst. Agron. Cluj-Napoca 21:35-39.

T

473. Taimr, L., and Kriz, J. 1978. Post migratory local flights of Phorodon humuli winged migrants in a hop garden. Z. Angew. Entomol. 85(3): 236-240.
474. Testa, Jose. 1927. Hops and their use in the brewing industry. Rev. Centro Estud. Agron. Vet. Univ. Buenos Aires 20(132):335-350.
475. Thomas, R. 1968. A new hop wire-work with wide distances between the wooden poles. Trefileries Leon Bekaert Zwevegum, Belgium. Mimeo.
476. Timokhina, A. 1956. An experiment in applying fertilizer to hops. Udobrenie Urozhai 1956(10):44-45.
477. Titova, E. N. 1976. Effectiveness of top dressing hops with mineral fertilizers. Trudy Resp. N. I. Khmelevod. St. Chuvash. ASSR: Refer. Zh. 6.55.841: 6:79-85.
478. _____ 1976. Use of foliar diagnosis for the forecasting of the effectiveness of fertilizers in hop. Agrokhimiya 1:132-137.
479. _____ 1979. Characteristics of the liming of hop field soils. Agrokhimiya 8:66-70.
480. _____ and Grigor'ev, V. G. 1975. Regulation of the distribution of plastic substances in hop. S-KH. Biol. 10(4):622-623.
481. Torosyan, A. A., and Mardzhayan, K. S. 1974. Common hop (Humulus lupulus L.) and its use in chronic hyposecretory gastritis. Biol. Zh. Arm. 27(3):87-92.
482. Toshimasa, Muroga, and Takahisa, Ito. 1952. Influence of temperature on budding and elongation of hop cuttings having varied characters. Proc. Crop Sci. Soc. Jpn. 21(1/2):174-175.
483. Toth, M., and Laszlo, E. 1977. Data related to methods how to identify bitter substances in hops. 1. General survey. Soripar 24(4):121-126.
484. _____ and Laszlo, E. 1977. Methods of determining the bitter material in hops. 2. Gravimetric and conductometric methods. Soripar (Soriby) 24(5):161-165.
485. _____ and Laszlo, E. 1978. Contribution to the determination of hop bitters. 5. Column, paper, thin layer and gas chromatographic methods. Soripar 25(3):94-100.
486. Tressl, R., and Friese, L. 1978. Determination of aroma substances in

Spalter hops by gas chromatography-mass spectrometry. Z. Lebensm.-Unters. Forsch. 166(6):350-354.

487. Tressl, R., Friese, L., Fendesach, F., and Kruger, E. 1978. Free fatty acids in hops - a criterion for differentiation of variety and the determination of the degree of aging. Monatsschr. Brau. 31:83-86.
488. Tronja, M., and Hubacek, J. 1977. Changes in the sugar content during the development of hop cones. Sb. Vys. Sk. Zemed. Praze Fak. Agron. Rada A(SVZACW). 1:7-16.
489. _____ and Hubacek, J. 1977. Saccharides of hop cones at harvesting maturity. Rostl. Vyroba 23(6):611-616.
490. Trolle, B. 1970. On determination of alpha-acid in hop extracts. Brauwissenschaft 23(5):161-167.
491. _____ and Djurtoft. 1959. Some experiences with the conductometric determination of alpha-acids in hops with regard to the brewing properties of hops. Brygmesteren 16(1):27-34.
492. Tronchet, Josette, and Bas, Ghislain. 1964. On the presence of a derivative of gentisic acid in the old stems of H. lupulus. Ann. Sci. Univ. Besancon Bot. 19:21-24.
493. Trybel, S. O. 1969. The harmfulness of the alfalfa snout beetle and measures for its control in hop fields. Visnyk Sil's'kohospod. Nauky 1:60-65.

U

494. Umanec, A. M., and Osechij, V. P. 1975. Investigations on mechanical fertilizer application in the furrow in hop gardens. Chmelarstvi 48(11):170-171.
495. Umanets, A. M. 1971. Parameters of working parts for cutting off hop heads. Visnyk Sil's'kohospod. Nauky 3:37-41.

V

496. Vanek, G., Ulrychova, M., Blattny, C., Jokes, M., and Novak, M. 1976. Richettsia-like structures in hop plants with crinkle disease and therapeutic effect of antibiotics. Phytopathol. Z. 87(3):224-230.
497. Vanluchene, E., and Verzele, M. 1973. Glass capillary gas chromatography of hop bitter acids: 2. Desoxy-alpha-acids in hop extracts. Chromatographia 6(12):519-521.
498. Van Mollem, Abel. 1951. The antiseptic properties of hops. Fermentatio 1951(2):66-74.
499. Vent, L. 1966. On the genetics of hops. Chmelarstvi 38(1):14-15.
500. _____ 1973. Results of tests in self-training of hop vines. Chmelarstvi 4:52-54.
501. _____ 1974. SCHK-2 planter of hop roots. Mech. Zemed. 23(3):89.
502. Veronek, M. 1978. Effect of planting distance and number of bines on

hop yields. Proc. 4th Yugoslav Hop Symp., 1977 244 p.

503. Verzele, M. 1968. Paper chromatography of hops, beer and hop extracts. *Fermentatio* 64(3):103-107.
504. _____ 1970. Utilization of hop extracts. *Fermentatio* 66(3):103-107.
505. Verzhbitskii, V. I., Zholtonoga, A. D., and Al'shevskii, N. G. 1979. Soil conditions and chlorosis in hops. *Nauch. Tr. Ukr. S-KH. Akad.: Refer. Zh.* 11.55.531: 226:117-119.
506. Viriot, M. L., Andre, J. C., Niclaude, M., Bazard, D., Moll, M., and Flayeux, R. 1979. Improvement of bitter properties of hops. I. Photoreaction of alpha-acids. *Brauerei-Rundschau* 90(7):167-169.
507. _____ Andre, J. C., Niclaude, M., Bazard, D., Moll, M., and Flayeux, R. 1979. Improvement of bitter properties of hops. II. Photoreaction of beta-acids. *Brauerei-Rundschau* 90(8):181-184.
508. Voznjuk, V. S., Ivaniv'ka, N. S., and Stecenko, K. 1977. Development of hop growing in the Ukrainian SSR. *Visnyk Sil's'kohospod. Nauky* 3:97-101.

W

509. Wagner, K., and Frehse, H. 1976. Method for the determination of residues of folimat insecticide/acaricide. *Pflanzenschutz Nach. Bayer* 1:54-66.
510. Wagner, T. 1971. Utilization of plastic in hop growing. *Sodobno Kmetijstvo* 4(2):73-75.
511. _____ 1977. Effect of hop aging on the composition of hop oil. *Jugoslav. Simp. Hmeljarstvo (RJSHDQ)* 4:183-192.
512. Wagner, Tone, and Kralj, Dragica. 1979. Properties of Slovenian aroma hop varieties and new breeding lines. 27th Congr. Europ. Union of Hop Trade, Dubrovnik, May 21-22.
513. Wever, J. de, and Emery, W. 1949. Determination of the bitter acids during the ripening of hops. *Fermentatio* 1949(5):73-81.
514. _____ and Mollem, V. van. 1950. Determination of bitter acids during ripening of hops. *Fermentatio* 1950(5):123-128.
515. Weyh, H. 1968. Do hop extracts have unlimited stability in storage? *Brauwissenschaft* 21(8):303-310.
516. _____ 1978. "Perle" a widely discussed new Hallertau hop variety: Brewing trials. *Brauwelt* 118(19):660-662.
517. _____ 1979. The brewing value of the phenolic component of hops. *Brauwelt* 119(36):1264-1268.
518. Winge, Ojvind. 1963. Fifty years of hop breeding at the Carlsberg Lab and Nordgarden. *Brygmesteren* 20(10):205-219.
519. Wirowski, Zbigniew. 1975. The direction and some results of research on hops in Poland. *Proc. Tech. Comm., Warsaw, 1975.*

Y

520. Yamamoto, Hatsumi, Kagami, Yukichi, Kurokawa, Mikio, Nishimura, Saburo, Kubo, Shinkichi, Inoue, Mayayasu, and Murayama, Daiki. 1970. Studies on hop stunt disease. I. Mem. Fac. Agric. Hokkaido Univ. 7(4): 491-512.

Z

521. Zattler, F. 1964. Chemical plant protection in hop growing. Brauwelt 313-315.
522. _____ and Chrometzka, P. 1968. On the influence of gibberellic acid on flower and cone development in hops (H. lupulus L.). Theor. Appl. Genet. 38(5):213-218.
523. _____ and Krauss, G. 1970. Experimental study of the effect of seeds on hop and beer quality. Monatsschr. Brau. 23(8):220-221.
524. Zattler, Friedrich. 1968. Differentiation of the cones of domestic and foreign hop varieties grown in Germany, by external characteristics. Brauwelt 108(74):1351-1357.
525. Zdarsky, V. 1974. Prospects of development and research in the mechanization of hop growing and harvesting. Zemed. Tech: Agr. Literature of Czech. (1976) 208: 1974. 20(10):623-632.
526. Zelenka, V. 1976. Weather conditions in the hop growing regions in relation to hop yields and quality. Chmelarstvi 49(9):142-145.
527. Zima, Frant. 1949. Rainfall and climatic conditions of the Louny district in Czechoslovakia during 1926-47 with regard to production of hops. Sb. Cesk. Akad. Zem. 21(2):160-167.
528. Zholtonoga, A. D. 1973. Towards an evaluation technique for male plants of hop. Visnyk Sil's'kohospod. Nauky: Refer. Zh. 2.555.196: 1972. 10:52-53, 120-121. 1973.
529. Zhody, G. I. 1972. Genetical studies of resistance to Thiometon in 2 hop garden populations of the two-spotted spider mite (Tetranychus urticae). Acta Phytopathol. Acad. Sci. Hung. 7(4):439-444.
530. Zohren, E. 1970. Chances of integrated control of hop pests. Z. Angew. Entomol. 65(4):412-419.
531. Zub, L. 1965. Effect of onesided (with one element) fertilizing of hops on its growth, yield and quality of raw materials in the light of twelve years experiments. Inst. Uprawy Nawozenia Gleboznawstwa Pamiet Pulawski 19:231-246.
532. _____ 1971. Investigation on root system of hop (Humulus lupulus L.). Inst. Uprawy Nawozenia Gleboznawstwa Pamiet Pulawski 40:49-88.
533. _____ 1971. Influences of weather conditions during hop flowering time on yield losses. Inst. Uprawy Nawozenia Gleboznawstwa Pamiet Pulawski 43:169-180.
534. Zub, Leon. 1957. Efforts to estimate productional value of hop clones obtained by the Institute of Plant Breeding and Acclimatization in

- Pulaway. Rocz. Nauk Roln. Ser. A. 76(1):131-156.
535. Zub, Leon. 1957. Investigations of the influence of methods of drying hops on their technical value as a raw material for brewing. Rocz. Nauk Roln. Ser. A. 76(1):157-167.
536. _____ 1957. Observations on methods of rapid vegetative propagation in hops. Rocz. Nauk Roln. Ser. A. 76(1):117-129.
537. _____ 1960. The effect of different shoot number led from one hop root on yield and quality. Rocz. Nauk Roln. Ser. A. 83(2):377-390.
538. _____ 1960. Investigations on distribution of hops on a plant and their technological value. Rocz. Nauk Roln. Ser. A. 81(1):253-286.
539. _____ 1960. Investigations on influence of cutting off hop stalks while harvesting upon growth and yield of hops in subsequent years. Rocz. Nauk Roln. Ser. A. 80(3):561-590.
540. _____ 1969. Development of hop root weight and of tops in dependence on the kinds of sets. Pamiet. Pulawski 35:269-280.
541. _____ 1970. Effect of time and manner trimming to rootstocks on the vitality and yield of hops. II. After effect of the time and manner of trimming the rootstocks. Pamiet. Pulawski 37:343-357.
542. Zwack, L. F. 1973. Fertilization of hop cultures with minor elements. Hopfenrundschau 24(4):48-50.
543. _____ 1976. Hop fertilization according to results of soil investigations. Hopfenrundschau 27(4):60-62.

FOREIGN LANGUAGE SUBJECT INDEX

- Aroma - 117, 127, 250, 339, 340, 341, 343, 414, 486, 512.
- Beer - 9, 23, 115, 122, 127, 163, 166, 201, 220, 223, 246, 290, 293, 298, 337, 342, 345, 346, 353, 380, 414, 432, 434, 435, 442, 453, 455, 484, 491, 503, 516, 517, 523, 535.
- Bibliography - 90, 199.
- Biochemistry - 11, 57, 134, 271, 272, 275, 276, 303, 304, 388, 419, 472, 480, 488, 489, 492.
- Botany - 6, 38, 40, 81, 85, 98, 105, 177, 228, 229, 253, 260, 263, 265, 324, 333, 334, 336, 348, 361, 376, 393, 410, 443, 446, 468, 532, 538, 540.
- Breeding - 21, 29, 30, 31, 32, 40, 41, 96, 128, 135, 137, 141, 148, 156, 197, 233, 234, 235, 237, 257, 258, 259, 419, 451, 499, 512, 518.
- Chemistry - 15, 107, 116, 131, 134, 158, 167, 186, 191, 238, 281, 282, 283, 306, 322, 338, 344, 353, 378, 385, 387, 416, 464, 465, 487, 509, 517.
- alpha-acid - 2, 23, 108, 109, 119, 162, 216, 217, 218, 266, 267, 269, 320, 326, 441, 456, 490, 491, 497, 506.
- beta-acid - 23, 108, 216, 269, 456, 507.
- bitter substances - 16, 30, 32, 36, 37, 48, 55, 62, 106, 133, 136, 187, 200, 266, 268, 270, 273, 274, 342, 413, 417, 454, 455, 483, 484, 485, 497, 513, 514.
- essential oils - 159, 245, 250, 280, 298, 308, 321, 325, 343, 442, 511.
- lupulin - 27, 274, 296, 310.
- resins - 83, 132, 166, 169, 192, 267, 332, 433, 435, 441.
- Chromatography - 16, 133, 176, 200, 216, 326, 332, 339, 340, 341, 343, 371, 442, 485, 486, 497, 503.
- Cones - 27, 41, 52, 55, 57, 74, 78, 126, 136, 156, 157, 161, 164, 167, 215, 221, 270, 275, 289, 292, 383, 393, 401, 437, 450, 453, 466, 467, 488, 489, 522, 524.
- Diseases - 27, 44, 46, 94, 210, 239, 298, 309, 315, 364, 367, 378, 381, 415, 428, 431, 452, 460, 461, 462, 471, 496, 520.
- chlorosis - 328, 505.
- downy mildew - 1, 147, 172, 221, 327, 365, 366, 368, 382.
- mosaic - 49, 50, 79, 86, 278, 279, 295, 297, 330.

nettlehead - 43, 423.

Verticillium wilt - 386, 421, 452.

other viruses - 5, 20, 39, 42, 45, 47, 51, 52, 53, 54, 64, 65, 85, 105, 110, 111, 144, 146, 149, 153, 154, 170, 277, 278, 294, 296, 314, 329, 411, 423, 424, 425, 426, 427, 429, 430.

Drying - 19, 59, 112, 120, 121, 122, 123, 124, 125, 126, 179, 180, 201, 211, 215, 267, 289, 290, 291, 292, 293, 307, 308, 339, 341, 350, 383, 463, 465, 535.

Economics - 95, 97, 214, 224, 257, 322, 418, 508.

Entomology - 9, 142, 155, 219, 228, 229, 276, 453, 462, 493, 509, 530.

aphid - 143, 177, 178, 182, 183, 184, 240, 242, 243, 316, 317, 318, 335, , 364, 420, 429, 462, 473.

borer - 17, 18.

nematode - 170, 195, 196, 444.

two-spotted spider mite - 66, 91, 92, 255, 529.

Environmental conditions - 74, 93, 136, 157, 162, 167, 174, 208, 223, 225, 393, 466, 526, 527, 533.

Extracts - 3, 4, 119, 131, 176, 216, 217, 238, 245, 280, 282, 305, 331, 338, 339, 340, 341, 343, 369, 379, 434, 435, 490, 497, 503, 504, 515.

Fertility - 10, 11, 12, 14, 33, 34, 58, 67, 69, 70, 71, 73, 74, 76, 77, 78, 94, 99, 104, 150, 152, 163, 164, 173, 190, 203, 210, 219, 226, 239, 262, 287, 288, 300, 301, 315, 359, 370, 377, 378, 384, 392, 398, 421, 443, 457, 458, 459, 467, 476, 477, 478, 479, 494, 505, 531, 542, 543.

boron - 11, 193, 360.

manganese - 56, 193.

nitrogen - 57, 68, 102, 231, 254, 262, 396, 437, 450.

phosphorus - 72, 149, 262, 450, 472.

zinc - 149, 431.

Genetics - 21, 29, 30, 31, 96, 128, 135, 137, 138, 139, 141, 157, 167, 174, 197, 233, 234, 235, 257, 258, 259, 334, 451, 499, 518, 522.

History - 198, 199, 337.

Male - 32, 253, 528.

Management practices - 12, 13, 17, 18, 33, 35, 59, 60, 61, 80, 82, 84, 89, 100, 103, 114, 118, 161, 188, 202, 206, 207, 211, 213, 214, 215, 222, 224, 225, 241, 244, 260, 264, 286, 303, 323, 358, 363, 364, 374, 375, 389, 390, 391, 402, 406, 407, 408, 412, 445, 462, 466, 468, 469, 470, 475, 494, 495, 500, 501, 502, 510, 521, 525, 539, 541.

irrigation - 28, 87, 203, 208, 209, 219, 247, 302, 367, 403, 404, 405, 409, 447.

pruning - 8, 88, 148, 181, 391, 394, 401.

Microbiology - 20, 49, 50, 51, 63, 232, 295, 328, 329, 411.

Morphology - 54, 130, 136, 140, 194, 312, 319, 322, 329, 351, 395, 397.

Physiology - 25, 37, 56, 63, 76, 93, 113, 138, 175, 230, 252, 254, 299, 311, 313, 336, 380, 395, 397, 400, 410, 446, 533.

gibberellic acid - 22, 24, 151, 261, 371, 424, 522.

Production - 26, 56, 57, 80, 95, 130, 160, 190, 197, 198, 199, 214, 215, 256, 260, 286, 352, 362, 399, 426, 508, 519, 527, 533, 534.

Propagation - 6, 7, 145, 320, 355, 356, 357, 372, 373, 394, 398, 399, 401, 424, 425, 448, 449, 482, 536, 541.

Quality - 8, 11, 14, 19, 23, 50, 67, 102, 114, 116, 120, 121, 122, 128, 150, 152, 156, 161, 163, 168, 171, 204, 214, 215, 226, 232, 249, 254, 280, 287, 289, 290, 292, 293, 302, 319, 346, 374, 375, 391, 401, 432, 436, 437, 438, 450, 455, 462, 523, 526, 531, 537.

Statistics - 26, 439.

Storage - 109, 127, 159, 186, 211, 212, 251, 284, 342, 422, 437, 440, 441, 463, 465, 515.

Utilization - 34, 48, 62, 83, 107, 115, 160, 165, 227, 236, 246, 280, 344, 349, 379, 439, 440, 464, 465, 481, 498, 504, 539.

Varietal - 1, 25, 26, 38, 117, 130, 136, 140, 147, 171, 185, 189, 191, 196, 199, 212, 223, 230, 233, 263, 271, 280, 281, 282, 283, 284, 285, 300, 301, 321, 322, 345, 347, 354, 376, 379, 381, 408, 413, 428, 445, 454, 486, 487, 512, 516, 523, 524.

Yield - 8, 11, 14, 25, 33, 35, 53, 67, 89, 95, 99, 100, 101, 150, 157, 162, 167, 189, 190, 204, 226, 228, 229, 249, 254, 261, 262, 287, 302, 319, 374, 375, 391, 405, 406, 407, 448, 449, 450, 502, 526, 531, 533, 537, 539.

FOREIGN PUBLICATIONS CITED

A

ACTA BIOLOGICA ACADEMIAE SCIENTIARUM HUNGARICAE
ACTA ENTOMOLOGICA BOHEMOSLOVACA
ACTA PHYTOPATHOLOGICA ACADEMIAE SCIENTIARUM HUNGARICAE
AGRARPOLITISCHE RUNDSCHAU
AGRESSOLOGIE
AGROBIOLOGIYA
AGROCHEMIA (BRATISLAVA)
AGROKHIMIYA
AGRONOMIA TROPICAL (COLUMBIA)
ANALELE INSTITULUI DE CERCETARI PENTRU PROTECTIA PLANTELOR
ANNALES DE EDAFOLOGIA Y AGROBIOLOGIA
ANGEWANDTE BOTANIK
ANNALES DE GEMBLoux
ANNALS OF THE PHYTOPATHOLOGICAL SOCIETY OF JAPAN
ANNALES SCIENTIFIQUES DE UNIVERSITE DE BESANCON BOTANIQUE
ANNALES UNIVERSITATIS MARIAE CURIE-SKLODOWSKA SECTIO E. AGRICULTURA
ANNUAL PHYTO-PATHOLOGY SOCIETY OF JAPAN
ARCHIV FUR GARTENBAU
ARCHIV FUR PFLANZEN SCHUTZ
ARCHIV PHYTOPATHOLOGIE UND PFLANZEN SCHUTZ

B

BAYERISCHES LANDWIRTSCHAFTLICHES JAHRBUCH
BERICHTE UEBER LANDWIRTSCHAFT
BILTEN ZA HMELJ I SIRAK
BIOLOGIA PLANTARUM ACAD SCI BOHEMOSLOV

BIOLogia PLANTarum PRAGUE

BIOLogicheskie NAUKI

BIOLogisches ZENTRALBLatt

BIOLogicheskii ZHurnal ARMenii

BIOLoski VESTNik

BIULetyn INSTytutu OCHRony ROSLin

BOLetin de la Real SOCiedad ESPanola de HISToria NATural (SECCion BIOLogica)

BOTanicheskii (ISSLED) BELORUSS OTD VSESoyugnve ObshchestVO

BOTanicheskii ZHurnal

BOTanische JAHRBuecher fuer SYSTematic PFLANZENGESCHichte und PFLANZENGEOGRAphie

BRAUEREI

BRAUEREI-RUNDSCHAU

BRAUEREI RUNDSCHRIFT

BRAUWELT

BRAUWISSENSCHAFT

BRYGMESTEREN

BRYGMESTEREN SCANDinavian BREWing REVieW

BULetinul INSTitutului AGRONomic CLUJ-NAPOCA

BULLetin de l'ACADemie des SCIences AGRicoles et FOResteieres

BULLetin of the AGRICultural CHEMistry SOCIety of JaPaN

BULLetin de l'ASSOCIation des ANCIens ETUDIants de BRASSerie de l'UNIVersite
de LOUVain

BULLetin INSTitut AGRONomique et des STatioNs RECHerches de GEMBLoux

BULLetin de la SOCIete BOTanique de FRance

BULLetin des CHIMiques BELGes

BULLetin VETerinary INSTitute in PULAWY

BYULLeten VSESoyuznogo INSTituta GEL'MINTOLOGII IMeni K. I. SKRYABINA

C

CELLULE

CEREVISIA

CESK MYKOLogie

CHMELARSTVI

CHROMATOGRAPHIA

COMPTes RENDus (DOKLADY) AKADemii SCIENCE URSS

COMPTes RENDus HEBDomadaires de SEANCES de l'ACADemie des SCIences, SER. D

COMPTes RENDus des SEANCES de l'ACADemie d'AGRiculture de France

CZECHoslovak HOP Journal, CHMELARSTVI

CZECHoslovakia MIN. VEDECKOTECH. INF. ROSTLinna VYROBA

D

DIE BRAUEREI

DOKlady MOSKovskoi Sel'skoKHozyaistvennoi AKADemii IMeni K. A. TIMIRYAZEVA

DOKlady TSKHA (TIMIRYAZEVSKEYA Sel'skoKHozyaistvennaya AKADemiya)

DOPOVidi AKADemiyi NAUK UKRanyins'koyi RSR SERiya B. HEOLohiya, HEOFIZyka,
KHIMIya ta BIOLohiya

DOPOVidi AKADemiyi NAUK URSS

DOPOVidi ADADemiyi UKRanins'koyi RSR

E

EKOLogia POLska

F

FERMENTATIO

FERMENTNaya i SPIRTovaya PROMyshlennoST

FIZIOLogiya BIOKHIMIya JUL'Turnykh RASTenii

FOLIA BIOLogica (PRAGUE)

FOLIA MICROBIOLogica

FORTSCHRittliche LANDWirt

G

GENETIKA

GESUNDE PFLANZEN

GIGiena i SANITariya

GODishnik na SOFIIskiya UNIVersitet BIOLogicheski FAKultet (BULGARIA)

H

HOKKAIDO NATional AGRICultural EXPeriment STation BULLetin

HOPFENBAU

HOPFENRUNDSCHAU

I

INDUStrie ALIMENtaire

INSTytut UPRAWY NAWOZENIA i GLEBOZNAWSTWA (PAMIET PULAWSKI)

IZvestiya VYSSHikh UCHEBNykh ZAVEDenii, PISHChevaya TEKHNOLogiya

J

JaPaNese Journal of CROP SCIENCE

JaPaNese Journal of PHARMACOGNosy

Journal of the FACulty of AGRICulture of HOKKAIDO UNIVersity

JUGOSLavenska SIMP. HMELJARSTVO (RJSHDQ)

JUGOSLavenska SAVETOVANJE o BORBI PROTIV KOROVA i KNIGA

K

KHARCHOVA PROMysloviST

KHELMINTOLOGIYA

KHEMLEVODSTVO: REFERativnyi ZHurnal

KHIMIya v SEL'SKom KHOZyaistve

KHRANIT PROMysloviST

KOREAN Journal of BOTany

KVASNY PRUMysl

L

LANDTECHNIK

LAND-TUINBOUW JAARBOEK

LANDWIRTSCHAftliche FORSCHung

LANDWIRTSCHAftliche FORSCHung SONDERH. (SZLFA3)

M

MECH. ZEMED.

MEMoirs of the FACulty of AGRICulture HOKKAIDO UNIVersity

MIKROBIOLohichnyi ZHurnal

MITTeilungen aus der BIOLogischen BUNDESANSTalt fuer LAND und FORSTWIRTSCHAft

MITTeilungen der VERSUCHSSTation GARUNGSGEWERBE in WIEN

MONATSSCHRift fuer BRAUerei

MORFOGENEZ. RASTenir. MOSKova UNIV. MOSKVA

N

NACHRICHTENBLatt fuer den DeuTSCHen PFLANZENSCHUTZDienst

NATURWISSENSCHAFTEN

NAUCHnye TRudy UKRainskaya Sel'skoKHozyaistvennaya AKADemiya: REFERativnyi
ZHurnal

NAUCHnye ZAPiski KIEVSK UNIV.

NAUKovi PRatsi L'VIV SIL'S'KOHOSPODars: REFERativnyi ZHurnal

NAUKovi PRatsi UKRayins'ka SIL'S'KOHOSPODars'ka AKADemiya

O

OCHRana ROSTLin

OCHRony ROSLin

P

PAMIETnik PULAWSKI
 PETIT Journal du BRASSeur
 PFLANZENDRankheiten (PFLANZENPATHOL.)
 PFLANZENSCHUTZ NACHrichten BAYER
 PHARMAZIE
 PHYTOMA
 PHYTOPATHOLOGische Zeitschrift
 POLISH Journal of SOIL SCIENCE
 POL'NOHOSPODARSTVO
 POSTEPY NAUK ROLNicznych
 POZNANSkie INSTytut OCHRONY ROSLin BIULetyn
 POZNANSkie TOWarzystwo PRZYJaciol NAUK WYDZial NAUK ROLNicznych i LESnych PRace
 PRace NAUKowe INSTytutu OCHRONY ROSLin
 PRAGUE VYS. SK. ZEMED. FAK. AGRON. SB. RADA a ROSTLinna VYROBA
 PRAKTische BLATTER PFLANZENBAU PFLANZENACH.
 PRESLIA
 PRIKLadnaya BIOKHIMiya MIKROBIOLogiya
 PROBLeme AGRICole
 PROBLeme de PROtectia PLANTelor
 PROceedings of the CROP 'SCIENCE SOCIety of JaPaN
 PRZEGLad HODOWLANY
 PREZEMysl FERMENTacyjny ROLNY

R

RADIOBIOLOGIYA
 RADOVI POLJOPRIVREDNOG FAKulteta UNIV. u SARAJEVO

RASTenievudni NAUKI

REV. CENTRO. CENTRO ESTUD. AGRON. y VET. UNIV. BUENOS AIRES

REVista de la FACultad de AGRONomia

REVue ROUMAine de BIOLogie, SERid de BIOLogie VEG.

RIVista ITALiana ESSENZE PROFUMI PIANTE OFFICinali OLII VEGetali SAPONI

ROCZniki NAUK ROLNicznych

ROCZniki NAUK ROLNicznych SER. A.

ROCZniki NAUK ROLNicznych SER. A. PRODUkja ROSLinna

ROCZniki NAUK ROLNicznych SERIES E. OCHRONy ROSLinna

ROSTLinna VYROBA

ROSTLinna VYROBA CESKoslovenski AKADemie ZEMEdelstvi USTAV VEDECKOTECHnickych
INFormaci

S

SAVREMENA POLJOPRIVREDA

SBornik CESKoslovenske AKADemie ZEMEdelskych VED. ROSTLinna VYROBA

SBornik UVTI-MELIORace

SBornik UVTI OCHRana ROSTLin

SBornik VYSoke SKoly CHEMicko-TECHNOLogicke v PRAze POTRAVINY

SBornik VYSoke SKoly ZEMEdelske PRAZE FAK. AGRON. RADA A(SVZACW)

SCHWEIZERische BRAUerei-RUNDSCHau

SCIENCE BULLETin of the FACulty of AGRICulture KYUSHU UNIVersity

Sel'skoKHozyaistvennoi BIOL.

SIS'S'KOHOSPODarskoyi NAUKY

SODOBNO KMETIJSTVO

SORIPAR

SORIPAR (SORIBY)

SOVETSKAIA BOTANIKA (LENIGRAD)

SVENsk BRYGGERITIDSKRift

T

THEORetical APPLied GENETics

TRUDY RESP. N. I. KHMELVOD. ST. RSFSR: REFERativnyi ZHurnal

TRUDY RESP. N. I. KHMELVOD. ST. CHUVASH. ASSR: REFERativnyi ZHurnal

TRUDY ZHITOMIRSK. N. I. SElekts. STANSII KHMELOVODSTVA

TSITOLogiya GENETika

U

UDOBRENIE i UROZHAI

V

V. Sbornik MORFOGENEZ RAST. MOSKVA, MOSK. UNIV.

VERSUCHSANST GARUNGSGEWERBE MITT.

VESTnik MOSKOVskogo UNIVersiteta SERiya BIOLogii POCHVOVedeniya GEOLogii i GEOGRafii

VESTnik Sel'skoKHozyaistvennoi NAUKI (MOSCOW)

VISNYK SIL'S'KOHOSPODarskoy NAUKY

VISNYK SIL'S'KOHOSPODarskoyi NAUKy REFERativni ZHurnal

VYSNik KYIIVS'koho UNIVerstetu SERiya BIOLogiyi

W

WOCHENSCHR. BRAUerei

Z

ZASHchita RASTenii (MOSCOW)

ZBornik BIOTEHniske FAKultete UNIVerze u LJUBLJani, KMETIJSTVO

Zeitschrift fuer ANGEWandte ENTOMOLOGie

Zeitschrift fur LANDESKULTur

Zeitschrift fuer LEBANSmittel-UNTERSuchung and FORSCHung

Zeitschrift PFLANZENKRankeiten

Zeitschrift für PFLANZENKrankheiten und PFLANZENSCHUTZ

ZEMEdelska TECHnika

ZENTRALBLatt für BAKTERIOLogie

ZESZyty PROBLEmowe POSTEPOW NAUKI ROLNicznych

ZIVOCISNA VYROBA

AVAILABILITY OF CITED REFERENCES

Books. The Technical Information Systems (TIS) lends books, other than rare books, or those on reserve, or in the reference collection, to U.S. Department of Agriculture employees. Non-USDA individuals should arrange interlibrary loan through their local public, university, or special library.

1. Form. The American Library Association's (ALA) Interlibrary Loan Request form is preferred. Citations should be as complete as possible, and the source of reference should be provided if known. Please use one form for each item requested. TWX requests are accepted. TIS's number is 710-828-0506.
2. Loan Period and Renewals: Material is loaned for 30 days from date it is charged at TIS. Renewals should be requested by phone (301-344-3761).
3. Delivery and Returns: All loans will be sent first class and should be returned in the same manner. The borrowing library is responsible from the moment of dispatch for any loss or damage incurred.

Periodicals. Periodicals and other noncirculating materials are not available for loan but may be used in TIS or in its designated reading rooms in the Washington, D.C., area.

Photocopy of journal articles. Photocopy of journal articles will be sent in lieu of loan to USDA employees, 1890 Land-grant institutes, and libraries with which TIS has a reciprocal arrangement. USDA EMPLOYEES SHOULD SUBMIT REQUESTS ON FORM AD-245. These forms are available from their procurement office. Requestors not in one of the above categories may purchase reproductions of journal articles, technical papers, reports, etc. in the TIS collection as outlined below:

1. Form: Please use USDA Request for Photocopying forms (LF-607). These forms are available from TIS upon request. Use one for each citation. Requests should be as complete as possible with a minimum of abbreviation. Indicate whether xerographic copy or microfilm is desired and sign each order form. If an alternate form is used, please send in triplicate.
2. Rate: (Subject to increase)
Xerographic Copy: \$2.00 for each 10 pages or fraction copied from a single article or book.

Microfilm (35 mm): \$1.00 for each 30 pages or fraction copied from a single article or book.
3. Payment: Users with heavy or continuous volume may request monthly billing or pay for requests with TIS coupons. These coupons may be purchased in any quantity at \$1.00 each. Payment (check or money order payable to the Technical Information Systems) must accompany TIS coupon orders. Attach the necessary number of coupons to each LF-607 submitted. Occasional or one-time users should enclose a check or money order with each request or group of requests.

4. Restrictions: Reproductions will be made only from material in the TIS collection. Monographs will not be copied in their entirety. Special arrangements must be made for microfilm of entire issues or long runs of a journal title.

Requests for the services described above should be sent to:

U.S. Department of Agriculture
Technical Information Systems
Lending Division
Beltsville, Maryland 20705

Questions concerning these services should be directed to the attention of the Chief, Lending Division.

*U.S. GOVERNMENT PRINTING OFFICE: 1981-0-720-008/3988

U.S. DEPARTMENT OF AGRICULTURE
SCIENCE AND EDUCATION ADMINISTRATION
WASHINGTON, D.C. 20250

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

NATIONAL AGRICULTURAL LIBRARY



1022845700

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF
AGRICULTURE
AGR 101

